



**12V DC Mini-Magnetschloss 60kg
Magnetische Fehlschläge sicherer
Schloss für Glas- / Holz- /
Brandschutz-Zugangskontrolle**

Collinear Lastprüfung 60kg, 120 Pfund.

MOV bietet einen umgekehrten
Stromschutz.

Anti-Restmanteismus entworfen.

Hochfestes Material, eloxiertes
Aluminiumgehäuse.

Design ohne mechanische Bolzen.

Erhöhen Sie die Haltekraft, das doppelte
isolierende Verlust.

CE-Zertifikat von Europäischen Union, MA-
Zertifikat von China Öffentliches
Sicherheitsbüro.

P
a
o
d
m
k
t
ø
n
b
a
sn
e
h
e
e
i
b
u
n
g
. 8
p
ø
8
x
2
ñ
m
m
ö
ß
e
:
6
k
g
t
ø
k
b
a
f
t
:

E
2
h
0
4
W
D
C
s
p
a
p
p
a
h
s
p
a
n
n
u
n
g
H
e
b
i
g
ü
e
t
G
li
a
d
t
ä
F
ü
M
e
t
a
l
l
t
ü
r
,
f
e
u
e
r
f
e
s
t
e
T
ü
r

B
o
n
g
s
l
n
a
a
b
g
a
a
g
u
s
N
e
i
n
/
N
C
/
c
o
m
/
+
/
-

F
a
h
l
S
a
e
e
,
T
i
m
e
r
-
V
e
r
z
ö
g
e
r
u
n
g
,
F
e
e
d
b
a
c
k
-
S
i
g
n
a
l
,
1
2
V
/
2
4
V
D
C
-
D
o
p
p
e
l
s
p
a
n
n
u
n
g

R
E
D
z
e
i
g
t
n
i
c
h
t
g
e
s
p
e
r
r
t
,
g
r
ü
n
z
e
i
g
t
g
e
s
p
e
r
r
t
G
6
W
ü
c
h
t
:
Z
E
f
M
A
f
i
z
i
e
r
u
n
g
:

Produktvorteil

- 1.Geged 100 lbs super statische lineare Spannungstests.
- 2.Anti-Restmagnetdesign, halten Sie konstante Spannung.
- 3.Built-In-umgekehrter Stromschutzvorrichtung (MOV), Leistungsstabilität, Sicherheitskoeffizient ist höher.
- 4.Weugmaterialien, langlebig.
- 5.Elektromagnetische Saugarbeit vollständig, es gibt kein mechanisches Versagen.
- 6.Shell mit hochfestem Legierungsmaterial, Anodenhärtungsbehandlung.
- 7.Lassen Sie den Körper mit doppelter Isolationsbehandlung.

Detaillierte Bilder, OEM / ODM verfügbar

Mini Single Door Magnetic Lock

Stable Holding Force


magnetic locks
have 60kg(100 lbs) linear pulling force.



Aluminum Shell

Shell with high strength alloy material,
anode hardening treatment.






NE-60
Lock Size: 80L*33W*19H(mm)

- Eingangsspannung: DC12V oder DC24 (kann angepasst werden)
- Haltekraft: 60kg (120 lbs)
- Geeignet für: Showcase, Schranktür usw.
- Oberflächen für die Schale: eloxiertes Aluninum
- Oberflächen für Magnetic: Zink
- Oberteile für den Anker: Zink

Produktanwendung

Double Insulation

Lock body with double insulation treatment.



special Used to Small Cabinet Door



Saves time and power when installation.




Instatierungsdiagramm

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Verwandte Produkte

[Klicken Sie hier, um zu bestellen und über Ihre kostenlose Probe in 3 Tagen zu sein !!!](#)

Wir sind professionelle umfassende Sicherheitszugangskontrollprodukte-Lieferant mit 20-jähriger Erfahrung, wir bieten sicher, dass wir die beste Lösung der Lösung der Zugangskontrollsysteme anbieten! Senden Sie also Ihre Anfragedetails in der folgenden Seite, klicken Sie jetzt auf "Senden"!

Wir freuen uns auf erfolgreiche Geschäftsbeziehungen mit neuen Kunden auf der ganzen Welt in der Zukunft.



ACM-280N.

Rückseite Magnetverriegelung (280 kg / 600 lbs) Geeignet für: Holztür, Glastür, Metalltür, Feuer | Beweistür



ACM-Y180.

Oberflächenmontiert (180 kg / 300 lbs)
Magnetverriegelung 2Bindestecke
versagen sicher. Gutes für: Holztür,
Glastür, Metalltür, feuerfeste Tür.



ACM-Y280.

280kg (600 lbs) Einzeltür-Magnetschloss Geeignet für: Holztür, Glastür, Metalltür, feuerfeste Tür.



ACM-Y350.

Einzeltür-Magnetverriegelung 350kg (800lb) Geeignet für: Holztür, Glastür, Metalltür, feuerfeste Tür.



ACM-Y500.

Einzeltür-Magnetschloss 500 kg (1000 lbs) Geeignet für: Holztür, Glastür, Metalltür, feuerfeste Tür.




ACM-Y280-W

Einzel­tür-Magnetverriegelung 280kg
(600 £) wasserdicht. Suitfähig für:
Holztür, Glastür, Metalltür, feuerfeste
Tür.

You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**



Biometric Controller



RFID Controller



Door EM Lock

ABOUT GOLDBRIDGE

As a one of leading manufacturer and exporter of RFID products in China, We have been in this field for 20 years already. We have rich production and exportation experience on RFID products. Our strength products are: rfid card, rfid Keyfob, rfid wristband, rfid tag and various rfid reader. We are also the access control solution provider.

[MORE >>](#)



ABOUT OUR FACTORY

Established in 1999, Shenzhen Goldbridge has witnessed the technological innovation from rfid card to rfid tag, the overall change of market products in the past 20 years, and registered "Shenzhen Goldbridge Industrial Co., Ltd." in 1999.

At present, Goldbridge has developed into a National High-Tech Enterprise, which is specialized in the integration of production, market and research. Starting from the PVC cards and RFID cards factory with only 66 workers, Goldbridge has accomplished the successful transition from traditional manufacturing industry to IOT technology enterprise (RFID technology development).



With the accumulation of dozens of software copyrights and utility new inventions and patents, Goldbridge has been rewarded as "National High-Tech Enterprise", "Shenzhen High-Tech Enterprise", and has become an integrated enterprise which focuses on research, production and market. Meanwhile, by adopting the "Military + School + Family" corporate culture concept, accompanied by the continuous innovation of business model and marketing model, plus the B2B, B2C platform and excellent sales team, Goldbridge sells its products all over the world.



Honers & Certificates

