

Produktbeschreibung



12V Sicherheitsmagnet Elektronische ferngesteuerte Elektroleiste Verstecktes Einsteckschloss Smart Rfid Magnetisches Türschloss

NC-Modus - (bei Spannungsversorgung gesperrt), Fail-Safe-
Modus
LED Zeigt den Türstatus an

Haltekraft ca. 280kg (600lbs)

Geeignet für: Holztür, Glastür, Metalltür, feuerfeste Tür
ACM in den USA und Kanada gelistet. ACM-Zertifikatsnummer
20121130-R27474, hiermit wird bescheinigt, dass repräsentative
Proben des Produkts, wie in diesem Zertifikat angegeben, gemäß
den aktuellen ACM-Anforderungen Collinear Load Test 280kg
/600pounds getestet wurden

Doppelspannung 12 oder 24 VDC (optional)

Die Standardspannung beträgt 12 VDC, wenn Sie fertig sind

Ausgangskontakt: NO/NC/COM

MOV bietet Rückstromschutz

Anti-Restmagnetismus entwickelt

Hochfestes Material, Gehäuse aus eloxiertem Aluminium

Design ohne mechanisches Versagen

Erhöhen Sie die Haltekraft, Dual Isolative Housing

- ✓ Thick aluminum alloy
- ✓ strong and sturdy
- ✓ Electronically
- ✓ controlled magnetic force
Anti-theft

Magnetic lock

280kg

Alloy Lock Body Excellent Craftsmanship



DETAILS

01

Alloy lock body

The lock body is made of high-quality aluminum alloy. Robust and classic design. Fine workmanship made of aluminum alloy material, High strength and durability.



02

Anti-theft device

The access control magnetic lock is equipped with a screw wrench for security. When the magnetic lock is installed outdoors, in the locked state, people outside will also remove it for safety and peace of mind.

03

Suction patch

Using precision components,
each magnetic lock is
Tested by precision instruments,
good performance,
Stable quality and guaranteed
after sales.



04

Stable suction

This magnetic lock has a pull-
ing force of 280kg, which is
stable and durable, safe and
reliable.




06

Lock indicator


Under normal conditions,
the red light is off
Red light on means locked




Magnetic lock external opening installation step diagram



Opening method →




1. Standard hole bitmap



2. Use a screwdriver to unscrew the anti-removal screws.




3. Separate the lock body and the connecting plate with a hexagonal key.




4. Find the appropriate position and attach the connecting plate to the door frame.




5. Secure the lock body and connecting plate with a hexagonal key.



6. Install the attachment plate, first pad the gasket and rubber ring, and arrange them in order.



7. Fix it with screws, the effect is as shown in the figure.



8. Final effect diagram.

Artikel

Herkunftsort

Zertifizierung

Haltekraft

Sperrstatusanzeige

Statussensoren sperren

Nennbetriebsspannung

Derzeitiger Verbrauch

Oberflächenveredelung für Magnet

Magnetabmessungen (L x B x T)

Wert

China

Guangdong

CE,

280kg (600Lbs)

Rote und grüne, zweifarbige LED

Schließer, Öffner, COM

12/24VDC

12V/500mA 24V/250mA

Verzinkt

250 L x 48 B x 25 H (mm)

Ankerplattenabmessungen (L x B x T) 180L*38B*11H(mm)

Gewicht in kg

2,0kg

Packing & Delivery



Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet

Shenzhen Goldbridge konzentriert sich auf Innovation, F&E, Produktion und Vertrieb von IOT-RFID-Produkten und Anwendungslösungen, einschließlich der Kategorie RFID-Lesegeräte **UHF-Desktop-Lesegerät, integrierter UHF-Leser, fester UHF-R2000-Leser, UHF-OEM-Modul, RFID-Handheld-Lesegerät, uhf-RFID-Tags, aktiver 2,4-G-RFID-Leser, EM 125KHZ-Langstreckenleser, industrielle RFID-Hardware und integrierte Software**, erhielt die nationale High-Tech-Unternehmenszertifizierung FCC, CE und ROHS.

Verwandte Produkte



SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD
Factory Wholesale with 20% Discount OFF - RFID Cards,
RFID Reader, Access Control , Locks, Exit Button



| | | | | |
|--|---|--|---|---|
| | | | | |
| 125Khz EM4100 Proximity Card (ACM-EMI-S) | Mifare 1K ISO Blank Card (ACM-MF1) | 125Khz Clamshell Thick Card (ACM-EMC-I) | 125Khz EM4100 rfid Key fob (ACM-ABS003) | 125Khz EM Silicon Wristband (ACM-W003/005) |
| | | | | |
| USB Desktop Reader (ACM-08M) | Access control rfid reader (ACM-302) | Access control rfid reader (ACM28A) | Keypad access control reader (ACM-305) | Access control rfid reader (ACM-26) |
| | | | | |
| Metal Touch Screen Keypad IP65 Access Controller (ACM-A10) | Touch Keypad Access Controller (ACM225) | Metal Keypad Access controller (ACM208A) | Keypad standalone RFID Access Controller (ACM223) | Metal Keypad Access Controller (ACM209A) |
| | | | | |
| 2-6Meter UHF Long range rfid reader (ACM813A) | 6-12Meter UHF Reader (ACM802A) | 10-20Meter UHF Reader (ACM819A) | 8-12Meter UHF Reader (ACM803A) | UHF USB Desktop Encode Reader /Writer with SDK (ACM-217UHF) |
| | | | | |
| 60kg/120lbs EM Lock (ACM-Y60) | 180kg/300lbs LED EM Lock (ACM-Y180) | 280kg/600lbs Timer /LED EM Lock (ACM-Y280-5PIN) | Long type Fail safe Electric Strike(ACM-Y132) | Drop bolt Deadbolt Lock, Power to unlock (ACM-Y100) |
| | | | | |
| Yale Waterproof Electric RIM Lock (ACM-Y045) | No touch Door Release Exit Button (ACM-K2A/K6A) | Dual function : Power Supply+exit button (Y802A) | QR CODE Scanner rfid Reader | Passport ID Scanner (ACM901) |

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com
For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !


Produktvorteil

- Kollinearer Belastungstest 280 kg, 600 Pfund.
 - Doppelspannung 12 oder 24 VDC (optional).
 - Die Standardspannung beträgt 12 VDC, wenn Sie fertig sind.
 - MOV bietet Rückstromschutz.
 - Geeignet für Holztüren, Glastüren, Metalltüren, feuerfeste Türen.
 - LED Zeigt den Türstatus an.
 - Verriegelungsstatussensor (NO / NC / COM)
 - Türstatussensor (NO / NC / COM)
 - Anti-Restmagnetismus entwickelt.
 - Hochfestes Material, Gehäuse aus eloxiertem Aluminium.
 - Design ohne mechanisches Versagen.
 - Erhöhen Sie die Haltekraft, doppelt isoliertes Gehäuse.
 - CE-Zertifikat der Europäischen Union, MA-Zertifikat des China Public Security Office
- Detaillierte Bilder, OEM / ODM verfügbar



Unser Schloss ist mit LED-Licht ausgestattet, um die funktionierende Statue zu zeigen, Licht ist grün, wenn es gesperrt ist, rot, wenn es entsperrt ist . Die Lichtstatue kann verändert werden.

ACM-Y280 ist mit Signalausgang. Die Leiterplatte kann angepasst werden. Wir können das Schloss mit 12 V und 24 V Doppelspannung und mit 7-Draht-Verbindung herstellen. Das folgende Foto ist die Platine optional.




Qualitätsgarantie

- Garantieservice ACM Goldbridge bietet 2 Jahre Garantie für verwandte Produkte.
- Im Gegenteil, ACM Goldbridge berechnet zusätzliche Kosten für Reparaturen.
- Weitere Informationen finden Sie in unserem Service-Center.


Installationsdiagramm

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Verpackung & Lieferung

Lieferweg

Wir haben eine starke Zusammenarbeit mit DHL, FEDEX, TNT, UPS, EMS, Forwarders by SEA und By AIR
Sie können auch Ihren eigenen Versandspediteur wählen.

Verpackung

Magnetverschlussverpackung: 1 Einheit pro Karton, 12 Stück pro Karton,
Kartongröße: 54,3 * 13,5 * 19,3cm, Bruttogewicht: 25 kg 50 Kartons pro Palette



Verwandte Produkte



ACM-Y280N

Magnetschloss-Rückplatte (280 kg / 600 lbs) Geeignet für: Holztür, Glastür, Metalltür, Feuer | Beweistür

ACM-Y180

Oberflächenmontiertes (180kg / 300lbs) Magnetschloss 2Bolzen Ausfallsicher.

ACM-Y280

280 kg (600 lbs) Einzeltür-
Magnetschloss Geeignet für:
Holztüren, Glastüren, Metalltüren,
feuerfeste Türen.



ACM-Y350

Einzeltür-Magnetschloss 350 kg (800
lbs) Geeignet für: Holztüren,
Glastüren, Metalltüren, feuerfeste
Türen.

ACM-Y500

Einzeltür-Magnetschloss 500 kg (1000

lbs) Geeignet für: Holztüren,
Glastüren, Metalltüren, feuerfeste
Türen.

ACM-Y280-W

Einzeltür-Magnetschloss 280 kg (600
lbs) wasserdicht. Geeignet für:
Holztüren, Glastüren, Metalltüren,
feuerfeste Türen.

You may need



ACM-Y100S

Elektrisches Riegelschloss (5PIN)

Ausfallsicherer elektrischer Riegel mit
Magnetfunktion

ACM-Y130

Türöffnerschloss (Öffner / Schließer
optional)

Schlossgröße: 110 x 28 x 31 mm

ACM-Y066

Intelligentes Smart Sperren
(Motorschloss)

Lock

Unser Service

- 1, alle Anfragen werden innerhalb von 24 Stunden beantwortet
- 2, professioneller Hersteller und Lieferant, Willkommen auf unserer Website und unserer Fabrik
- 3, OEM/ODM verfügbar
- 4, hohe Qualität, modisches Design, angemessener und konkurrenzfähiger Preis, schnelle Vorlaufzeit
- 5, Kundendienst:
 - 1), Alle Produkte werden vor dem Verpacken im Haus streng auf Qualität geprüft
 - 2), Alle Produkte werden vor dem Versand gut verpackt
 - 3), Alle unsere Produkte haben 2-3 Jahre Garantie, wenn der Schaden nicht durch Menschen verursacht wird
- 6, schnellere Lieferung : Etwa 1 ~ 5 Tage für Musterbestellungen, 7 ~ 30 Tage für Sammelbestellungen
- 7, Zahlung: Sie können die Bestellung bezahlen über: T / T, Western Union, Paypal
- 8, Versand: Wir arbeiten eng mit DHL, FEDEX, TNT, UPS, EMS, SEA Forwarders und By AIR zusammen. Sie können auch Ihren eigenen Spediteur auswählen.

20+ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality produtcs with 30 R&D; engineers.

APPLICATION

Bus, supermarket,school, government, hospital, factory



CERTIFICATE



