

## Descripción de productos

### Cerradura de puerta magnética eléctrica de 120LBS con sistema de kit de control remoto

12V Holding Force 60kg 120lbs Cerradura de puerta magnética para puerta de vidrio sin marco montada en superficie

Tipo: Cerradura magnética de 60 kg.

Material: carcasa de aleación de aluminio placa de hierro

Fuerza de sujeción: 60KG/120lbs

Voltaje de funcionamiento: cc 12 V.

Corriente de trabajo: 110mA

Humedad: 0 a 95%

Temperatura de trabajo: -10 a 55 grados Celsius

Modo de trabajo: encendido para bloquear, apagado para desbloquear

Trabajo para una sola puerta

Dimensión: 80\*37\*24mm/ 70\*33\*10mm

#### Parámetro del producto Descripción de parámetros

Tamaño de la cerradura: 80x38x25mm

Fuerza de sujeción: 60 kg (100 libras)

Voltaje de entrada : Voltaje doble de 12/24 VCC

Adecuado para puerta: Puerta de madera, Puerta de cristal, Puerta de metal, Puerta ignífuga

Salida única: Bloquear estado individual NO/NC/COM/-


Rasgo: A prueba de fallas, retardo del temporizador, señal de retroalimentación, voltaje dual de 12 V/24 V CC


DIRIGIÓ: El rojo muestra desbloqueado, el verde muestra bloqueado

Peso: 0,6 kg

Certificación: CE/MA









REMOTE CONTROL  
WORKING VOLTAGE:DC12V  
FREQUENCY:433MHZ  
MODEL: HBK-R01


POWER

EXIT  
BUTTON


MODE OF LOCK  
NC NO

LOCK

## Dimension



Power 12VDC:




Armature Plate




### ⚠ Caution:

- The screw of armature plate should not be fixed too tight, proper elasticity should be guaranteed for the rubber ring so that the armature plate can adjust itself to the appropriate position.
- Please keep the surface of the lock clean, or the force will be reduced because of the dust, glue or scotch tape on it.


## Installation



Demonstration of Standard Installation



Demonstration of Z Bracket Installation






Demonstration of UL Bracket Installation



Productos relacionados



**Re: Door Electromagnetic Magnetic EM Lock**

|                                                                                    |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |   |   |
| <b>Model: M60</b><br>Magnetic lock 60kg/120lbs                                     | <b>Model: YM180</b><br>Magnetic lock 180kg/300lbs                                  | <b>Model: M280 -2Pin</b><br>Magnetic lock 280kg/600lbs                             | <b>Model: M350 -2Pin</b><br>Magnetic lock 350kgs/800lbs                             | <b>Model: M500 -2Pin</b><br>Magnetic lock 500kgs/1200lbs                             |
|   |   |   |   |   |
| <b>Model: M180N -2Pin</b><br>Mortise Concealed EM lock 180kgs/300lbs               | <b>Model: M280N -2Pin</b><br>Mortise Concealed EM lock 280kgs/600lbs               | <b>Model: M350N -2Pin</b><br>Mortise Concealed EM lock 350kgs/800lbs               | <b>Model: M500N -2Pin</b><br>Mortise Concealed EM lock 500kg/1200lbs                | <b>Model: ACM-280W</b><br>Outdoor Waterproof Magnetic lock 280kgs/600lbs             |
|  |  |  |  |  |
| <b>Model: M180D</b><br>Double Door 180kgs/300lbs Magnetic lock                     | <b>Model: M280D</b><br>Double Door 280kgs/600lbs Magnetic lock                     | <b>Model: M350D</b><br>Double Door 350kgs/800lbs Magnetic lock                     | <b>Model: M500D</b><br>Double Door 500kgs/1200lbs Magnetic lock                     | <b>Model: ACM-500W</b><br>Outdoor Waterproof Magnetic lock 500kgs/1200lbs            |

**RE: Bracket used for Above Brand Magnetic EM Lock**




ZL Bracket for  
Magnetic EM Lock

| Item#            | ZL Bracket Dimension   |
|------------------|------------------------|
| M180ZL           | Z bracket: 140*36*36mm |
| M280ZL<br>M350ZL | L bracket: 250*50*30mm |
| M500ZL           | Z= 185*70*63mm         |




ZL Bracket for  
Magnetic EM Lock

| Item#          | ZL Bracket Dimension   |
|----------------|------------------------|
| M180Z          | Z bracket: 140*36*36mm |
| M280Z<br>M350Z | Z bracket: 180*50*50mm |
| M500Z          | Z= 185*70*63mm         |



U Bracket for  
Magnetic EM Lock

| Item#          | U Bracket Dimension      |
|----------------|--------------------------|
| M180U          | U bracket: 182*45*28mm   |
| M280U<br>M350U | L bracket: 140*33*25.5mm |



L Bracket for  
Magnetic EM Lock

| Item#          | U Bracket Dimension                               |
|----------------|---------------------------------------------------|
| M180L          | L bracket: 168*38*24mm                            |
| M280L<br>M350L | L bracket: 250*50*30mm                            |
| M280DL         | L bracket For double door<br>magnetic lock 600lbs |
| M500L          | L=265*73*45mm                                     |

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

## Garantía de calidad

- El servicio de garantía se cumplirá si el daño no es causado por humanos, ACM Goldbridge ofrece 2 años de garantía para los productos correspondientes.
- Por el contrario, ACM Goldbridge cobrará extra si se repara.
- Más información, navegue por nuestro centro de servicio.

## Diagrama de instalación

# STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 16mm



Wooden Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 12.7mm



Metal Surface Door  
6.8mm for M8-1.25thread  
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

## Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

## Embalaje y Entrega

### Forma de envío

Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA y By AIR  
También puede elegir su propio transportista de envío.

### embalaje

Empaque de cerradura magnética: 1 unidad por caja, 5 piezas por caja,

Tamaño del cartón: 35\*30\*16 cm, peso bruto: 25 kg.



## You may need



### **ACM-Y280N**

Cerradura magnética de placa posterior (280 kg/600 lb) Adecuado para: puerta de madera, puerta de vidrio, puerta de metal, fuego | Puerta de prueba

### **ACM-Y180**

Cerradura magnética montada en superficie (180 kg/300 lbs) 2 pernos a

prueba de fallas. Adecuado para:  
puerta de madera, puerta de vidrio,  
puerta de metal, puerta a prueba de  
fuego.

### **ACM-Y280**

Cerradura magnética de una sola  
puerta de 280 kg (600 lb) adecuada  
para: puerta de madera, puerta de  
vidrio, puerta de metal, puerta a  
prueba de fuego.



### **ACM-Y280-L**

Soporte en L para cerradura  
magnética de 280 kg/350 kg

## ACM-Y180ZL

Soporte ZL para cerradura magnética  
de 180 kg/300 lb

## ACM-Y280-ZL

Soporte ZL para Cerradura Magnética  
280Kg/350Kg

## Nuestro servicio

- 1, cualquier consulta será respondida dentro de las 24 horas
- 2, fabricante y proveedor profesional, bienvenido a visitar nuestro sitio web y nuestra fábrica
- 3, OEM/ODM disponible
- 4, alta calidad, diseño fashion, precio razonable y competitivo, plazo de entrega rápido
- 5, servicio postventa:
  - 1), todos los productos habrán sido estrictamente verificados en casa antes de empacarlos
  - 2), todos los productos estarán bien embalados antes del envío
  - 3), todos nuestros productos tienen 2-3 años de garantía si el daño no es causado por humanos
- 6, entrega más rápida : Alrededor de 1~5 días para pedidos de muestra, 7~30 días para pedidos al por mayor
- 7, pago: Puede pagar el pedido a través de: T/T, Western Union, Paypal.
- 8, envío: Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA y By AIR. También puede elegir su propio transportista de envío.

## Preguntas más frecuentes

### **P: 1. ¿Cómo puedo hacer un pedido?**

R: Indíquenos sus requisitos por correo electrónico. Luego, le enviaremos la oferta lo antes posible, después de la confirmación del pedido, organizaremos la producción lo antes posible.

### **P: 2. ¿Qué pasa con el pago y el envío?**

R: TT/T, Paypal, Western Union.

Los clientes pueden elegir por mar, aire o expreso (DHL, FedEx, TNT UPS, etc.)

### **P: 3. ¿Cómo puedo obtener una muestra para verificar su calidad?**

R: podemos proporcionarle una muestra gratis y el costo del flete pagado por usted.

### **P: 4. ¿Cuánto tiempo puedo esperar para obtener las muestras?**

R: Depende de la cantidad. Normalmente de 3 a 7 días para 5000 unidades y de 7 a 15 días para 100 000 unidades

### **P: 5. ¿Se pueden personalizar sus productos?**

R: Casi todos sus productos están personalizados, incluidos el material, el tamaño, el grosor y la impresión. Los pedidos de OEM son muy bienvenidos.

### **P: 6. ¿Es usted una empresa comercial o una fábrica?**

Somos uno de los mayores fabricantes de tarjetas RFID/etiquetas NFC/teclados RFID/pulseras RFID, lectores rfid y productos de control de acceso en China desde hace más de 20 años.

# 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

## ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized  
Services



Quality  
Assurance



Fast  
Delivery



Best After-  
Sales Service

## OUR FACTORY



### Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



### Door Lock Production Line

### Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



### RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE



### WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

## APPLICATION

Bus, supermarket, school, government, hospital, factory



## CERTIFICATE



