

Descripción del Producto:

Cerradura magnética 180KG 350lbs 280KG 500KG Cerradura magnética eléctrica DC 12V Cerraduras electromagnéticas para puerta de control de acceso



Product Parameter	Parameter Description
Lock Size :	170x40x21mm
Armature plate:	190Lx190Lx45Wx11H(mm)
Holding Force :	180kg (300Lbs)
Input Voltage :	12/24VDC Dual Voltage
Suitable for door:	Wooden door , Glass door ,Metal door , Fireproof door
Singal Output :	Lock singal Status NO/NC/COM/+/-
Feature:	Fail Safe, Timer delay, feedback signal, 12V/24VDC dual voltage
LED:	Red shows unlocked, Green shows locked
Weight:	1.4kgs
Certification:	CE /MA

Dimensiones de la cerradura: 80 x 40 x 22 mm

Placa de armadura: 74 x 35 x 10 mm

Tensión máxima: 60 kg (100 libras)

Voltaje de entrada: DC12V 10%

Corriente de funcionamiento: 12V/300mA

Temperatura de la superficie: dentro de 20 grados por debajo de la temperatura ambiente

Temperatura adecuada: -10 a 55 grados (14-131F)

Humedad adecuada: 0 a 90% de humedad relativa

Carcasa: procesamiento de revestimiento anodizado

Procesamiento de placas de bloqueo y ventosa: procesamiento de zincado respetuoso con el medio ambiente


Peso: 0,55 kg

Adecuado para archivadores, puertas pequeñas y más.


Esquema de conexión con dispositivo de control de acceso




180kg 350lbs



280kg 600lbs



320kg 800lbs




500kg 1000lbs





Product Description



Packing & Delivery



Shipping Way



We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging


Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet


With U Bracket Installation Guide



With L Bracket Installation Guide



With ZL Bracket Installation Guide



Productos relacionados



SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD
 Whatsapp: +86-13554918707 ;E-mail: sales@goldbridgesz.com ; Website: www.goldbridgesz.com
 Add: Block A, Zhantao Technology Building, Minzhi Avenue , Longhua District, Shenzhen, China



Electromagnetic EM Lock & Bracket - Factory Distributor Price List

Re: Door Electromagnetic Magnetic EM Lock

Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kgs/800lbs	Model: M500 -2Pin Magnetic lock 500kgs/1200lbs
Model: M180N -2Pin Mortise Concealed EM lock 180kgs/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kgs/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kgs/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kgs/600lbs
Model: M180D Double Door 180kgs/300lbs Magnetic lock	Model: M280D Double Door 280kgs/600lbs Magnetic lock	Model: M350D Double Door 350kgs/800lbs Magnetic lock	Model: M500D Double Door 500kgs/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kgs/1200lbs

RE: Bracket used for Above Brand Magnetic EM Lock

<p>ZL Bracket for Magnetic EM Lock</p>	<table border="1"> <thead> <tr> <th>Item#</th> <th>ZL Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180ZL</td> <td>Z bracket: 140*36*36mm</td> </tr> <tr> <td>M280ZL M350ZL</td> <td>L bracket: 250*50*30mm</td> </tr> <tr> <td>M500ZL</td> <td>Z= 185*70*63mm</td> </tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180ZL	Z bracket: 140*36*36mm	M280ZL M350ZL	L bracket: 250*50*30mm	M500ZL	Z= 185*70*63mm	<p>ZL Bracket for Magnetic EM Lock</p>	<table border="1"> <thead> <tr> <th>Item#</th> <th>ZL Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180Z</td> <td>Z bracket: 140*36*36mm</td> </tr> <tr> <td>M280Z M350Z</td> <td>Z bracket: 180*50*50mm</td> </tr> <tr> <td>M500Z</td> <td>Z= 185*70*63mm</td> </tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180Z	Z bracket: 140*36*36mm	M280Z M350Z	Z bracket: 180*50*50mm	M500Z	Z= 185*70*63mm
	Item#	ZL Bracket Dimension																	
	M180ZL	Z bracket: 140*36*36mm																	
	M280ZL M350ZL	L bracket: 250*50*30mm																	
M500ZL	Z= 185*70*63mm																		
Item#	ZL Bracket Dimension																		
M180Z	Z bracket: 140*36*36mm																		
M280Z M350Z	Z bracket: 180*50*50mm																		
M500Z	Z= 185*70*63mm																		
<p>U Bracket for Magnetic EM Lock</p>	<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180U</td> <td>U bracket: 182*45*28mm</td> </tr> <tr> <td>M280U M350U</td> <td>L bracket: 140*33*25.5mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180U	U bracket: 182*45*28mm	M280U M350U	L bracket: 140*33*25.5mm	<p>L Bracket for Magnetic EM Lock</p>	<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180L</td> <td>L bracket: 168*38*24mm</td> </tr> <tr> <td>M280L M350L</td> <td>L bracket: 250*50*30mm</td> </tr> <tr> <td>M280DL</td> <td>L bracket For double door magnetic lock 600lbs</td> </tr> <tr> <td>M500L</td> <td>L=265*73*45mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180L	L bracket: 168*38*24mm	M280L M350L	L bracket: 250*50*30mm	M280DL	L bracket For double door magnetic lock 600lbs	M500L	L=265*73*45mm
	Item#	U Bracket Dimension																	
	M180U	U bracket: 182*45*28mm																	
	M280U M350U	L bracket: 140*33*25.5mm																	
Item#	U Bracket Dimension																		
M180L	L bracket: 168*38*24mm																		
M280L M350L	L bracket: 250*50*30mm																		
M280DL	L bracket For double door magnetic lock 600lbs																		
M500L	L=265*73*45mm																		

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

Garantía de calidad


- El servicio de garantía se cumplirá si el daño no es causado por humanos, ACM Goldbridge ofrece 2 años de garantía para los productos correspondientes.

- Por el contrario, ACM Goldbridge cobrará extra si se repara.
- Más información, navegue por nuestro centro de servicio.


Diagrama de instalación

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Embalaje y Entrega

Forma de envío

Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA y By AIR
También puede elegir su propio transportista de envío.

embalaje

Empaque de cerradura magnética: 1 unidad por caja, 10 piezas por caja,
Tamaño del cartón: 26*26*10 cm, peso bruto: 46 kg. 50 cartones por palet



Nuestro servicio

- 1, cualquier consulta será respondida dentro de las 24 horas
- 2, fabricante y proveedor profesional, bienvenido a visitar nuestro sitio web y nuestra fábrica
- 3, OEM/ODM disponible
- 4, alta calidad, diseño fashion, precio razonable y competitivo, plazo de entrega rápido
- 5, servicio postventa:
 - 1), todos los productos habrán sido estrictamente verificados en casa antes de empacarlos
 - 2), todos los productos estarán bien embalados antes del envío
 - 3), todos nuestros productos tienen 2-3 años de garantía si el daño no es causado por humanos
- 6, entrega más rápida : Alrededor de 1~5 días para pedidos de muestra, 7~30 días para pedidos al por mayor
- 7, pago: Puedes pagar el pedido a través de: T/T, Western Union, Paypal
- 8, envío: Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA y By AIR. También puede elegir su propio transportista de envío.

Información de la empresa:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket,school, government, hospital, factory



CERTIFICATE



