

Descripción del Producto

Cerradura inteligente automática TTlock de fácil instalación, cerradura de puerta inteligente con cilindro sin cambio para hogar/apartamento/alquiler

Cerradura de control eléctrico de un solo extremo. Se puede abrir mediante dispositivos eléctricos, girando el botón o la llave. Adecuado para puerta abierta hacia la derecha. Es altamente seguro y antirrobo. También puede evitar que alguien abra la cerradura con otras herramientas.

D
 e
 s
 c
 r
 i
 b
 e
 t
 h
 e
 c
 o
 n
 t
 e
 n
 t
 s
 o
 f
 t
 h
 e
 b
 o
 o
 k
 i
 n
 a
 s
 e
 r
 i
 e
 s
 o
 f
 b
 o
 o
 k
 s
 o
 n
 t
 h
 e
 s
 e
 t
 o
 p
 i
 c
 s
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i
 s
 a
 v
 a
 l
 u
 e
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 a
 d
 d
 i
 t
 i
 o
 n
 .
 T
 h
 e
 b
 o
 o
 k
 i

C
o
r
r
i
M
á
s
d
e
e
m
A
a
b
a
j
o
S
e
ñ
a
l
p
a
r
E
O
N
D
U
J
D
a
p
u
e
r
t
a
.
1
A
c
t
a
V
C
C

Cylindrical rods of various materials are used to construct the ends of the shaft.

M
á
s
d
W
2
d
a
e
c
e
s
H
o
r
a
d
e
a
p
e
r
t
t
il
r
s
a
d
e
l
b
l
o
q
u
e
o

D
i
s
t
a
n
c
i
a
c
o
n
t
r
o
l
l
a
d
e
p
r
m
e
m
o
t
a
m
e
n
t
e
:
P
r
o
c
e
s
o
d
e
E
A
M
A
n
t
í
t
u
l
o
:

Característica del producto

1. Utiliza un buen sistema de control y bloquea automáticamente la puerta por inducción.
2. Si el cliente desea reemplazar la cerradura eléctrica general, esto le ahorrará tiempo y será conveniente, ya que el orificio de la cerradura de instalación es consistente.
3. No hay restricción de dirección, también se aplican izquierda, derecha, interior y exterior y todo tipo de direcciones.
Sin golpes, reinicio automático, bajo nivel de ruido, bajo consumo de energía y pequeños requisitos para el cierrapuertas
4. Tamaño de la cerradura: 130x98x41mm
5. Con señal de retroalimentación y luz LED.
6. Voltaje de funcionamiento: 12 a 18V
7. Corriente de trabajo: 100 mA

Imágenes detalladas, OEM/ODM disponible Más detalles para el anverso/reverso y Accesorios



Function	Electronic door lock	Smart extension for the Smart Lock, enables remote access	Smart extension for the Smart Lock	Smart extension for the Smart Lock	Smart extension for the Smart Lock
Technology	Bluetooth	WiFi/Bluetooth	Bluetooth	Bluetooth	Bluetooth
Secure opening and locking	Secure opening & locking via smartphone		Secure opening & locking via 6-digit access code	Safe opening & locking at the touch of a button	Safe locking -- even from a distance
Controllable via app	✓	✓	✓	✓	✓
Remote access	TTLOCK Bridge is required				
Access authorisations for family & friends	Yes				



Technical Details



Item number	D9
Material	ABS+Zinc
Product dimensions	113 x 62 x 67 mm
Included Components	1x Smart Lock, 1x mounting plate -- screw, 1x mounting plate -- glue, 1x Allen key, 1x manual
Item Package Quantity	1
Item Weight	600 grams
Color	Black
Temperature range	-10 to +40°C

Accessories



Remote access at any time with TTLOCK bridge

Connect your Smart Lock to the TTLOCK bridge and access your door remotely.



Jixin Keypad

The Jixin Keypad is the perfect add-on to your Smart Lock. Simply enter your access code to give you and your guests easy access to your home.



Remote control via Bluetooth with Fobs

The Fob locks or unlocks your door via bluetooth at the touch of a button. A remote control for those who love simplicity. Fob is an alternative for everyone.

Do you have children that are too young for a smartphone, or a grandmother who can't handle her old keys anymore? The Fob is the ideal door opener for almost any kind of situation. On top of that, deactivating and replacing lost Fobs is mere child's play compared to replacing an entire lock with all its keys.



Jixin Door Sensor

With our door sensor and the TTLOCK bridge, you can always keep track of your smart door lock via TTLOCK app. This way, you always have the confidence of knowing your door is closed and safely locked – even from a distance.

Product Features

Access? Smart!

The Smart Lock makes your home smarter and more convenient. Share digital keys with family and friends with the user-friendly app. This offers you many ways of opening your door.

Installation? Easy!

The Smart Lock can be installed in under 3 minutes without screws, is invisible from outside the home, and can be easily removed.

Control? Secure!

Always keep track of your home. Thanks to the TTLOCK App you always know or keep track who locked your door and when, and whether your door is securely locked.




Carefree Living

Our smart door lock turns your existing door lock into a digital access solution. Enter the world of the smart home. You always have the peace of mind of knowing your door is under your control – anytime, anywhere. Full control and security for your home.

All functions in one app

Use your smartphone instead of the classic key. Control your door with the TTLOCK app. Share digital keys with friends and family for temporary or permanent, and keep track of who has come and gone with the activity log. You can always know or keep track who locked your door and when, and whether your door is securely locked.



Easy installation

The wireless door lock can be installed in under 3 minutes without screws, is invisible from outside the home, and can be easily removed.


Nuestra cerradura de control eléctrico ha utilizado las habilidades de producción más avanzadas y las mejores tecnologías de producción.

La cerradura se puede abrir mediante dispositivos eléctricos, girando el botón o la llave. Es altamente seguro y antirrobo. También puede evitar que alguien abra la cerradura con otras herramientas.

Esta cerradura se puede utilizar para puertas de edificios residenciales, especialmente puertas públicas de residencias, edificios gubernamentales, escuelas, hoteles, almacenes de fábricas, etc. También es compatible con puertas de control eléctrico.

La bobina dentro de la cerradura es a prueba de llamas. No se incendiará cuando funcione durante mucho tiempo. Si se enciende pero la cerradura no funciona, verifique la instalación o envíela al agente para que la repare.

Se ha mejorado la estructura interna de esta cerradura, lo que evitará que se abra al golpearla. Esto te hará más seguro.




Garantía de calidad

- Se aceptará el servicio de garantía si el daño no es causado por humanos. ACM Goldbridge ofrece 2 años de garantía para los productos relacionados.
- Por el contrario, ACM Goldbridge cobrará un cargo adicional si se realiza la reparación.
- Más información, navegue por nuestro centro de servicio.

Diagrama de instalación

Electric control locks all kinds installation schematic diagram




Embalaje y entrega

Forma de envío

Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, transportista por mar y por aire. También puede elegir su propio transportista de envío.

Embalaje

Embalaje de RIM Lock: 1 unidad por caja, 10 unidades por caja,
Tamaño del cartón: 26*26*10 cm, Peso bruto: 46 kg. 50 cajas por palet



You may need



ACM-Y100S 2PIN

CERRADURA ELÉCTRICA DE PERNO
DE CAÍDA

En espera 100MA/en funcionamiento
900MA Poder para desbloquear, 2PIN

ACM-Y100S 5PIN

CERRADURA ELÉCTRICA DE PERNO
DE CAÍDA

Retardo de tiempo de baja
temperatura, señal de
retroalimentación Potencia para
desbloquear, 5PIN

ACM-Y500A

Cerradura electrónica resistente a fallos con cerradura de puerta estrecha Tamaño: 205 x 30 x 38 mm



ACM-Y280

Cerradura magnética montada en superficie (280 kg/600 lb)

ACM-Y131

Raya electrónica de acero inoxidable (NC/NO) para puerta de madera, puerta de metal, puerta de PVC

ACM-Y066

Cerradura inteligente inteligente

(bloqueo de motor)
 Tamaño de la cerradura:
 130x98x41mmEn funcionamiento

Controlador de acceso

Productos más vendidos

			
Medición biométrica de temperatura con reconocimiento facial mediante IA	Control de asistencia y acceso a puertas	Control de acceso con teclado táctil Tuya	Control de acceso táctil WG 26
			
Control de acceso independiente	Control de acceso con teclado	Control de acceso a prueba de agua	Control de acceso con teclado
			
Control de acceso metálico	Control de acceso WiFi	Kit de sistema de control de bloqueo magnético	Cerradura biométrica de huellas dactilares Tuya Wifi

Productos relacionados

Complete Door Access Control Solution Provider




Hot Selling Equipments

BEST SELLERS

Standalone Fingerprint & RFID Outdoor Waterproof Access Controller



ACM-209E ACM-209V ACM-209H ACM-210E ACM-9800



ACM-209D ACM-209F ACM-851 ACM-TM07 ACM-TM05
Face Recognition Face Recognition

Standalone Waterproof Metal RFID Access Control



ACM-211A ACM-212A ACM-208A ACM-210A ACM-208B



ACM-208C ACM-A65 ACM-A55 ACM-210F ACM-209A

Standalone Waterproof Touch Screen /Keypad RFID Access Controller



ACM-230K ACM-230T ACM-223 ACM-225 ACM-227



ACM-226 ACM-301C ACM-301D ACM-212 ACM-212C

Touch Screen Standalone Waterproof Metal RFID Access Controller



ACM-A40 ACM-A50 ACM-A10 ACM-A20 ACM-A30



ACM-A60 ACM-A80 ACM-A88 ACM-A21 ACM-A51

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY

1 Access Control and RFID Reader Production Line



• Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



2 Door Lock Production Line

• Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



3 RFID Cards & Tags Production Line

• RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)

RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)

FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

