

Descripción del Producto

[Anfitriones de alquiler y propietarios de viviendas]ACM La cerradura de puerta inteligente es una excelente solución para anfitriones de alquiler a corto plazo y propiedades de alquiler de Airbnb. administración y residente de vivienda propia. Genere un código de acceso de forma remota y compártalo con sus visitantes.

[Múltiples formas de desbloquear]Cerradura de puerta inteligente avanzada 5 en 1 con entrada sin llave: huella digital código llavero teléfono inteligente llave.

[Fácil de instalar]Fácil de instalar en minutos con solo un destornillador Phillips siguiendo un breve video de instalación. Sin taladros Necesario. No se necesita cerrajero. La manija de la puerta es reversible tanto para puertas izquierdas como derechas.

[Mando a distancia]Emparejado con YISTAR G2 WiFi Gateway (complemento opcional, se vende por separado), puede bloquear/desbloquear la cerradura de su puerta inteligente en cualquier lugar y en cualquier momento, configure códigos de forma remota y consulte los registros de acceso en tiempo real.

Características:

Material: aleación de zinc y vidrio templado

Color: Negro/Plata

Método de apertura: APPHuella DigitalContraseñaTarjetaClave

Dirección del mango (ajustable): tirar hacia la izquierda, empujar hacia la izquierda, tirar hacia la derecha, empujar hacia la derecha.

Grado del cilindro: cilindro de cuchilla de grado C

Aplicaciones: familia, apartamento, escuela, oficina

Puerta adecuada: Puerta de madera/Puerta de seguridad/Puerta ignífuga/Puerta inoxidable

Cuerpo de la cerradura: Resistente al corte Resistente a la tracción Resistente a la palanca Antirrobo

Fuente de alimentación: 4 pilas AA (no incluidas)

Grosor de la puerta: 35-70 mm

Grupo de almacenamiento de huellas dactilares: 200

Grupo de almacenamiento de tarjetas: 200

Alimentación de emergencia USB: Velocidad de reconocimiento de soporte: $\leq 0.5S$

LEJOS: $\leq 0,001\%$, FRR: $\leq 1\%$

Presupuesto:

Grosor de la cerradura de la puerta: 1,37"-1,88" (35 mm - 48 mm)

Entrada del orificio de la puerta: 2,375"-2,75" (60 mm-70 mm)

Diámetro del orificio: 2,125" (54 mm)


Nivel de cerradura de puerta: Cerradura de puerta de nivel IP54. Protegido contra salpicaduras de agua, apto tanto para uso exterior como interior Duración de la batería:

Garantizado hasta 1 año más de 10,000 veces de bloqueo/desbloqueo


Tipo de batería: 4 pilas alcalinas AA (NO INCLUIDAS)

Imágenes detalladas


Product Parameters



Model: 2020E
 Material: Stainless steel
 Color: Black/Red/Silver
 Panel size: 306*75*12mm
 Usage: Hotel/Apartment/School
 Cylinder: Copper cylinder
 Mortise: Automatic Lock
 Unlock way: Card, Key
 Work Voltage: 4pcs 5#Alkaline battery
 Low voltage alarm: <4.8V still can open
 Door thickness: 38-50mm (can customize)



Panel Size



Mortise Size

Configuration

Name	Unit	Quantity	Recommended Configuration
Hotel lock	pcs	1	Each room 1 pcs hotel lock
Encoder	pcs	2	Recommend 2 pcs, 1pcs for front desk, 1pcs spare
Switch	pcs	1	Each room 1 pcs, insert card for electricity
Card	pcs	3	Each room suggest 3-5 pcs cards
Lock software	pcs	1	For managing the locks (For free)
Gate block	pcs	1	Optional, the room card opens the gate control
Elevator control	pcs	1	Optional, swipe room card to use elevator
Data collector	pcs	1	Optional, download lock opening record

lockfactory.en.alibaba.com

Guidelines for Changing Locks

1 Door Lock Opening Direction

Tip : How to choose the lock opening direction?


Standing outside the door, where is the hinge mounted, which side is open

- A \ (Right push) — The hinge is mounted on the Right side of the door frame and push the door
- B \ (Right pull) — The hinge is mounted on the Right side of the door frame and pull the door
- C \ (Left pull) — The hinge is mounted on the Left side of the door frame and pull the door
- D \ (Left push) — The hinge is mounted on the Left side of the door frame and push the door



2 Measuring related dimensions

Friendly tip: For changing locks, must measure these 3 place as below




Measure door thickness

Measure guide piece length

Measure guide piece thickness

3 Choose guide piece model



- A . Right angle double hole guide piece
- B . Right angle single hole guide piece
- C . Rounded double hole guide piece
- D . Rounded single hole guide piece

Friendly tip:
 The standard package one is "B",
 if need other choice, pls contact supplier

4 Pls inform the related data

Door lock open direction	☐ Left push ☐ Left pull ☐ Right push ☐ Right pull
Door thickness	_____mm
Mortise guide-piece length	_____mm
Mortise guide-piece thickness	_____mm

Friendly tip :

If your door is customized one,
 only need to inform the
 door thickness and opening direction .



Hotel Safety Partner

Luxury design



Security Certification

The Situation you meet

Rixiang door lock help you solve



More rooms, difficult to manage

Tenant leaves, change locks

Refuse pay room rate



Emergency situation



Forget take the card

Why Choose us



Unified Management

The front desk unified control the unlocking authority



Card loss

Computer control card lost



Cancel permission

Refuse pay the room rate, Stop unlocking permission



Emergency unlock

Emergency situation, use key unlock



Security Standard

National lock certification
Official authority certification



Swipe card conveniently

Read Sensitive
Unlock as low as 0.5s



False lock alarm

Avoid not closing the door
Reduce accidents




Solid anti-lock bolt

Protect your security

lockfactory.en.alibaba.com






Puerta de enlace (no incluida, haga clic en la imagen para realizar el pedido)

Después de configurar la puerta de enlace

Se puede conectar a wifi, todas las funciones se pueden operar de forma remota.

Y compatible con google home y Alexa



Información de la empresa

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE

