Descripción del producto

Máquina de desinfección automática de medición de temperatura montada en la pared K9 Dispensador de jabón desinfectante de manos con termómetro

Pantalla digital LCD con luz de fondo, lectura clara. Con advertencia óptica de detección de fallas y advertencia óptica de temperatura anormal.
El sensor infrarrojo innovador de alta tecnología puede medir de forma segura y rápida en 500 milisegundos.
Función de alarma de fiebre, cuando la temperatura es anormal, la luz de fondo roja y el zumbador advertirán al paciente.
La conversión de unidades de temperatura Fahrenheit o Celsius se puede utilizar convenientemente para diferentes personas. frente de infrarrojos ligent
termómetro, no es necesario sujetarlo, se puede colgar / cinta de doble cara / soporte fijo.
Una gran cantidad de desinfectante de 1000 ml puede inhibir eficazmente las bacterias y evitar eficazmente la infección cruzada.

Sterilization is more effective

K9 Automatic Temperature Measurement & Disinfection Machine

Safer without contact

Automatic temperature measurement and disinfection

Effectively avoid cross infection

Align the temperature measuring probe and the liquid outlet with the palm of your hand to detect the temperature and automatically sterilize the liquid

Automatic alarm function

When the measured body temperature exceeds the preset alarm temperature, the device will issue an alarm to remind the surrounding people

Accurate measurement

Large-capacity disinfectant used longer

1000ML large amount of disinfectant solution, effectively inhibit bacteria, the inhibition rate is as high as 99.9%. Effectively take care of you and your family's health

°C/°F temperature unit can be selected

Switch easily

Self-developed core motherboard chip

High-performance, low-power self-developed motherboard greatly improves product stability and operating capability

The inner core is more powerful

Smart power saving & auto wake up

K9 has intelligent power saving and automatic wake-up function, which can save more resources

Low energy consumption, more economical

Visualization design of disinfectant

The side adopts a transparent design to visualize the use of disinfectant, and add liquid at any time according to the use

Exploded view

Concise appearance design



Box Contents

K9 | USB cable | Screw&rubber plug*2

Technical Data

Accuracy	+/-0.2°C (34~45°C, put it in the operating environment for 30 minutes before use)		
Alarm type	Flashing + bleeping "DIDI"	Input	DC 5V 1A
Measuring distance	5cm~10cm	Product power	3W
LED display	Number	Liquid type	Hand sanitizer
Interface	USB Type-C Port	Advantages	
Bottle Capacity	1000mL		
Mounting Type	Wall-hanging, Tripod-fixed	• Automatic induction no-clean disinfection soap dispenser, more convenient to use	
Working Temperature	8.10°C~40°C (15°C~35°C Recommended)	• Large digital display, high-definition display	
Measuring range	0~50°C	• High-precision sensor, stable and reliable performance	
Standby time	5s for non-working, dynamic loop with white dot	• With intelligent point saving and automatic wake-up function	
Dimension	119x133x280mm	• Strong adaptability to environment temperature	
Net weight	702g	• Large-capacity soap liquid, longer life cycle	

Appearance