

## **Descripción de productos**

---

Descripción de productos

**A**Botón de salida de puerta para sistema de control de acceso, botón de salida táctil impermeable

Característica:

- Sensor de salida sin contacto/sin contacto (detección difusa)
- Tecnología Óptica/Infrarroja
- Protección de ingreso IP-55 / Placa de acero inoxidable SUS 304
- Fácil de usar (Protección saludable)
- Libre de propagación de enfermedades contagiosas
- Rango de detección: 0,1 ~ 10 cm
- Normalmente abierto/normalmente cerrado/salida de relé común
- Indicadores LED gemelos para sensor en espera o acercado:  
(1) Sensor en espera: LED AZUL ENCENDIDO

## **Detalles Imágenes**

---

Detalles Imágenes



Whatsapp: +86-13554918707  
E-mail: sales@goldbridgesz.com  
Website: www.goldbridgesz.com

# Waterproof Exit Button

Stainless steel panel /IP66 waterproof





## Stainless Steel Door Release Button

Waterproof IP67

PH: +86-13554918707  
E: sales@goldbridgesz.com  
W: www.goldbridgesz.com




Power Supply: 12V-24DC  
Output Contact: NO/NC/COM

Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests

Operating temp: -20°C ~ +55°C(14-131F)  
Suitable Humidity: 0-95% (relative humidity)



www.goldbridgesz.com



A K841-A (115x40mm) B K841-B (86x50mm)  
C K841-C (115x70mm) D K841-D (86x86mm)

Touchless

## Infrared Sensor Exit Button

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM  
Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests  
Operating temp: -20°C ~ +55°C(14-131F)  
Suitable Humidity: 0-95% (relative humidity)

PH: +86-13554918707  
E: sales@goldbridgesz.com

### Parámetros del producto

Número de modelo	ACM-K841
Nombre del producto	NO toque el interruptor del botón de salida
Material	Acero inoxidable
Tamaño del producto	86*86mm
Tensión de alimentación	12 VCC
Salida de contacto	NO/NC/COM/LED
Corriente máxima	3A / 125-250VCA
Prueba de resistencia	100.000 veces
Instalación:	<b>marco de puerta hueco (instalación oculta)</b>
Parámetros de embalaje	100 unidades/15 kg/51*43*33 cm/caja

### Detalle de productos

## Touchless Exit Button Introduction

NO Touch Style Exit Button;  
 NO/NC/COM;  
 5-15cm induction distance;  
 Stainless steel panel/customizable;

### ► Features

- Wide Voltage DC 12-24V
- Sensitive Distance 5-15cm
- NO/NC/COM
- Standby Blue LED, Active Green LED
- Laser texture, Not discolor








Model	ACM-K841-A		ACM-K841-B		Side
	86*50mm		86*86mm		
View	Front	Back	Front	Back	
Photos					

### ► Product Parameter

Model	ACM-K841-A	ACM-K841-B	Material	Stainless steel
Size(mm)	86L*50W*25H	86L*86W*25H	Panel logo	Customizable
Weight(KG)	0.08	0.1	Mechanical Life	500,000 Tested aging test qualified
Power Supply	DC12-24V		Accessories	Optional Back Box
Output Contact	NO/NC/COM		Operating Temp	-20°C~-55°C(-4-131F)
Sensitive Distance	5-15CM		Operating humidity	0-95% (RH)
LED Indicator	Standby blue, Response green. (Customizable)		Package Quantity	1 PCS/box, 100 PCS/case.

### ► Dimensions





## Recomendar productos

- Recomendar productos
- Sistema de bloqueo de casilleros
- Sistema de cerradura de puerta de hotel
- Sistema de cerradura inteligente para oficina en casa
- Sistema de control de acceso
- Sistema de aparcamiento

## Productos relacionados





### EXIT BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K6A** **K6AL** **K6D** **K6DL** **K6DW** **K4A** **K4AL**  
91x28x20mm 115x70x25mm 115x70x25mm 115x70x25mm 86x50x33mm



**K6B** **K6BL** **K4B** **K4BL**  
86x86x38mm 86x86x38mm 86x86x33mm 86x86x33mm



**K14E** **K14EL** **K14F** **K14FL** **K14A** **K13AL** **K14** **K14DL**  
115x40mm 115x70mm 115x70mm 115x40mm 115x70mm 115x70mm



**K14B** **K14BL** **K13B** **K13BL** **K13BE**  
86x50mm 86x50mm 86x86mm 86x86mm 86x86mm



**K13AB** **K13A** **K13D** **K13BD** **K14C** **K14CL**  
115x40mm 115x70mm 86x50mm 86x86mm 80x30x24mm 80x30x24mm



**K15A** **K15AL** **K15B** **K15C**  
53x53x25mm 53x53x25mm 53x53x25mm 53x53x25mm



**K7A** **K7B** **K8A** **K8BL** **K4AC** **K4AD**  
91x28mm 115x70mm 86x86x38mm 86x86x38mm 86x86x38mm 86x86x38mm



**K6AM** **K6BM** **K6CM** **K6DM** **K15BG** **K15BR**  
115x40mm 115x70mm 86x50mm 86x86mm 53x53x25mm 53x53x25mm



**K14BR** **K14BG** **M40** **M70** **M50** **M86**  
80x30x25mm 80x30x25mm 115x40mm 115x70mm 86x50mm 86x86mm

### TOUCH BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K9A** **K9B** **K40A** **K40B** **K40C**  
86x86x20mm 86x50x20mm 86x86x18mm 86x86x18mm 86x40x18mm

### NO TOUCH EXIT BUTTON



**K2B** **K2A** **K9C** **K10A** **K201G** **K201** **K406** **K-WS**  
86x86x35mm 115x70x25mm 86x86x11.5mm 86x86x14mm 92x92x33mm 113x63x20mm 80x32x23mm 80x80x28mm



**K505** **K505W** **K505MH** **K505MHW**  
Capacitive 86x86x14mm Capacitive 86x86x14mm Infrared 86x86x14mm Infrared 86x86x14mm



**K841A** **K841C** **K841B** **K842A** **K843A**  
115x40mm 115x70mm 86x86mm 115x40mm 115x40mm

### PLASTIC BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K1** **K1-1** **K1-2** **K1-3** **K11A**  
86x86x25mm 86x86x24mm 86x86x25mm 86x86x20mm 76x23x14mm



**P86** **P77**  
86x86x35mm 77x77x45mm  
Rated Current: 40A, Power off: 20s delay

### EMERGENCY DOOR RELEASE

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K3R** **K3Y** **K3G** **K3W**  
86x86x50mm 86x86x50mm 86x86x50mm 86x86x50mm



**K3RR** **K3RG** **K3** **Transparent**  
86x86x50mm 86x86x50mm 87x87x60mm



**K4G** **K4GB** **K4GL** **K4RG**  
LED/Buzzer Red 86x86x50mm LED/Buzzer Green 86x86x50mm Without LED 90x93x45mm

## Información de la empresa

---



# 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

## OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE

### WHY CHOOSE US?



- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality produtcs with 30 R&D; engineers.

## APPLICATION

Bus, supermarket,school, government, hospital, factory



## CERTIFICATE



Supplier's Company

## PRODUCT CATEGORY

### RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.



[View More](#)

### ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control



[View More](#)

### RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,



[View More](#)

### ELECTROMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



[View More](#)

## FAQ

**Q1** How can I place an order?

**A1** Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

**Q2** What about the payment and shipment?

**A2** T/T , Paypal, Western Union etc.

**A3** You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

**Q4** How can I get a sample to check your quality?

**A4** We could provide the sample to you, pls check the sample cost and freight cost with us.

**Q5** How long can I expect to get the goods?

**A5** It depends on the quantity and shipping way. You can check with us before ordered.

**Q6** Can your products be customized?

**A6** Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.

[Contact Us](#)



[BACK TO HOMEPAGE >](#)

