

Descripción del producto

Soporte de puerta electromagnético estándar de montaje en pared

Descripción general

ACM-G140 es un soporte de puerta electromagnético estándar con un consumo de energía ultra bajo. Hay 2 formas de instalación para pared y piso. Tiene salida de señal para enlace central y tiene un rendimiento confiable con un diseño especial que evita el magnetismo residual. Es muy adecuado para todo tipo de salidas de incendios y puertas a prueba de incendios.

Función

1. Pase la prueba de empuje estático súper lineal de 100 libras
2. Modos de liberación doble: botón de apagado y manual
3. Disponible para 12 VCC/24 VCC
4. Ahorro de energía con diseño de potencia ultrabaja
5. Sin diseño magnético residual con un rendimiento estable
6. Salida de señal de interruptor pasivo
7. Montaje en superficie o montaje empotrado para pared y suelo
8. Disponible para puerta de vidrio con soporte

Especificaciones

Versión	Desbloqueado por error
Fuerza de sujeción	50 kg (100 libras)
Funciones estándar	Botón de apertura manual de la puerta
Sensores de estado de bloqueo	NO
Tensión nominal de funcionamiento	CC 12 V o 24 V (ajustable)
Consumo actual	12V/180mA 24V/85mA
Acabado de superficie	Pintura y zincado
Temperatura ambiente en °C	-10°C - 55°C
Adecuado para	Todo tipo de puertas antihumo simples y dobles
Dimensiones de los imanes (largo x ancho x profundidad)	70L*43W*86H(mm)
Dimensiones de la placa de armadura (L x W x D)	65L*65W*53H(mm)
Peso en kg	0,9 kg
marca CE para la construcción	SI
Rohs-marca para la construcción	SI

Mostrar imagen

Extended Wall Mount **Door Holder**


standard electromagnetic door holder
with ultra low power consumption




NP-G140 is standard electromagnetic door holder with ultra low power consumption. There are 2 installation ways for wall and floor. It has signal output for central linkage and has reliable performance with special design avoiding residual magnetism. It is very suitable for all kinds of Fire exit and fireproof door.

G140 Dimensions

Armature Plate Dimensions:
65L*65W*53H(mm)



Magnets Dimensions:
70L*43W*86H(mm)





Release mode:

Fail-unlocked
(the door holder is unlocked when the current is off)

Manual Shut-Release Button

With a manual shut-release button.



Automatically Close

Smoke doors automatically close when the fire broke out.



100 lbs Super Linear Static

Pass 100 lbs super linear static thrust test.



Available for 12VDC /24VDC

Rated Operating Voltage DC 12V or 24V (Adjustable)



Energy saving with ultra-low-power design

Current consumption: 12V/180mA 24V/85mA





No Residual Magnetic Design With Stable Performance


Professional magnet material, power failure
no residual magnetism.

Reverse Current Protection

Built-in reverse current protection devices. (MOV)



Fire Fighting Mode




Normal state, normally open mode.



Fire fighting status, personnel evacuation.



End evacuation, transfer of personnel and Cut off the door holder power supply, close the door.



After the door closed, successfully blocked the spread of fire.



Surface or Flush Mounting

Surface mounting or flush mounting for wall and floor.




Available for Glass Door

Available for glass door with bracket




Installation Diagram

Suitable for All Kind of
Single & Double Smoke proof Doors.



Fire Fighting Mode




Normal state, normally open mode.



Fire fighting status, personnel evacuation.



End evacuation, transfer of personnel and Cut off the door holder power supply, close the door.



After the door closed, successfully blocked the spread of fire.

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School



PC Based Access Control Unit



Access Control



Proximity Access Card Reader



Proximity Card



Magnetic Lock



Electric Bolt



Access Control Power Supply



Exit Button

Productos relacionados




RE:Access Control Power Supply

 ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	 M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	 M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
ACM-DB07 12V wired doorbell 	ACM-VB003 WiFi Wireless Doorbell 	ACM-GSM405 GSM Gate Opener /GSM Remote Switch 	ACM-Y803A Voltage: DC 12V /3A 	ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A 

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer 	Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	--	---

RE:Sensor and Siren For Access Control System

ACM-FP410A Drawer Cabinet Lock 	ACM-FP710A Fingerprint Bag Lock 	ACM-S408 IR beam outdoor /indoor Motion Sensor 	Item: AS603 Pieze Strobe Siren Operating voltage: 12VDC 	Item: AS31 Operating distance: 16mm ±5mm Switch output: NC 	Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs) 	Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs) 
--	---	--	---	---	---	---

RE:Remote Control For Access Control System

Item: ACM-K19A/B Metal WIRELESS Remote Control 	Item: ACM-R402/404 WIRELESS Remote Control 	Item: ACM-R403/405 Wireless 433MHz RF Remote control 	Item: ACM-R407 2 Channel AC/DC Remote receiver 	Item: ACM-R408/409 Wireless 433MHz RF Remote control 
--	--	--	---	--

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

Embalaje y Entrega

Tipo de Unidad: Pieza

Peso del paquete: 0,3 kg

Tamaño del paquete: 10 cm x 10 cm x 8 cm



Su Mayo Necesita

Podemos suministrar muchos tipos de interruptores de puerta. Toque, No toque, rotura de cristal, interruptor de llave. Haga clic en la foto de arriba para encontrar más detalles. O no dude en enviarnos una consulta para solicitar la lista de precios.



Botón de salida realéase sin tocar la

puerta

K2B: 86*86mm

Sensor de salida realese de puerta sin
tocar

K9A: 115*40mm

Botón de apertura de puerta, (acero
inoxidable, NA/NC)K5B: 86*86mm





Botón de apertura de puerta, (Acero
Aluminio, NO), K4B: 86*86mm
Kirsite de acero inoxidable de alta
calidad. K14B: 86*86mm
Pulsador de apertura de puerta de
acero inoxidable; K815B: 86*86mm

Nuestro servicio

- 1, cualquier consulta será respondida dentro de las 24 horas
- 2, fabricante y proveedor profesional, bienvenido a visitar nuestro sitio web y nuestra fábrica
- 3, OEM/ODM disponible
- 4, alta calidad, diseño fashion, precio razonable y competitivo, plazo de entrega rápido
- 5, servicio postventa:
 - 1), todos los productos habrán sido estrictamente verificados en casa antes de empacarlos
 - 2), todos los productos estarán bien embalados antes del envío
 - 3), todos nuestros productos tienen 2-3 años de garantía si el daño no es causado por humanos
- 6, entrega más rápida : Alrededor de 1~5 días para pedidos de muestra, 7~30 días para pedidos al por mayor
- 7, pago: Puedes pagar el pedido a través de: T/T, Western Union, Paypal
- 8, envío: Tenemos una fuerte cooperación con DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA y By AIR. También puede elegir su propio transportista de envío.

Preguntas más frecuentes

P: 1. ¿Cómo puedo hacer un pedido?

R: Indíquenos sus requisitos por correo electrónico. Luego, le enviaremos la oferta lo antes posible, después de la confirmación del pedido, organizaremos la producción lo antes posible.

P: 2. ¿Qué pasa con el pago y el envío?

R: T/T, Paypal, Western Union.

Los clientes pueden elegir por mar, aire o expreso (DHL, FedEx, TNT UPS, etc.)

P: 3. ¿Cómo puedo obtener una muestra para verificar su calidad?

R: podemos proporcionarle una muestra gratis y el costo del flete pagado por usted.

P: 4. ¿Cuánto tiempo puedo esperar para obtener las muestras?

R: Depende de la cantidad. Normalmente de 3 a 7 días para 5000 unidades y de 7 a 15 días para 100 000 unidades

P: 5. ¿Se pueden personalizar sus productos?

R: Casi todos sus productos están personalizados, incluidos el material, el tamaño, el grosor y la impresión. Los pedidos de OEM son muy bienvenidos.

P: 6. ¿Es usted una empresa comercial o una fábrica?

Somos uno de los mayores fabricantes de tarjetas RFID/etiquetas NFC/teclados RFID/pulseras RFID, lectores rfid y productos de control de acceso en China desde hace más de 20 años.

Información de la empresa:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

ADVANTAGE

WHY CHOOSE US?


- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.



OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



