

Description des produits

Serrure de porte magnétique électrique 120LBS avec système de kit de télécommande

12V Holding Force 60kg 120lbs Serrure de porte magnétique de porte en verre sans cadre montée en surface

Type: Serrure magnétique 60KG

Matériau : coque en alliage d'aluminium plaque de fer.

Force de maintien : 60 KG/120 lb

Tension de fonctionnement : 12 V CC.

Courant de travail : 110 mA

Humidité : 0 à 95%

Température de fonctionnement : -10 à 55 degrés Celsius

Mode de fonctionnement : mise sous tension pour verrouiller, mise hors tension pour déverrouiller

Travail pour porte simple

Dimensions : 80*37*24mm/ 70*33*10mm

Paramètre de produit Paramètre Description

Taille de la serrure : 80x38x25mm

Force de maintien : 60kg (100Lbs)

Tension d'entrée : Double tension 12/24 VCC

Convient pour porte : Porte en bois , Porte vitrée , Porte métallique , Porte coupe-feu


Sortie unique : Verrouiller le statut NO/NC/COM//-

Caractéristique: Fail Safe, temporisation, signal de retour, double tension 12V/24VDC


LED: Le rouge montre déverrouillé, le vert montre verrouillé

Lester: 0,6 kg

Attestation : CE/MA









REMOTE CONTROL
WORKING VOLTAGE:DC12V
FREQUENCY:433MHZ
MODEL: HBK-R01


POWER

EXIT
BUTTON

MODE OF LOCK
NC NO

LOCK

Dimension



Power 12VDC:




⚠ Caution:

- A. The screw of armature plate should not be fixed too tight, proper elasticity should be guaranteed for the rubber ring so that the armature plate can adjust itself to the appropriate position.
- B. Please keep the surface of the lock clean, or the force will be reduced because of the dust, glue or scotch tape on it.


Installation



Demonstration of Standard Installation



Demonstration of Z Bracket Installation



Demonstration of UL Bracket Installation



Produits connexes



Re: Door Electromagnetic Magnetic EM Lock

				
Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kgs/800lbs	Model: M500 -2Pin Magnetic lock 500kgs/1200lbs
				
Model: M180N -2Pin Mortise Concealed EM lock 180kgs/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kgs/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kgs/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kgs/600lbs
				
Model: M180D Double Door 180kgs/300lbs Magnetic lock	Model: M280D Double Door 280kgs/600lbs Magnetic lock	Model: M350D Double Door 350kgs/800lbs Magnetic lock	Model: M500D Double Door 500kgs/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kgs/1200lbs

RE: Bracket used for Above Brand Magnetic EM Lock

	<table border="1"> <thead> <tr> <th>Item#</th> <th>ZL Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180ZL</td> <td>Z bracket: 140*36*36mm</td> </tr> <tr> <td>M280ZL M350ZL</td> <td>L bracket: 250*50*30mm</td> </tr> <tr> <td>M500ZL</td> <td>Z= 185*70*63mm</td> </tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180ZL	Z bracket: 140*36*36mm	M280ZL M350ZL	L bracket: 250*50*30mm	M500ZL	Z= 185*70*63mm		<table border="1"> <thead> <tr> <th>Item#</th> <th>ZL Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180Z</td> <td>Z bracket: 140*36*36mm</td> </tr> <tr> <td>M280Z M350Z</td> <td>Z bracket: 180*50*50mm</td> </tr> <tr> <td>M500Z</td> <td>Z= 185*70*63mm</td> </tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180Z	Z bracket: 140*36*36mm	M280Z M350Z	Z bracket: 180*50*50mm	M500Z	Z= 185*70*63mm
Item#	ZL Bracket Dimension																		
M180ZL	Z bracket: 140*36*36mm																		
M280ZL M350ZL	L bracket: 250*50*30mm																		
M500ZL	Z= 185*70*63mm																		
Item#	ZL Bracket Dimension																		
M180Z	Z bracket: 140*36*36mm																		
M280Z M350Z	Z bracket: 180*50*50mm																		
M500Z	Z= 185*70*63mm																		
	<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180U</td> <td>U bracket: 182*45*28mm</td> </tr> <tr> <td>M280U M350U</td> <td>L bracket: 140*33*25.5mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180U	U bracket: 182*45*28mm	M280U M350U	L bracket: 140*33*25.5mm		<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180L</td> <td>L bracket: 168*38*24mm</td> </tr> <tr> <td>M280L M350L</td> <td>L bracket: 250*50*30mm</td> </tr> <tr> <td>M280DL</td> <td>L bracket For double door magnetic lock 600lbs</td> </tr> <tr> <td>M500L</td> <td>L=265*73*45mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180L	L bracket: 168*38*24mm	M280L M350L	L bracket: 250*50*30mm	M280DL	L bracket For double door magnetic lock 600lbs	M500L	L=265*73*45mm
Item#	U Bracket Dimension																		
M180U	U bracket: 182*45*28mm																		
M280U M350U	L bracket: 140*33*25.5mm																		
Item#	U Bracket Dimension																		
M180L	L bracket: 168*38*24mm																		
M280L M350L	L bracket: 250*50*30mm																		
M280DL	L bracket For double door magnetic lock 600lbs																		
M500L	L=265*73*45mm																		

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !


Garantie de qualité

- Le service de garantie sera honoré si le dommage n'est pas causé par l'homme, ACM Goldbridge offre une garantie de 2 ans pour les produits relatifs.
- Au contraire, ACM Goldbridge facturera un supplément en cas de réparation.
- Plus d'informations, s'il vous plaît parcourir notre centre de service.


Schéma d'installation

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Emballage et livraison

Manière d'expédition

Nous avons une forte coopération avec DHL, FEDEX, TNT, UPS, EMS, transitaire par mer et par avion

Vous pouvez également choisir votre propre transitaire.

Emballage

Emballage de verrouillage magnétique : 1 unité par boîte, 5 pièces par carton,

Taille du carton : 35*30*16 cm, poids brut : 25 kg.



You may need



ACM-Y280N

Serrure magnétique à plaque arrière (280 kg/600 lb) Convient pour : porte en bois, porte en verre, porte en métal, feu | Porte de preuve

ACM-Y180

Serrure magnétique montée en surface (180 kg/300 lb) 2 boulons à sécurité intégrée. Convient pour : porte en

bois, porte en verre, porte en métal,
porte coupe-feu.

ACM-Y280

280 kg (600 lb) Serrure magnétique
pour porte simple Convient pour :
porte en bois, porte en verre, porte en
métal, porte coupe-feu.



ACM-Y280-L

Support en L pour serrure magnétique
280 kg/350 kg

ACM-Y180ZL

Support ZL pour serrure magnétique
180 kg/300 lb

ACM-Y280-ZL

Support ZL pour serrure magnétique
280Kg/350Kg

Notre service

- 1, toute demande de renseignements sera répondue dans les 24 heures
- 2, fabricant et fournisseur professionnel, bienvenue pour visiter notre site Web et notre usine
- 3, OEM/ODM disponible
- 4, haute qualité, fashion desing, prix raisonnable et compétitif, délai d'exécution rapide
- 5, service après-vente :
 - 1), tous les produits auront été strictement vérifiés en interne avant l'emballage
 - 2), tous les produits seront bien emballés avant l'expédition
 - 3), tous nos produits ont une garantie de 2 à 3 ans si les dommages ne sont pas causés par l'homme
- 6, livraison plus rapide : Environ 1 ~ 5 jours pour la commande d'échantillon, 7 ~ 30 jours pour la commande en gros
- 7, paiement : Vous pouvez payer la commande via : T/T, Western Union, Paypal.
- 8, expédition : Nous avons une forte coopération avec DHL, FEDEX, TNT, UPS, EMS, transitaire par mer et par avion, vous pouvez également choisir votre propre transitaire.

FAQ

Q : 1. Comment puis-je passer une commande ?

R : Veuillez nous indiquer vos besoins par e-mail. Ensuite, nous vous enverrons l'offre dans les meilleurs délais, après confirmation de la commande, nous organiserons la production dès que possible.

Q : 2.Qu'en est-il du paiement et de l'expédition ?

R : TT/T, Paypal, Western Union.

Les clients peuvent choisir par voie maritime, aérienne ou express (DHL, FedEx, TNT UPS, etc.)

Q : 3. Comment puis-je obtenir un échantillon pour vérifier votre qualité ?

A: nous pourrions vous fournir un échantillon gratuit et les frais de transport payés par vous.

Q : 4. Combien de temps puis-je espérer recevoir les échantillons ?

R : Cela dépend de la quantité. Normalement 3-7 jours pour 5000 pièces et 7-15 jours pour 100 000 pièces

Q : 5. Vos produits peuvent-ils être personnalisés ?

A: presque tous vos produits sont personnalisés, y compris la matière, la taille, l'épaisseur et l'impression. Les commandes OEM sont les bienvenues.

Q : 6. Êtes-vous une société commerciale ou une usine ?

Nous sommes l'un des plus grands fabricants de cartes RFID/étiquettes NFC/clavier RFID/bracelet RFID, lecteur RFID et produits de contrôle d'accès en Chine depuis plus de 20 ans.

20+ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality produtcs with 30 R&D; engineers.

APPLICATION

Bus, supermarket,school, government, hospital, factory



CERTIFICATE



