



## **Description du produit:**

### **Nouveau 433mhz Clé Universelle Smart Electric Garage Door Remplacement Cloner Car Control RemoteInstructions:**

- \* Tension de fonctionnement : 12 V CC
- \* Tension d'entrée/sortie : 1 ~ 250 V
- \* Fréquence RF : 433MHz
- \* Courant de repos : <5MA
- \* Courant maxi : 10A
- \* Charge maximale : 2200W
- \* Broche : NO / COM / NC
- \* Taille de la télécommande : 68\*36mm
- \* Portée de réception : l'espace ouvert est supérieur à 50 mètres
- \* Température de fonctionnement : -30~80 Celsius

- \* Receiving Sensitivity : >97dbm
- \* Quantité de télécommandes de stockage : 20 pièces
- \* Prise en charge de l'encodage : 1527 code penché/2262 code fixe
- \* Mode de fonctionnement RF : réception sans fil superhétérodyne ASK
- \* Mode de fonctionnement à distance : mode momentané/mode bascule/mode verrouillé













**Note:**

Nous ne recommandons généralement pas de copier une puce à code tournant, car il existe de nombreuses incertitudes lors de la copie d'une puce à code tournant.

Lors de la copie d'une télécommande à puce à code tournant, il n'est pas possible de déterminer si la puce de la télécommande d'origine est une puce de cryptage. Par conséquent, nous vous déconseillons de copier la télécommande à code tournant.

- Tension d'entrée : 12 V, mode de fonctionnement RF : Superhétérodyne
- Receiver sensitivity: > 97 dbm
- Transmitting distance:> 100 m ( open space)
- Mode de décodage : décodage du logiciel MCU
- Stockage à distance : 20
- Prise en charge du type de télécommande : code d'apprentissage EV1527
- Mode de fonctionnement : momentané, bascule, temporisation de verrouillage (5 s, 10 s, 15 s)
- Borne de sortie : NO , NC , COM
- Dimension du circuit imprimé : 35 x 30 x 18 mm (L, l, H)
- Pile de la télécommande : 2 piles bouton 3 V CR2016

Remarque : La puissance d'entrée maximale est de 250 V

Programmation à distance

-Effacer le code :

Appuyez 8 fois sur le bouton d'apprentissage du récepteur, les codes seront réinitialisés.

Après avoir effacé le code, les télécommandes devront être recalibrées

-Mode momentané

Veuillez nous contacter pour des instructions d'utilisation détaillées

-Apprentissage du code : (Bascule - Appuyez sur le bouton de la télécommande pour allumer, appuyez à nouveau pour éteindre.)

Appuyez 2 fois sur la touche d'apprentissage du récepteur, attendez un instant, le voyant s'éteint, il entre en état d'apprentissage.

-Appuyez 3 fois sur la touche d'apprentissage du récepteur, la LED (sur le récepteur) clignotera 3 fois.

Lorsque le voyant est allumé, appuyez sur le bouton de la télécommande (vous voulez le laisser apprendre), appuyez sur le bouton de la télécommande A, le voyant clignote pendant 3 fois.

Appuyez sur le bouton de la télécommande B, Led clignote 3 fois.

Après 3 secondes, le voyant LED sera éteint, apprendre à réussir.

Numéro de modèle: Commutateur de télécommande sans fil

Communication sans fil : RF

Fréquence : 433 MHz



### RE:Access Control Power Supply

|                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                             |                                                                                                                                                                                                                                             |                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div><div>NEW</div><div><b>ACM-Y802-3A</b><br/>Power Supply and<br/>door release exit<br/>button Dual Function<br/>AC110V-240VDC,<br/>12V 3A</div></div></div> | <div><div><div><b>M801B-3A /5A</b><br/>Access Control Door Power<br/>Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</div></div></div> | <div><div><div><b>M806B-3A /5A</b><br/>Access Control Door Backup<br/>battery Power Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</div></div></div> |                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                           |
| <div><div><b>ACM-DB07</b><br/>12V wired doorbell</div><div></div></div>                                                                                             | <div><div><b>ACM-VB003</b><br/>WiFi Wireless Doorbell</div><div></div></div>                                                               | <div><div><b>ACM-GSM405</b><br/>GSM Gate Opener<br/>/GSM Remote Switch</div><div></div></div>                                                              | <div><div><b>ACM-Y803A</b><br/>Voltage: DC 12V /3A</div><div></div></div> | <div><div><b>ACM-5A</b><br/>12V 5A door control system 12V 5amp<br/>access power supply with battery backup<br/>(Special For access control board use)<br/>Size: 279x234x67MM<br/>Input Voltage:110-240V<br/>Voltage: DC 12V /3A</div><div></div></div> |

### RE:Door Loop / Door Closer

|                                                                                                                   |                                                                                                                                                               |                                                                                                                                                       |                                                                                                                       |                                                                                                                        |                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>ACM401 Door Loop</b></p>  | <p><b>ACM601F 200mm Metal</b><br/><b>ACM601S 200mm stainless steel</b></p>  | <p><b>ACM-101 130mm Longer</b><br/><b>ACM-102 180mm Longer</b></p>  | <p><b>ACM-301 400mm Longer</b></p>  | <p><b>ACM-201 400mm Longer</b></p>  | <p><b>Door Closer</b><br/><b>ACM-M59 25-45KG</b><br/><b>ACM-M60 45-65KG</b><br/><b>ACM-M61 65-85KG</b></p>  |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### RE:Sensor and Siren For Access Control System

|                                                                                                                                      |                                                                                                                                       |                                                                                                                                                      |                                                                                                                                                     |                                                                                                                                                                |                                                                                                                                                                                                         |                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>ACM-FP410A</b><br/>Drawer Cabinet Lock</p>  | <p><b>ACM-FP710A</b><br/>Fingerprint Bag Lock</p>  | <p><b>ACM-S408</b><br/>IR beam outdoor /indoor Motion Sensor</p>  | <p>Item: AS603<br/>Pieze Siren<br/>Operating voltage: 12VDC</p>  | <p>Item: AS31<br/>Operating distance: 16mm<br/>±5mm Switch output: NC</p>  | <p><b>Door Holder</b><br/>Item: ACM-MD601<br/>Standard Wall Mount Door Holder<br/>Holding force: 60kg(120Lbs)</p>  | <p>Item: ACM-MD602<br/>Glass door Mount Door Holder with door signal<br/>Holding force: 60kg(120Lbs)</p>  |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### RE:Remote Control For Access Control System

|                                                                                                                                               |                                                                                                                                           |                                                                                                                                                     |                                                                                                                                                |                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Item: ACM-K19A/B<br/>Metal WIRELESS Remote Control</p>  | <p>Item: ACM-R402/404<br/>WIRELESS Remote Control</p>  | <p>Item: ACM-R403/405<br/>Wireless 433MHz RF Remote control</p>  | <p>Item: ACM-R407<br/>2 Channel AC/DC Remote receiver</p>  | <p>Item: ACM-R408/409<br/>Wireless 433MHz RF Remote control</p>  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !



# OEM & ODM

Goldbridge is Top 10 China Manufacture On Alibaba,  
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,  
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



## Best After-Sales Service

# ADVANTAGE



## WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.



# OUR FACTORY



## • Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



## • Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



## • RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

# CERTIFICATE



Access Control CE



Access Control RoHS



EM Lock EMC Certificate



EM Lock RoHS Certificate



RFID Card Reader CE



RFID Card Reader RoHS



UHF Reader CE Certificate



UHF Reader RoHS



# APPLICATION

Bus, supermarket, school, government, hospital, factory





# PRODUCT CATEGORY

## RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.



[View More](#)

## ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control



[View More](#)

## RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,



[View More](#)

## ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



[View More](#)

# FAQ

## **Q1** How can I place an order?

**A1** Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

## **Q2** What about the payment and shipment?

**A3** T/T , Paypal, Western Union etc.  
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

## **Q4** How can I get a sample to check your quality?

**A4** We could provide the sample to you, pls check the sample cost and freight cost with us.

## **Q5** How long can I expect to get the goods?

**A5** It depends on the quantity and shipping way. You can check with us before ordered.

## **Q6** Can your products be customized?

**A6** Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



Contact Us



BACK TO HOMEPAGE >

## FAQ

**1. quel est votre MOQ ?** Habituellement, notre MOQ est de 500 pièces. Mais nous acceptons une quantité inférieure pour votre commande d'essai.

**2. Pouvons-nous fournir un échantillon ?** Bien sûr. Nous fournissons généralement un échantillon existant gratuitement. Mais une petite charge d'échantillon pour les conceptions personnalisées. La charge de l'échantillon est remboursable lorsque la commande atteint une certaine quantité.

**3. Combien de temps dure le délai d'exécution de l'échantillon ?** Pour les échantillons existants, cela prend 1 à 2 jours. Ils sont libres. Si vous voulez vos propres conceptions, cela prend 3 à 7 jours, sous réserve de vos conceptions, qu'elles aient besoin d'un nouvel écran d'impression, etc.

**4. Combien de temps dure le délai de production ?** Cela prend 10-15 jours pour MOQ.

**5. Combien coûtent les frais de transport ?** Pour réduire vos coûts et afin que vous puissiez obtenir des marchandises plus tôt, nous vous suggérons de livrer par exprès pour une petite quantité. Pour une grande quantité, nous vous suggérons de livrer par voie maritime.

**6. De quel format de fichier avez-vous besoin si je veux mon propre design ?** Nous avons nos propres designers professionnels. Ainsi, vous pouvez fournir des fichiers JPG, AI, CDR ou PDF, etc. Nous dessinerons pour vous des illustrations pour le moule ou l'écran d'impression.