






| Paramètre de produit             | Paramètre Description        |
|----------------------------------|------------------------------|
| Taille                           | 54.5Lx41Wx28H (mm)           |
| Longueur de la broche            | 10Lx10Wx10H(mm)              |
| Courant                          | 0.65A $\pm$ 10%              |
| Tension d'entrée :               | DC12V                        |
| Convient pour porte :            | Classeur, meuble d'affichage |
| Finition de la plaque d'armature | Zinc                         |
| Lester:                          | 0,18 kg                      |
| Température                      | -40°C~50°C                   |





| Re: ACM Brand Door Electromagnetic Magnetic EM Lock                                 |   |  |  |   |
|---|---|--|--|---|
|    |    |       |             |                     |
| Magnetic lock (60kg/100lbs) , Size: 80×38×25 mm (ACM-Y60)                           | 180KG/300LBS indicator magnetic lock, LED , Size: 170×40×21 mm (ACM-Y180/Y350/Y500) | 280KGS/600LBS LED/Timer Magnetic Lock, 5bolts Size: 250×47×25 mm (ACM-Y280)            | 560kg/1200lbs LED Dual Door Magnetic Lock ,Size: 500×47×25 mm (ACM-Y280D)                    | 280kgs/600lbs & 180kg/300lbs Concealed magnetic lock (ACM-Y280N:224×40×25 mm /Y180N:184×30.5×22.5 mm) |
| RE: Eletric Strike , Eletric Deadbolt Lock , RIM Lock , Cabinet Lock                |   |  |  |   |
|    |    |       |             |                     |
| Long type Electronic Strike LockSize: 250x25x31mm (ACM-Y132)                        | Electronic Strike Lock Size: 110x25x31mm (ACM-Y130)                                 | Electronic Strike Lock Size: 149x28x31mm (ACM-Y131)                                    | Model Item: ACM-Y138A / ACM-138B Lock Size: 149x39x34mm                                      | Model Item: ACM-Y137S Feedback Singal Lock Size: 150x38x34mm  |
|    |    |       |             |                     |
| ACM-Y100-2pin Fal Safe Sturdiness Electronic lock Lock Size : 205x34x40 mm          | Item: ACM-Y200 -2pin Timer-delay Lock , Power to unlock , 205×34×40 mm              | Item: ACM-Y100S -2Pin Time -delay &NO/NC feedback signal Power to unlock. 205×34×40 mm | Item: ACM-Y200S -5Pin Time -delay &NO/NC/COM feedback signal, 205×34×40 mm                   | Item: ACM-Y300S -5Pin Time -delay &NO/NC/COM feedback signal, 235×35×42 mm                            |
|  |  |     |           |                   |
| Model Item: ACM-YB032 Electric Display Cabinet Lock                                 | Item: ACM-Y700A/ACM-Y700B Fall Safe Sturdiness Narrow Door lock NO/NC. 205x30x38mm  | Model Item: ACM-Y138A/ ACM-138B Lock Size: 149x39x34mm                                 | ACM-Y500U frameless glass doors and glass wall Lock Size : 148x43x39 mm                      | ACM-Y800 Electric Dropbolt with Key Lock Size: 268x30x38mm  |
|  |  |     |           |                   |
| Stainless steel electric control RIM lock,Size: 125x98x36mm (ACM-Y091)              | CISA Electric RIM Lock, Size: 148×107×35 mm (ACM-Y035)                              | Yale Waterproof Eletric RIM Lock, Size:140×116×55 mm (ACM-Y045)                        | Hot Sale Electric RIM Lock, Size: 126×101×39 mm,Double cylinders with push button (ACM-Y042) | Yale Waterproof Eletric RIM Lock, Size:140x116x55 mm (ACM-Y047)                                       |

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !