

## **Deskripsi Produk:**

**280Kg 600 Lbs 12V 24V Dc Keamanan Elektronik Magnetik  
Elektromagnetik Maglock Magnet Em Kunci Pintu untuk Pintu Dalam**



## **Electromagnetic Lock**

**High Quality and Security 180kg  
300lbs Surface Mounted Single  
Doors Electric Magnetic Lock  
for Access Control Smart Lock**

**Magnetic lock with 300lbs (180kg)  
holding force for single door**

Product Parameter	Parameter Description
Lock Size :	170x40x21mm
Armature plate:	190Lx190Lx45Wx11H(mm)
Holding Force :	180kg (300Lbs)
Input Voltage :	12/24VDC Dual Voltage
Suitable for door:	Wooden door , Glass door ,Metal door , Fireproof door
Singal Output :	Lock singal Status NO/NC/COM/+/-
Feature:	Fail Safe, Timer delay, feedback signal, 12V/24VDC dual voltage
LED:	Red shows unlocked, Green shows locked
Weight:	1.4kgs
Certification:	CE /MA

**Dimensi kunci: 80 x 40 x 22 mm**

**Pelat angker: 74 x 35 x 10 mm**

**Ketegangan maksimum: 60 kg (100 lbs)**

**Tegangan masukan: DC12V 10%**

**Arus pengoperasian: 12V/300mA**

**Suhu permukaan: Dalam 20 derajat di bawah suhu sekitar**

**Suhu yang cocok: -10 hingga 55 derajat (14-131F)**

**Kelembapan yang sesuai: kelembapan relatif 0 hingga 90%.**

**Cangkang: Pemrosesan pelapisan anodisasi**

**Pemrosesan pelat kunci dan hisap: Pemrosesan pelapisan seng yang ramah lingkungan**


**Berat: 0,55kg**

**Cocok untuk lemari arsip, pintu kecil, dan lainnya.**


**Diagram koneksi dengan perangkat kontrol akses**




# **180kg 350lbs**




# **280kg 600lbs**



# **320kg 800lbs**



# **500kg 1000lbs**





## Product Description



# Packing & Delivery





## Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.


### Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,  
Carton size : 26\*26\*10cm , Gross Weight :46kg. 50 cartons per pallet


## With U Bracket Installation Guide



## With L Bracket Installation Guide



## With ZL Bracket Installation Guide



## Produk Terkait



Access Control Management

### SHENZHEN GOLDBRIDGE INDUSTRIAL CO., LTD

Whatsapp: +86-13554918707 ; E-mail: sales@goldbridgesz.com ; Website: www.goldbridgesz.com  
Add: Block A, Zhantao Technology Building, Minzhi Avenue, Longhua District, Shenzhen, China

#### Electromagnetic EM Lock & Bracket - Factory Distributor Price List



#### Re: Door Electromagnetic Magnetic EM Lock

Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kgs/800lbs	Model: M500 -2Pin Magnetic lock 500kgs/1200lbs
Model: M180N -2Pin Mortise Concealed EM lock 180kgs/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kgs/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kgs/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kgs/600lbs
Model: M180D Double Door 180kgs/300lbs Magnetic lock	Model: M280D Double Door 280kgs/600lbs Magnetic lock	Model: M350D Double Door 350kgs/800lbs Magnetic lock	Model: M500D Double Door 500kgs/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kgs/1200lbs

#### RE: Bracket used for Above Brand Magnetic EM Lock

	<table border="1"> <thead> <tr> <th>Item#</th><th>ZL Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180ZL</td><td>Z bracket: 140*36*36mm</td></tr> <tr> <td>M280ZL M350ZL</td><td>L bracket: 250*50*30mm</td></tr> <tr> <td>M500ZL</td><td>Z= 185*70*63mm</td></tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180ZL	Z bracket: 140*36*36mm	M280ZL M350ZL	L bracket: 250*50*30mm	M500ZL	Z= 185*70*63mm		<table border="1"> <thead> <tr> <th>Item#</th><th>ZL Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180Z</td><td>Z bracket: 140*36*36mm</td></tr> <tr> <td>M280Z M350Z</td><td>Z bracket: 180*50*50mm</td></tr> <tr> <td>M500Z</td><td>Z= 185*70*63mm</td></tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180Z	Z bracket: 140*36*36mm	M280Z M350Z	Z bracket: 180*50*50mm	M500Z	Z= 185*70*63mm
Item#	ZL Bracket Dimension																		
M180ZL	Z bracket: 140*36*36mm																		
M280ZL M350ZL	L bracket: 250*50*30mm																		
M500ZL	Z= 185*70*63mm																		
Item#	ZL Bracket Dimension																		
M180Z	Z bracket: 140*36*36mm																		
M280Z M350Z	Z bracket: 180*50*50mm																		
M500Z	Z= 185*70*63mm																		
	<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180U</td> <td>U bracket: 182*45*28mm</td> </tr> <tr> <td>M280U M350U</td> <td>L bracket: 140*33*25.5mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180U	U bracket: 182*45*28mm	M280U M350U	L bracket: 140*33*25.5mm		<table border="1"> <thead> <tr> <th>Item#</th> <th>U Bracket Dimension</th> </tr> </thead> <tbody> <tr> <td>M180L</td> <td>L bracket: 168*38*24mm</td> </tr> <tr> <td>M280L M350L</td> <td>L bracket: 250*50*30mm</td> </tr> <tr> <td>M280DL M500L</td> <td>L bracket For double door magnetic lock 600lbs L=265*73*45mm</td> </tr> </tbody> </table>	Item#	U Bracket Dimension	M180L	L bracket: 168*38*24mm	M280L M350L	L bracket: 250*50*30mm	M280DL M500L	L bracket For double door magnetic lock 600lbs L=265*73*45mm		
Item#	U Bracket Dimension																		
M180U	U bracket: 182*45*28mm																		
M280U M350U	L bracket: 140*33*25.5mm																		
Item#	U Bracket Dimension																		
M180L	L bracket: 168*38*24mm																		
M280L M350L	L bracket: 250*50*30mm																		
M280DL M500L	L bracket For double door magnetic lock 600lbs L=265*73*45mm																		

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

## Garansi Kualitas


- Layanan Garansi akan diberikan jika kerusakan bukan disebabkan oleh manusia, ACM Goldbridge memberikan garansi 2 tahun untuk produk relatif.

- Sebaliknya, ACM Goldbridge akan menambah biaya jika diperbaiki.
- Informasi lebih lanjut, silakan telusuri pusat layanan kami.


## Diagram Instalasi

# STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



Fold the plate to 90° .




Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




Drill holes based on the marked positions.




Make a combination based on the picture.



Strike the pin into the armature plate slightly (to avoid movement).




Make a combination based on the picture(add washer accordingly). The rubber ring must be added.




Place the rubber ring between armature plate and door leaf.




Use Allen key to remove the mounting plate from lock body.




Fix the mounting plate on the door frame according to the holes drilled earlier.




Use Allen key to screw the lock body on the mounting plate.




Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 16mm



Wooden Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 12.7mm



Inside: Drill a hole  
diameter is 8mm folding  
the plastic straight pin

## Notice:

### Thickness of Door Leaf:

350LBS: 44mm	600LBS: 50mm
800LBS: 48mm	1200LBS: 46mm

## Pengepakan & Pengiriman

### Cara Pengiriman

Kami memiliki kerjasama yang kuat dengan DHL, FEDEX, TNT, UPS, EMS, Forwarder melalui LAUT dan UDARA Anda juga dapat memilih pengirim pengiriman Anda sendiri.

### Pengemasan

Kemasan Kunci Magnetik: 1 unit per kotak, 10 pcs per karton,  
Ukuran karton: 26\*26\*10cm, Berat Kotor: 46kg. 50 karton per palet



## Layanan kami

- 1, Setiap pertanyaan akan dijawab dalam waktu 24 jam
- 2, Produsen dan pemasok profesional, Selamat datang untuk mengunjungi situs web kami dan pabrik kami
- 3, OEM/ODM Tersedia
- 4, Kualitas tinggi, desain fashin, harga wajar & kompetitif, waktu tunggu cepat
- 5, Layanan Purna Jual:
  - 1), Semua produk akan diperiksa kualitasnya secara ketat di rumah sebelum dikemas
  - 2), Semua produk akan dikemas dengan baik sebelum pengiriman
  - 3), Semua produk kami memiliki garansi 2-3 tahun jika kerusakan bukan disebabkan oleh manusia
- 6, Pengiriman lebih cepat : Sekitar 1~ 5 hari untuk pesanan sampel, 7~30 hari untuk pesanan massal
- 7, Pembayaran: Anda dapat membayar pesanan melalui: T/T, Western Union, Paypal
- 8, Pengiriman: Kami memiliki kerjasama yang kuat dengan DHL, FEDEX, TNT, UPS, EMS, Forwarder melalui LAUT dan UDARA, Anda juga dapat memilih pengirim pengiriman Anda sendiri.

### **Informasi Perusahaan:**

# 20+ YEARS EXPERIENCE

# OEM & ODM

## ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

## OUR FACTORY



### 1 Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



### 2 Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



### 3 RFID Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE

### WHY CHOOSE US?



- FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

## APPLICATION

Bus, supermarket,school, government, hospital, factory



## CERTIFICATE



