[illegible]

[illegible]

[illegible]

1
4
4
4
3
1
3
.
5
6
2
1
3
2
1
5

125KHZ 410 (2) ()

□□□□□□□□□□□□□□:-1°C□□6°C□□□□□□□□□□□□:-2°C□□85°C□□□□□□□□:4%□□8%□□□□

□□□□□□□ □□□□□□□

□□□□□ □□□□□ □□ □□□□□□□ □□□□□□ □□□□□□□□□ □□□□:

1. □□□□□ □□□□□□□□ □□□□□□ □□□□□□□ □□□;
2. □□□□□□□: □□□□□ □□□□, □□□□□□□□□□□□□□, □□□□□ □□□□□□□, □□-□□□□ □□□□□□□□□□□, □□□□;
3. □□□□□□□□: □□□□□□, □□□□□□□, □□□□□□, □□□□□

30.9 mm
6.8mm
3.3 mm
39.9mm
24 mm

High-quality
Built-in chip
Built-in high-quality large coil

EPOXY CARD

01 Epoxy card is also known as mini proximity card, has a small and beautiful appearance, easy to carry and so on. It is Waterproof, Durable, Smart and Portable.

02 Epoxy card can be made according to the different requirements of the customer a variety of cartoon shapes, colorful, realistic image.

03 Epoxy card can be used for membership card, gift card, bus card, access control system, ID card, tansport system, etc.

Transfer card customization

Various accessories

Adapt to multiple scenarios

①② for additional customization ③ for common collocation gift

ATTACHMENT

①Iron chain ②Iron hoop ③Elastic rope

Transfer card customization

Improved material

Crystal clear/oxidation resistant

The surface drops are improved by high purity epoxy resin and antioxidants, which are not easy to oxidize and turn yellow

ANTIOXIDANT

Transfer card customization

Free mold opening

Hundreds of refined molds

No need to re-open the mold, saving costs, fast order

CONVENIENT

0 ZERO LOSS, EXCELLENT PACKAGING

Quality carton delivery inspection

All cartons and cartons are supported by high-quality materials to ensure transportation

Plastic bag: 10 sheets/strip

Full box: 100 sheets/box

FCL: 25 boxes/box

Logistics delivery

PVC

Epoxy card

Water/dust proof

FREE SAMPLE SENDING FREE DESIGN NO WORRIES AFTER SALES

name	Epoxy card	size	Support customization
material	PVC/Epoxy	chip	IC/TK4100/F08/UID/T57
distance	2-10cm	frequency	13.56MHZ/125KHZ
craft	printing	Apply	Access/bus/elevator/parking

Transfer card customization

Stable performance

Over 100,000 erases

According to the customer system/matching F08, IC, ID, UID, CPU, T5577, 213, 215, S70 chip package

STABILIZE





□□□□ □□□□□□.

□□□ □□□□□ □□ □□□□ □□ □□□□□ □□ □□□□ □□□ □□□ □□ □□□□□□□ 125KHz □□ □□□□ □□□□□□□ 13.56MHz □□ RFID □□□□□□□□□□□□ □□ □□□□□□□ □□□□□□□□ □□ □□□ □□□□□□ □□□, □□ □□□□□□ □□ □□□□□□□ RFID □□□□□□□□□□□ □□ □□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□ □□□ □□□□ □□□□ □□ □□□ □□□-□□□ □□□ □□ □□□□ □□□□□□□□ □□ □□□□□□□□ □□□□□□□ □□□□□ □□□□ □□ OEM □□□□□□□□□□ □□ □□□□□□□ □□□□ □□□□


1. Professional RFID Factory
Match frequency to suitable range,custom double or UHF key fob is available.
: Shape & colors as per request.
0009879416
: All woring for make customer satisfaction
24 Hour
prompt reply
Free
Sample
Professional
Team
Direct factory
Massive stock

□□□□□□ □□□□□□□□□□

□□□□□□□□ □□□□□ □□□□□□□□□
□□□□□ □□□□ □□□ □□□□□□□ □□ □□□□□□□□□□□ □□□ □□□□□□, □□□□□□ □□□□□□□, □□□□□□□ □□□ □□ □□□□□□□□□□□, □□□□□□ □□□□ □□□□□□ □□ □□□□□□□□□ □□□□□□ □□□□□□□ □□□□□□. □□ □□□□□ □□□ □□□□ □□ □□□ □□ □□□□□□ □□□□ □□, □□□□□ □□□ □□□□ □□ □□□□□□ □□ □□□□□ □□ □□□□ □□□

RFID Keyfobs
For access control and other applications
125Khz/13.56Mhz/860~960Mhz chips available
OEM & ODM available
POWER
OK
NAKAYO-096
DOOR BELL

Hoop
Ultrasonic bonding
Numbering

□□□□□□ □□□ □□□□□□

□□□□□□:
□□□□□ □□□ 200 □□□□ □□ □□□□□ □□□□□□ 10 □□□□ □□□□ □□□□□□ □□□□□□ □□ □□□□ □□: 26X22X23 □□□□, □□□: 13 □□□□
□□ □□□□□□ □□ □□□□□□□□□□□ □□ □□□□□□.

□□□□□ □□□ 200 □□□□□

□□ □□□ □□□ 200 □□□ □□□□□ □□□□ □□□□
□□ □□□□□□ □□ □□□□□□□□□□ □□ □□□□□□.

□□□□□ □□□□□□ 2000 □□□□□

□□ □□□□□□ □□□ 10 □□□, □□□ 2000 □□□□□
□□□□ □□□□□□ □□□□□□ □□ □□□□ □□: 49X25X18 □□□□, □□□:
13 □□□□

□□□□□□ □□□□□□

□□□□□□, □□□□□□□, □□□□□□, □□□□□□, □□□□□, □□□□ □□ □□□ □□□□□□□□ □□ □□□ □□□□□ □□□□□ □□□□□ □□□
□□ □□□□ □□□ □□ □□□□□□ □□□□□□□□ □□ □□□ □□□□ □□□□

□□□□□□□ □□□□□□

□□□□□ □□□ □□□□□ □□ □□□ □□ □□□□□□ □□ □□□□ □□□ □□□□ □□ □□□□ □□□ □□ □□□□, □□□-□□□ □□□□□□□ 125 □□□□□□□□□□□, 13.56 □□□□□□□□□□ □□ 860-960 □□□□□□□□□□, □□ □□□□□□ □□□□□□□, □□□□ □□□□□ □□ □□□□□□ □□□□ □□□ □□ □□□ □□□□ □□ □□ □□□□□□ □□□□□ □□□□ □□, □□ □□ □□□□ □□□□□□ □□ □□□□□□ □□□□□□□□ □□ □□□□ □□□□

ACM-ABS003

□□□□□□□□□ □□□□ 125KHz RFID □□□□□□□□□□□□ □□□□□□□ □□□ □□□□□□ □□□□□□□ □□□□□/□□□□□/□□ □□□ □□ □□□□□

ACM-ABS008

□□□ □□□□□□ □□□□ □□□□□□□□□ □□□□□ 125Khz □□□□□ □□□□□□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□/□□ □□□□

ACM-ABS004

□□□ □□ □□□□ 125KHz TK4100 RFID □□□□ □□□□□□ □□□□ □□□□□ □□□□□□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□/□□□□□/□□ □□□□

ACM-ABS001

125KHz RFID □□□□□ □□□□□□□□□□□□□
□□ □□□□□□□□□□□□□ ABS □□□□□□□□
□□□□□□ □□□□□□□□ □□□□□□□/□□□□□□/□□ □□□
□□□□□□□□□ □□□□□□□□□

ACM-ABS006

□□□ □□□□□□□□□ □□□□□□□□□
□□□□□□□□□□□□□ □□□□□ □□□□□□□□□□
125KHz TK4100 □□□□□□□ □□□□□□
□□□□□□□ □□□□□□/□□□□□□/□□ □□□ □□□□□□□□
□□□□□

ACM-KEYFOB036

□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□□□
□□□□ □□□□□□ □□□□ □□□□□ □□□□□□□□□□
125Khz EM TK4100 RFID □□□□
□□□□□ □□□□□□□ □□□□□□ □□□□□□□

□□□□□ □□□□

1, □□□□ □□ □□□□□□ □□ □□□□□ 24 □□□□ □□ □□□□ □□□□ □□□□□

2, □□□□□□ □□□□□□□□ □□ □□□□□□□□□□□□□, □□□□□ □□□□□□□ □□ □□□□□ □□□□□□□ □□□ □□□ □□ □□□ □□□□ □□□□□□ □□

3, OEM/ODM □□□□□□ □□

4, □□□□ □□□□□□□□, □□□□□□ □□□□□□□, □□□□ □□ □□□□□□□□□□□□□ □□□□□, □□□□ □□□ □□□

5, □□□□□□ □□ □□□ □□□□:

1), □□□□□□ □□ □□□□ □□□ □□□□□□□□ □□ □□ □□ □□ □□□□□□□□ □□ □□□□□ □□ □□□□ □□ □□□□□

2), □□□□□□ □□ □□□□ □□□ □□□□□□□□ □□ □□□□□ □□□ □□ □□□ □□□□ □□□□□

3), □□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□ □□ □□ □□□□□ □□□ □□□□□□□□ □□ 2-3 □□□ □□ □□□□□□ □□

6, □□□□ □□□□□□□ : □□□□□ □□□□ □□ □□□ □□□□ 1~5 □□□, □□□ □□□□ □□ □□□ 7~30 □□□
7, □□□□□□ : □□ □□□□□ □□ □□□ □□□□□□ □□□□ □□□□□□ □□ □□ □□□□ □□□: □□/□□, □□□□□□□□□ □□□□□□, □□□□□, □□□ □□□□□ □□□□□□□□□
8, □□□□□□: □□□□□□, □□□□□□□, □□□□□□, □□□□□□, □□□□□, □□□□ □□ □□□ □□□□□□ □□□□□□□□ □□ □□□ □□□□□ □□□□□ □□□□□ □□, □□ □□□□ □□□ □□ □□□□□□ □□□□□□□□ □□ □□□ □□□□ □□□□

□□□□□ □□□□ □□□□ □□□□ □□□□□□

□□□□□□: 1. □□□ □□□□□ □□□□ □□ □□□□ □□□?
□□□□□: □□□□□ □□□□ □□□□□□□□ □□□□ □□□ □□ □□□□□□ □□ □□□□□□ □□□ □□ □□□□ □□□□ □□ □□□□ □□□□□□□□ □□□□□□□, □□□□□ □□ □□□□□□ □□ □□□, □□ □□□□□□□□ □□□□□□□ □□ □□□□□□□□ □□□□□□□

□□□□□□: 2. □□□□□□ □□ □□□□□□□ □□ □□□□ □□□ □□□□?
□: □□□□□□□ □□□□□□□ □□ □□/□□, □□□□□, □□□□□□□□ □□□□□□□
□□□□□□ □□□□□□, □□□□ □□ □□□□□□□□□□ (□□□□□□, □□□□□□□, □□□□□□ □□□□□□ □□□) □□□ □□□□ □□□□

□□□□□□: 3. □□□ □□□□ □□□□□□□□ □□□□□□ □□ □□□ □□ □□□□□ □□□□ □□□□□□□ □□ □□□□ □□□?
□: □□ □□□□ □□□□□ □□□□□ □□□□□□ □□ □□□□ □□□, □□ □□□□ □□□□□□ □□□□□□ □□ □□ □□□ □□□□□ □□□□□

□□□□□□:4. □□□ □□ □□ □□□□□ □□□□□□□ □□□□ □□ □□□□□□ □□ □□□□ □□□?
□□□□□: □□ □□□□□□ □□ □□□□□□ □□□□ □□. □□ □□□ □□ 5000 □□□□ □□ □□□ 3-7 □□□ □□ 100,000 □□□□ □□ □□□ 7-15 □□□

□□□□□□:5. □□□□ □□□□ □□□□□□□□ □□ □□□□□□□□ □□□□ □□ □□□□ □□?
□□□□□: □□□□ □□□□ □□□ □□□□□□ □□□□□□□, □□□□, □□□□□ □□ □□□□□□ □□□□ □□□□□□□□ □□□□ OEM □□□□□ □□ □□□□□□□ □□□□□□ □□□

□□□□□□:6.□□□□ □□ □□ □□□□□□□□ □□□□□ □□ □□□□□□□□ □□□?
□□ 20 □□□□□□ □□ □□□□ □□□ □□ □□□ □□□ □□□□□□□□ □□□□□/□□□□□□ □□□/□□□□□□□□ □□□□□/□□□□□□□□ □□□□□□□□□, □□□□□□□□ □□□□ □□ □□□□□□ □□□□□□□ □□□□□□□□ □□ □□□□ □□□□ □□□□□□□□□□ □□□ □□ □□ □□□□