

Transmitter:

- Working voltage: 6VDC (Built-in button battery)
- Operating Current: 8mA
- Powerd by: 2pcs CR2016/3V batteries (Included)
- Service Life of the Battery: 50000 cycles tested
- Transmitting Frequency: 433MHZ
- Key: 1 Key
- Case material: Plastic



WI-FI Remote Control:

- Wi-Fi Standard: 2.4GHz (Can't support 5GHz)
- Voltage: 12VDC
- RF Frequency: 433MHz
- Load: Max. 1000W
- Standby Current: <0.1W
- Working Mode: Momentary/Toggle
- DC Encoding Type: Learning code
- Adjustable Locking Delay: 0/5/10sec
- Firing Range: 160 feet(open) in theory, 15%-30% in reality
- No. of Transmitters that are able to connect to one Receiver: Up to 40

How to download APP



eWeLink APP Instruction:

1. Download "eWeLink" app in APP Store for iOS or in Google play for Android
2. Cut off the power before installing the device. Then power it up after completing the installation
3. Press and hold the WIFI-KEY 5 seconds until the green LED flashing fast
4. The APP will auto-search and connect access control keypad around you
5. Input home WiFi SSID & password. (If no password, keep it blank)
6. eWeLink will search the device and add it to your account, it takes 1-3 minutes. When this complete, you can give your device a name



Electric Magnetic Lock:

- Input Voltage: 12VDC
- Current: 500mA
- Holding Force: 280Kg/600Lbs
- Output Contact: NO/NC/COM; LED: Red shows locked; Green shows unlocked
- Lock Size: 250Lx48.5Wx25H(mm) / 9.84"x1.91"x0.98"
- Armature Plate Size: 180Lx38Wx11H(mm) / 7.09"x1.5"x0.43"
- Suitable: Wooden door, Glass door, Metal door, Fireproof door
- Cover Finish: Anodized aluminum
- Lock Finish: Zinc
- Armature Plate Finish: Zinc



Push to Exit Button:

- Dimensions: 90Lx35Wx26.5H(mm) / 3.54Lx1.38Wx1.04H(inch)
- Standard Structure: Stainless steel Panel, Steel Button
- Mechanical Life: 500000 tested
- Current Rating: 3A@36VDC Max
- Output Contact: NO/COM
- Operating Temp: 10~+55°C(14-131F)
- Operating Humidity: 0-95% (relative humidity)
- Panel Material: Stainless steel Panel, Wire Drawing Finished
- Suitable for hollow door



Adapter:

- Type: 12V 1A Power Supply Wall Charger
- Input: AC100V-240V 50/60Hz
- Max Output: DC12V / 1A (1000mA)
- AC Cord length: 4 feet / 1.2meter
- Wire Type: 22AWG
- Output transformer adapter : 5.5X2.1mm (Inside diameter 2.1mm, Outside diameter 5.5mm)
- Net weight: 66g / 2.3oz
- Certificate: FCC



Package:

- 1 x Electromagnetic lock
- 1 x Remote receiver
- 2 x Remote transmitters
- 1 x Exit button
- 1 x Power adapter
- 1 x Buzzer
- 1 x English manual



Support OEM /ODM Security ForAll

Proximity Card

RFID Key fob

	125Khz Proximity Card: F08 Mifare 1K Card: NXP S50 Mifare 1K Card: NXP S70 Mifare 4K Card: Temic T5577 Blank Card:		125Khz EM: F08 Mifare 1K:
--	--	--	------------------------------

Biometric/Face/RFID Standalone Access Control

<p>ACM-209E</p>	<p>ACM-F1</p>	<p>ACM-F2</p>	<p>ACM-F3</p>	<p>ACM-851</p>
-----------------	---------------	---------------	---------------	----------------

Standalone Waterproof Metal RFID Access Control

<p>ACM-208A</p>	<p>ACM-209A</p>	<p>ACM-210A</p>	<p>ACM-208B</p>	<p>ACM-230T</p>	<p>ACM-223</p>
-----------------	-----------------	-----------------	-----------------	-----------------	----------------

Access Control RFID Reader / USB Reader / QR Code Scanner Reader

<p>ACM-26</p>	<p>ACM-26M</p>	<p>ACM-112</p>	<p>ACM-26N</p>	<p>ACM-08D/F</p>
---------------	----------------	----------------	----------------	------------------

Long range UHF RFID Reader /Writer

<p>ACM-812A 2-6Meter 7dbi</p>	<p>ACM-803A 6-12Meter 9dbi</p>	<p>ACM-819B 10-20Meter 12dbi</p>	<p>ACM-217A USB Reader/Writer</p>	<p>ACM-330C 134.2Khz Animal Tag Reader</p>
-----------------------------------	------------------------------------	--------------------------------------	---------------------------------------	--

Access Control Door Electromagnetic Lock

<p>ACM-GY60 120lbs=60KG</p>	<p>ACM-GY180 300LBS=180KG</p>	<p>ACM-GY280 600lbs=280KG</p>	<p>ACM-GY280ZL ZL Bracket for</p>	<p>ACM-GY500 1200lbs=500KG</p>
---------------------------------	-----------------------------------	-----------------------------------	---------------------------------------	------------------------------------

Electric Deadbolt Lock /Rim Lock / Fingerprint Lock

<p>ACM-Y100-2PIN</p>	<p>ACM-Y100S-5PIN</p>	<p>ACM-Y300</p>	<p>ACM-Y041</p>	<p>ACM-S700</p>
----------------------	-----------------------	-----------------	-----------------	-----------------

Access Control Power Supply & Door Release Button

<p>ACM-Y801B</p>	<p>ACM-Y803A</p>	<p>ACM-K2A/B</p>	<p>ACM-K6A/K6B</p>
------------------	------------------	------------------	--------------------

PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.



[View More](#)

ACCESS CONTROL SYSTEM



Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)

RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,



[View More](#)

ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



[View More](#)

FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.