



-1, capacità di lettura / scrittura accordo di ISO18000-6B, etichette passive EPC e software programmabili.

-3, Reading Rang (Max) .: 5M Reading

-4 SDK e forme software di configurazione gratuite.

Frequency of use of the following items was measured on a 9-point scale (1 = Never, 9 = Always):

Item	Frequency of use
1. Gamma rays	1
2. X-rays	1
3. Ultrasound	1
4. Infrared radiation	1
5. Radio waves	1
6. Microwave	1
7. Magnetic fields	1
8. Electric fields	1
9. Other	1


1 CAPABILITY
2 ADDRESS
3 STRUCTURE
4 / SCATTER
5 ADDRESS
6 CORRELATION
7 ADDRESS
8 SOLID
9 STATE
10 ELECTRONIC
11 PHYSICS
12 OF
13 CONDENSED
14 MATTER
15 PHYSICS
16 SOLID
17 STATE
18 ELECTRONIC
19 PHYSICS
20 OF
21 CONDENSED
22 MATTER
23 PHYSICS
24 SOLID
25 STATE
26 ELECTRONIC
27 PHYSICS
28 OF
29 CONDENSED
30 MATTER
31 PHYSICS
32 SOLID
33 STATE
34 ELECTRONIC
35 PHYSICS
36 OF
37 CONDENSED
38 MATTER
39 PHYSICS
40 SOLID
41 STATE
42 ELECTRONIC
43 PHYSICS
44 OF
45 CONDENSED
46 MATTER
47 PHYSICS
48 SOLID
49 STATE
50 ELECTRONIC
51 PHYSICS
52 OF
53 CONDENSED
54 MATTER
55 PHYSICS
56 SOLID
57 STATE
58 ELECTRONIC
59 PHYSICS
60 OF
61 CONDENSED
62 MATTER
63 PHYSICS
64 SOLID
65 STATE
66 ELECTRONIC
67 PHYSICS
68 OF
69 CONDENSED
70 MATTER
71 PHYSICS
72 SOLID
73 STATE
74 ELECTRONIC
75 PHYSICS
76 OF
77 CONDENSED
78 MATTER
79 PHYSICS
80 SOLID
81 STATE
82 ELECTRONIC
83 PHYSICS
84 OF
85 CONDENSED
86 MATTER
87 PHYSICS
88 SOLID
89 STATE
90 ELECTRONIC
91 PHYSICS
92 OF
93 CONDENSED
94 MATTER
95 PHYSICS
96 SOLID
97 STATE
98 ELECTRONIC
99 PHYSICS
100 OF
101 CONDENSED
102 MATTER
103 PHYSICS
104 SOLID
105 STATE
106 ELECTRONIC
107 PHYSICS
108 OF
109 CONDENSED
110 MATTER
111 PHYSICS
112 SOLID
113 STATE
114 ELECTRONIC
115 PHYSICS
116 OF
117 CONDENSED
118 MATTER
119 PHYSICS
120 SOLID
121 STATE
122 ELECTRONIC
123 PHYSICS
124 OF
125 CONDENSED
126 MATTER
127 PHYSICS
128 SOLID
129 STATE
130 ELECTRONIC
131 PHYSICS
132 OF
133 CONDENSED
134 MATTER
135 PHYSICS
136 SOLID
137 STATE
138 ELECTRONIC
139 PHYSICS
140 OF
141 CONDENSED
142 MATTER
143 PHYSICS
144 SOLID
145 STATE
146 ELECTRONIC
147 PHYSICS
148 OF
149 CONDENSED
150 MATTER
151 PHYSICS
152 SOLID
153 STATE
154 ELECTRONIC
155 PHYSICS
156 OF
157 CONDENSED
158 MATTER
159 PHYSICS
160 SOLID
161 STATE
162 ELECTRONIC
163 PHYSICS
164 OF
165 CONDENSED
166 MATTER
167 PHYSICS
168 SOLID
169 STATE
170 ELECTRONIC
171 PHYSICS
172 OF
173 CONDENSED
174 MATTER
175 PHYSICS
176 SOLID
177 STATE
178 ELECTRONIC
179 PHYSICS
180 OF
181 CONDENSED
182 MATTER
183 PHYSICS
184 SOLID
185 STATE
186 ELECTRONIC
187 PHYSICS
188 OF
189 CONDENSED
190 MATTER
191 PHYSICS
192 SOLID
193 STATE
194 ELECTRONIC
195 PHYSICS
196 OF
197 CONDENSED
198 MATTER
199 PHYSICS
200 SOLID
201 STATE
202 ELECTRONIC
203 PHYSICS
204 OF
205 CONDENSED
206 MATTER
207 PHYSICS
208 SOLID
209 STATE
210 ELECTRONIC
211 PHYSICS
212 OF
213 CONDENSED
214 MATTER
215 PHYSICS
216 SOLID
217 STATE
218 ELECTRONIC
219 PHYSICS
220 OF
221 CONDENSED
222 MATTER
223 PHYSICS
224 SOLID
225 STATE
226 ELECTRONIC
227 PHYSICS
228 OF
229 CONDENSED
230 MATTER
231 PHYSICS
232 SOLID
233 STATE
234 ELECTRONIC
235 PHYSICS
236 OF
237 CONDENSED
238 MATTER
239 PHYSICS
240 SOLID
241 STATE
242 ELECTRONIC
243 PHYSICS
244 OF
245 CONDENSED
246 MATTER
247 PHYSICS
248 SOLID
249 STATE
250 ELECTRONIC
251 PHYSICS
252 OF
253 CONDENSED
254 MATTER
255 PHYSICS
256 SOLID
257 STATE
258 ELECTRONIC
259 PHYSICS
260 OF
261 CONDENSED
262 MATTER
263 PHYSICS
264 SOLID
265 STATE
266 ELECTRONIC
267 PHYSICS
268 OF
269 CONDENSED
270 MATTER
271 PHYSICS
272 SOLID
273 STATE
274 ELECTRONIC
275 PHYSICS
276 OF
277 CONDENSED
278 MATTER
279 PHYSICS
280 SOLID
281 STATE
282 ELECTRONIC
283 PHYSICS
284 OF
285 CONDENSED
286 MATTER
287 PHYSICS
288 SOLID
289 STATE
290 ELECTRONIC
291 PHYSICS
292 OF
293 CONDENSED
294 MATTER
295 PHYSICS
296 SOLID
297 STATE
298 ELECTRONIC
299 PHYSICS
300 OF
301 CONDENSED
302 MATTER
303 PHYSICS
304 SOLID
305 STATE
306 ELECTRONIC
307 PHYSICS
308 OF
309 CONDENSED
310 MATTER
311 PHYSICS
312 SOLID
313 STATE
314 ELECTRONIC
315 PHYSICS
316 OF
317 CONDENSED
318 MATTER
319 PHYSICS
320 SOLID
321 STATE
322 ELECTRONIC
323 PHYSICS
324 OF
325 CONDENSED
326 MATTER
327 PHYSICS
328 SOLID
329 STATE
330 ELECTRONIC
331 PHYSICS
332 OF
333 CONDENSED
334 MATTER
335 PHYSICS
336 SOLID
337 STATE
338 ELECTRONIC
339 PHYSICS
340 OF
341 CONDENSED
342 MATTER
343 PHYSICS
344 SOLID
345 STATE
346 ELECTRONIC
347 PHYSICS
348 OF
349 CONDENSED
350 MATTER
351 PHYSICS
352 SOLID
353 STATE
354 ELECTRONIC
355 PHYSICS
356 OF
357 CONDENSED
358 MATTER
359 PHYSICS
360 SOLID
361 STATE
362 ELECTRONIC
363 PHYSICS
364 OF
365 CONDENSED
366 MATTER
367 PHYSICS
368 SOLID
369 STATE
370 ELECTRONIC
371 PHYSICS
372 OF
373 CONDENSED
374 MATTER
375 PHYSICS
376 SOLID
377 STATE
378 ELECTRONIC
379 PHYSICS
380 OF
381 CONDENSED
382 MATTER
383 PHYSICS
384 SOLID
385 STATE
386 ELECTRONIC
387 PHYSICS
388 OF
389 CONDENSED
390 MATTER
391 PHYSICS
392 SOLID
393 STATE
394 ELECTRONIC
395 PHYSICS
396 OF
397 CONDENSED
398 MATTER
399 PHYSICS
400 SOLID
401 STATE
402 ELECTRONIC
403 PHYSICS
404 OF
405 CONDENSED
406 MATTER
407 PHYSICS
408 SOLID
409 STATE
410 ELECTRONIC
411 PHYSICS
412 OF
413 CONDENSED
414 MATTER
415 PHYSICS
416 SOLID
417 STATE
418 ELECTRONIC
419 PHYSICS
420 OF
421 CONDENSED
422 MATTER
423 PHYSICS
424 SOLID
425 STATE
426 ELECTRONIC
427 PHYSICS
428 OF
429 CONDENSED
430 MATTER
431 PHYSICS
432 SOLID
433 STATE
434 ELECTRONIC
435 PHYSICS
436 OF
437 CONDENSED
438 MATTER
439 PHYSICS
440 SOLID
441 STATE
442 ELECTRONIC
443 PHYSICS
444 OF
445 CONDENSED
446 MATTER
447 PHYSICS
448 SOLID
449 STATE
450 ELECTRONIC
451 PHYSICS
452 OF
453 CONDENSED
454 MATTER
455 PHYSICS
456 SOLID
457 STATE
458 ELECTRONIC
459 PHYSICS
460 OF
461 CONDENSED
462 MATTER
463 PHYSICS
464 SOLID
465 STATE
466 ELECTRONIC
467 PHYSICS
468 OF
469 CONDENSED
470 MATTER
471 PHYSICS
472 SOLID
473 STATE
474 ELECTRONIC
475 PHYSICS
476 OF
477 CONDENSED
478 MATTER
479 PHYSICS
480 SOLID
481 STATE
482 ELECTRONIC
483 PHYSICS
484 OF
485 CONDENSED
486 MATTER
487 PHYSICS
488 SOLID
489 STATE
490 ELECTRONIC
491 PHYSICS
492 OF
493 CONDENSED
494 MATTER
495 PHYSICS
496 SOLID
497 STATE
498 ELECTRONIC
499 PHYSICS
500 OF
501 CONDENSED
502 MATTER
503 PHYSICS
504 SOLID
505 STATE
506 ELECTRONIC
507 PHYSICS
508 OF
509 CONDENSED
510 MATTER
511 PHYSICS
512 SOLID
513 STATE
514 ELECTRONIC
515 PHYSICS
516 OF
517 CONDENSED
518 MATTER
519 PHYSICS
520 SOLID
521 STATE
522 ELECTRONIC
523 PHYSICS
524 OF
525 CONDENSED
526 MATTER
527 PHYSICS
528 SOLID
529 STATE
530 ELECTRONIC
531 PHYSICS
532 OF
533 CONDENSED
534 MATTER
535 PHYSICS
536 SOLID
537 STATE
538 ELECTRONIC
539 PHYSICS
540 OF
541 CONDENSED
542 MATTER
543 PHYSICS
544 SOLID
545 STATE
546 ELECTRONIC
547 PHYSICS
548 OF
549 CONDENSED
550 MATTER
551 PHYSICS
552 SOLID
553 STATE
554 ELECTRONIC
555 PHYSICS
556 OF
557 CONDENSED
558 MATTER
559 PHYSICS
560 SOLID
561 STATE
562 ELECTRONIC
563 PHYSICS
564 OF
565 CONDENSED
566 MATTER
567 PHYSICS
568 SOLID
569 STATE
570 ELECTRONIC
571 PHYSICS
572 OF
573 CONDENSED
574 MATTER
575 PHYSICS
576 SOLID
577 STATE
578 ELECTRONIC
579 PHYSICS
580 OF
581 CONDENSED
582 MATTER
583 PHYSICS
584 SOLID
585 STATE
586 ELECTRONIC
587 PHYSICS
588 OF
589 CONDENSED
590 MATTER
591 PHYSICS
592 SOLID
593 STATE
594 ELECTRONIC
595 PHYSICS
596 OF
597 CONDENSED
598 MATTER
599 PHYSICS
600 SOLID
601

Vantaggi del prodotto

1. Wake up tag: il tag che può essere solo svegliato può comunicare con il lettore, prevenire il disturbo da altri tag, assicurarsi le informazioni corrette tra il lettore e il tag del sistema.
2. Leggi dati: può ottenere il numero ID del tag e anche ottenere i dati che nell'area specifica, più tag la lettura sarà disponibile.
3. Scrivi dati: può scrivere dati nella specifica area di memorizzazione del tag.
4. Può connettersi con il dispositivo che ha l'interfaccia W26 e W34, non è necessario sviluppare.
5. Comunicare con controller o PC, che può ottenere i dati; fornire kit di sviluppo SDK, l'utente può svilupparlo.

Immagini dettagliate





Schema di cablaggio del lettore e scrittore UHF RFID



Garanzia di qualità

- Il servizio di garanzia sarà onorato se il danno non è causato da umani, ACM Goldbridge offre 2 anni di garanzia per i prodotti relativi.
- Al contrario, ACM Goldbridge si riempirà di extra se riparato.
- Altre informazioni, si prega di consultare il nostro centro di assistenza.

Applicazione

Applicazione di lettore e scrittore UHF RFID

- 1, gestione dei trasporti
- 2, Veicolo gestione
- 3, Strada e ponte pedaggio
- 4, gestione personalizzata
- 5, Magazzino gestione
- 6, Parcheggio auto gestione
- 7, Controllo di accesso gestione
- 8, gestione della produzione



Vehicle access control system



Personal ID access control



Hand free applications



Asset management



Application



UHF CARD



Imballaggio & Consegna

Confezione

Confezione lettore UHF: 1 unità per scatola, 10 pezzi per cartone,

Misura unica: 32 * 32 * 6 cm, peso lordo: 3 kg.



Our Standard Packing

Single Demension : 320*320*60MM

Single Carton for each reader

6 pcs each lot with foam and yellow sticky tape fully wrap .



Modo di spedizione

Siamo uno dei principali esportatori di prodotti RFID in Cina da 2000 anni. Con una ricca esperienza commerciale internazionale, conosciamo molto bene la spedizione internazionale. Sappiamo quale linea espressa o aerea / marittima è economica e sicura per il tuo paese. Siamo in grado di fornire vari certificati per voi per pulire le vostre abitudini come CO, FTA, Forma F, Forma E ... Ect. Forniremo il nostro suggerimento

professionale per la spedizione. EXW, FOB, FCT, CIF, CFR ... termine commerciale sono ok per noi. Possiamo essere il vostro partner affidabile per prodotti e spedizioni.

Il tuo maggior bisogno

Siamo un produttore di lettori uhf professionali, tranne l'ACM812A, possiamo anche fornire ACM802A, ACM818A, ACM801A. La principale differenza di questi sono la distanza di lettura. Inoltre, ACM801A può essere utilizzato per leggere multi-tag (200 pezzi alla volta). Per ulteriori dettagli, si prega di fare clic sulla seguente immagine.





ACM812A

Lettore UHF per intervallo di lettura
2-5 m

Uscita Wiegand 26, RS232 / 485

ACM818A

Lettore UHF da 10-20 m

Uscita Wiegand 26, RS232 / 485

ACM802A

Lettore UHF da 8-10 m di lettura

Uscita Wiegand 26, RS232 / 485





ACM801A

Lettore UHF da 10-15 m

Uscita Wiegand 26, RS232 / 485

ACM 8017

Lettore portatile UHF

UHF + WIFI + GRPS

ACM 918K

Lettore fisso ad alte prestazioni UHF
a 4 canali

Nostro servizio

- 1, qualsiasi richiesta sarà risposta all'interno 24 ore
- 2, produttore e fornitore professionali, benvenuto per visitare il nostro sito Web e la nostra fabbrica
- 3, OEM / ODM A disposizione
- 4, Alta qualità, fashion design, ragionevole & prezzo competitivo, termine d'esecuzione veloce
- 5, Dopo vendita Servizio :
 - 1), tutti i prodotti saranno stati rigorosamente controllati in casa prima di essere imballati
 - 2), tutti i prodotti saranno ben imballati prima della spedizione
 - 3), tutti i nostri prodotti hanno 2-3 anni di garanzia se il danno non è causato da umani
- 6, Consegna più veloce: Circa 1 ~ 5 giorni per ordine del campione, 7 ~ 30 giorni per ordine all'ingrosso
- 7, pagamento: è possibile pagare l'ordine tramite: T / T, Western Union, Paypal

FAQ

Q: 1. Come posso effettuare un ordine?

A: Si prega di elencare le vostre esigenze a noi via e-mail. Allora invieremo l'offerta a voi al più presto, dopo la conferma dell'ordine, organizzeremo la produzione al più presto.

Q: 2. che cosa circa il pagamento e la spedizione?

A: T / T, Paypal, Western Union.

I clienti possono scegliere via mare, aereo o espresso (DHL, FedEx, TNT UPS ecc.)

Q: 3. Come posso ottenere un campione per verificare la qualità?

A: potremmo fornire il campione gratuito a voi e il costo del trasporto pagato da voi.

D: 4. Per quanto tempo posso aspettarmi di ottenere i campioni?

A: dipende dalla quantità. Normalmente 3-7 giorni per 5000 pezzi e 7-15 giorni per 100.000 pezzi

D: 5. I tuoi prodotti possono essere personalizzati?

A: Quasi tutti i tuoi prodotti sono personalizzati, tra cui la materia, le dimensioni, lo spessore e la stampa. Gli ordini OEM sono altamente benvenuti.

Q: 6. sei una società commerciale o fabbrica?

Siamo uno dei più grandi produttori di schede RFID / tag NFC / RFID keybod / braccialetto RFID, lettore RFID e prodotti per il controllo degli accessi in Cina da oltre 20 anni.