

Related UHF R2000 Fixed Reader


TCP/IP 8 ports Impinj R2000 Chip UHF Fixed RFID Readers



Product technical parameter

Model number	ACM-919L
Engine	Design based on Impinj R2000 chip
Frequency	865 ~868MHz (EU standard),902-928MHz (US standard)
Protocol	ISO18000-6B/6C(EPC GEN2)
Work mode	Answer Mode,Real-time Inventory,Trigger Mode
Reading range	1~15m (depends on antenna gain)
Tag buffer size	700pcs (Max. 496bits EPC length)
Inventory	Support EPC and TID inventory
Antenna ports	8 TNC antenna ports
Interface	RS232/RS485/TCP/IP/USB/POE/WiFi (optional)
Support	RSSI
RF power	33dbm (adjustable)
Power supply	9V
Current Dissipation	0.5~1.2A
Reader Size	270*180*27mm
Net weight	1.3kg
Package size	310*230*140mm
Package gross weight	2.5kg
Operating Temp	-10~+60 C
Storage Temp	-20~+75 °C

Product show



Product show

Spare parts:Spare parts:1pc
reader,1pc RS232 cable,
1pc USB cable,
1pc power adapter, 1pc plug

Reader dimension:
Reader Size:270x180x27mm



Shenzhen Goldbridge focus sull'innovazione R&S produzione e vendita di prodotti IOT RFID e soluzione applicativa, categoria lettore rfid tra cui scrittore UHF desktop reader, lettore integrato UHF, lettore fisso UHF R2000, modulo OEM UHF, lettore palmare RFID, tag RFID UHF, attivo 2.4G lettore rfid, EM 125KHZ Lettore a lungo raggio, hardware RFID industriale e software integrato, ha ottenuto la certificazione nazionale high-tech aziendale FCC, CE e ROHS.

Raleded Long distance range RFID Reader & Tags

		
ACM-812A -8dBi 2-6 meter , 235x235x57mm	ACM-803A -9dbi 6-10 meters,260X260X45mm	ACM-811A-8dBi Multi-tag Reader, 6-9 meters, 255x255x45MM
		
ACM217-UHF UHF Reader and Writer - Provide Free program and SDK	ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm	ACM-819A-12dBi Multi-tag Reader, 10-20 meters, 460x460x55MM
		
ACM8017 UHF Handheld Reader UHF +WIFI+GRPS Quad Band+Barcode 1D/2D	ACM09G-TCP/IP Or Wiegand Active 2.4G Reader 30-70meter, Provide FREE SDK and Demo	ACM08Y RFID EM 125Khz 70cm-1meter Middle long range Reader
		
ACM-MU85M One Antenna Port Module- 30dbm adjustable 0-15m used for handheld reader. ,55.5x39.5x7.6mm	ACM-MU82M 4 Antennas Ports Module 4ports 25m speed anti-collision impinj R2000 67.5mmx51mmx7.9mm	ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm
		
UHF Anti-metal Tag, ACM-UHF-M3: 135x22x12mm ±2mm	Anti-tamper windshield sticker tag (ACM-S001)	UHF ISO PVC Card Tag , 86x54mm (ACM-UHF Card)

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufacturer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS



Our Certificate

