

Descrizione del prodotto

[Host di affitti e proprietari di case]ACM la serratura intelligente è un'ottima soluzione per gli host di affitti a breve termine di Airbnb e le proprietà in affitto

gestione e residente in autonomia. Genera un passcode da remoto e condividilo con i tuoi visitatori.

[Diversi modi per sbloccare]Serratura intelligente avanzata con ingresso senza chiave 5 in 1: impronta digitale codice portachiavi smartphone chiave.

[Facile da installare]Facile da installare in pochi minuti con un semplice cacciavite Phillips seguendo il breve video di installazione. Niente esercitazioni

Necessario. Non è necessario alcun fabbro. La maniglia della porta è reversibile sia per la porta sinistra che per quella destra.

[Telecomando]Abbinato al gateway WiFi YISTAR G2 (componente aggiuntivo opzionale, venduto separatamente), puoi bloccare/sbloccare la serratura della porta intelligente ovunque e in qualsiasi momento, imposta i codici da remoto e controlla i registri di accesso in tempo reale.

Caratteristiche:

Materiale: lega di zinco e vetro temperato

Colore: Nero/Argento

Metodo di apertura: APPimpronta digitalepasswordcartachiave

Direzione della maniglia (regolabile): tirare a sinistra, spingere a sinistra, tirare a destra, spingere a destra.

Grado del cilindro: cilindro a lama di grado C

Applicazioni: Famiglia, Appartamento, Scuola, Ufficio

Porta adatta: porta in legno/porta di sicurezza/porta ignifuga/porta in acciaio inox

Corpo serratura: resistente al taglio, resistente allo strappo, resistente allo scasso, antifurto

Alimentazione: 4 batterie AA (non incluse)

Spessore della porta: 35-70 mm

Gruppo di archiviazione delle impronte digitali: 200

Gruppo di archiviazione carte: 200

Alimentazione di emergenza USB: supporta la velocità di riconoscimento: $\leq 0,5$ S

LONTANO: $\leq 0,001\%$, FRR: $\leq 1\%$

Specifiche:

Spessore serratura porta: 1,37"-1,88" (35 mm - 48 mm)

Entrata foro porta: 2,375"-2,75" (60 mm-70 mm)

Diametro del foro: 2,125" (54 mm)


Livello serratura: serratura di livello IP54. Protetto contro gli spruzzi d'acqua, adatto sia per uso esterno che interno Durata della batteria:

Garantito fino ad 1 anno oltre 10.000 volte di blocco/sblocco

Tipo di batteria: 4 batterie alcaline AA (NON INCLUSE)

Immagini dettagliate

Product Parameters



Model: 2020E

Material: Stainless steel

Color: Black/Red/Silver

Panel size: 306*75*12mm

Usage: Hotel/Apartment/School

Cylinder: Copper cylinder


Mortise: Automatic Lock

Unlock way: Card, Key


Work Voltage: 4pcs 5#Alkaline battery

Low voltage alarm: <4.8V still can open

Door thickness: 38-50mm (can customize)



Panel Size



Mortise Size

Configuration

Name	Unit	Quantity	Recommended Configuration
Hotel lock	pcs	1	Each room 1 pcs hotel lock
Encoder	pcs	2	Recommend 2 pcs, 1pcs for front desk, 1pcs spare
Switch	pcs	1	Each room 1 pcs, insert card for electricity
Card	pcs	3	Each room suggest 3-5 pcs cards
Lock software	pcs	1	For managing the locks (For free)
Gate block	pcs	1	Optional, the room card opens the gate control
Elevator control	pcs	1	Optional, swipe room card to use elevator
Data collector	pcs	1	Optional, download lock opening record

lockfactory.en.alibaba.com

Guidelines for Changing Locks

1 Door Lock Opening Direction

Tip : How to choose the lock opening direction?


Standing outside the door, where is the hinge mounted, which side is open

- A \ (Right push) — The hinge is mounted on the Right side of the door frame and push the door
- B \ (Right pull) — The hinge is mounted on the Right side of the door frame and pull the door
- C \ (Left pull) — The hinge is mounted on the Left side of the door frame and pull the door
- D \ (Left push) — The hinge is mounted on the Left side of the door frame and push the door



2 Measuring related dimensions

Friendly tip: For changing locks, must measure these 3 place as below




Measure door thickness

Measure guide piece length

Measure guide piece thickness

3 Choose guide piece model



- A . Right angle double hole guide piece
- B . Right angle single hole guide piece
- C . Rounded double hole guide piece
- D . Rounded single hole guide piece

Friendly tip:
The standard package one is "B",
if need other choice, pls contact supplier

4 Pls inform the related data

Door lock open direction	☐ Left push ☐ Left pull ☐ Right push ☐ Right pull
Door thickness	_____mm
Mortise guide-piece length	_____mm
Mortise guide-piece thickness	_____mm

Friendly tip :

If your door is customized one,
only need to inform the
door thickness and opening direction .



Hotel Safety Partner

Luxury design



Security Certification

The Situation you meet

Rixiang door lock help you solve



More rooms, difficult to manage



Tenant leaves, change locks



Refuse pay room rate



Emergency situation



Forget take the card

Why Choose us



Unified Management

The front desk unified control the unlocking authority



Card loss

Computer control card lost



Cancel permission

Refuse pay the room rate, Stop unlocking permission



Emergency unlock

Emergency situation, use key unlock



Security Standard

National lock certification
Official authority certification



Swipe card conveniently

Read Sensitive
Unlock as low as 0.5s



False lock alarm

Avoid not closing the door
Reduce accidents




Solid anti-lock bolt

Protect your security

lockfactory.en.alibaba.com





Gateway (non incluso, fare clic sull'immagine per ordinare)

Dopo aver configurato il gateway
può connettersi al Wi-Fi, tutte le funzioni possono essere gestite da remoto.
E compatibile con Google Home e Alexa



Informazioni aziendali

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE

