

## Descrizione dei prodotti

**UN**Pulsante di uscita dalla porta per sistema di controllo accessi, pulsante di uscita touch impermeabile

Caratteristica:

- Sensore di uscita senza tocco/senza tocco (rilevamento diffuso)
- Tecnologia ottica/infrarossi
- Protezione ingresso IP-55/Piastra in acciaio inossidabile SUS 304
- Facile da usare (protezione della salute)
- Esente da malattie contagiose diffuse
- Campo di rilevamento: 0,1 ~ 10 cm
- Uscita relè normalmente aperta/normalmente chiusa/comune
- Indicatori led doppi per sensore in standby o in avvicinamento:  
(1) Sensore in standby: LED BLU ACCESO

### **Dettagli Immagini**

---

Dettagli Immagini



Whatsapp: +86-13554918707  
E-mail: sales@goldbridgesz.com  
Website: www.goldbridgesz.com

# Waterproof Exit Button

Stainless steel panel /IP66 waterproof





## Stainless Steel Door Release Button

Waterproof  
IP67

PH: +86-13554918707  
E: sales@goldbridgesz.com  
W: www.goldbridgesz.com



ACM-K819-A  
115x40mm

ACM-K819-B  
86x50mm

ACM-K819-C  
115x70mm

ACM-K819-D  
86x86mm


Power Supply: 12V-24DC  
Output Contact: NO/NC/COM

Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests

Operating temp: -20°C ~ +55°C(14-131F)  
Suitable Humidity: 0-95% (relative humidity)



www.goldbridgesz.com



A K841-A (115x40mm) B K841-B (86x50mm)  
C K841-C (115x70mm) D K841-D (86x86mm)

Touchless

## Infrared Sensor Exit Button

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM  
Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests  
Operating temp: -20°C ~ +55°C(14-131F)  
Suitable Humidity: 0-95% (relative humidity)

PH: +86-13554918707  
E: sales@goldbridgesz.com

### Parametri del prodotto


Numero di modello	K-E012
Nome del prodotto	NO Toccare l'interruttore del pulsante di uscita
Materiale	Acciaio inossidabile
Dimensioni del prodotto	86*86mm
Tensione di alimentazione	12 V CC
Uscita a contatto	NA/NC/COM/LED
Corrente massima	3 A/125-250 V CA
Prova di resistenza	100.000 volte
Installazione:	<b>telaio della porta cavo (installazione nascosta)</b>
Parametri di imballaggio	100 pezzi/15 kg/51*43*33 cm/ctn

### Dettaglio Prodotti

ACM




ACM



ACM





### Consiglia prodotti

Consiglia prodotti

Sistema di chiusura degli armadietti

Sistema di chiusura della porta dell'hotel

Sistema di chiusura intelligente per l'ufficio domestico

Sistema di controllo degli accessi

Sistema di parcheggio per auto

### Prodotti correlati





### EXIT BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K6A** **K6AL** **K6D** **K6DL** **K6DW** **K4A** **K4AL**  
91x28x20mm 115x70x25mm 115x70x25mm 115x70x25mm 86x50x33mm



**K6B** **K6BL** **K4B** **K4BL**  
86x86x38mm 86x86x38mm 86x86x33mm 86x86x33mm



**K14E** **K14EL** **K14F** **K14FL** **K14A** **K13AL** **K14** **K14DL**  
115x40mm 115x70mm 115x70mm 115x40mm 115x70mm 115x70mm



**K14B** **K14BL** **K13B** **K13BL** **K13BE**  
86x50mm 86x50mm 86x86mm 86x86mm 86x86mm



**K13AB** **K13A** **K13D** **K13BD** **K14C** **K14CL**  
115x40mm 115x70mm 86x50mm 86x86mm 80x30x24mm 80x30x24mm



**K15A** **K15AL** **K15B** **K15C**  
53x53x25mm 53x53x25mm 53x53x25mm 53x53x25mm



**K7A** **K7B** **K8A** **K8BL** **K4AC** **K4AD**  
91x28mm 115x70mm 86x86x38mm 86x86x38mm 86x86x38mm 86x86x38mm



**K6AM** **K6BM** **K6CM** **K6DM** **K15BG** **K15BR**  
115x40mm 115x70mm 86x50mm 86x86mm 53x53x25mm 53x53x25mm



**K14BR** **K14BG** **M40** **M70** **M50** **M86**  
80x30x25mm 80x30x25mm 115x40mm 115x70mm 86x50mm 86x86mm

### TOUCH BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K9A** **K9B** **K40A** **K40B** **K40C**  
86x86x20mm 86x50x20mm 86x86x18mm 86x86x18mm 86x40x18mm

### NO TOUCH EXIT BUTTON



**K2B** **K2A** **K9C** **K10A**  
86x86x35mm 115x70x25mm 86x86x11.5mm 86x86x14mm



**K201G** **K201** **K406** **K-WS**  
92x92x33mm 113x63x20mm 80x32x23mm 80x80x28mm



**K505** Capacitive 86x86x14mm **K505W** Capacitive 86x86x14mm **K505MH** Infrared 86x86x14mm **K505MHW** Infrared 86x86x14mm



**K841A** 115x40mm **K841C** 115x70mm **K841B** 86x86mm **K842A** 115x40mm **K843A** 115x40mm

### PLASTIC BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K1** 86x86x25mm **K1-1** 86x86x24mm **K1-2** 86x86x25mm **K1-3** 86x86x20mm **K11A** 76x23x14mm



**P86** 86x86x35mm **P77** 77x77x45mm  
Rated Current: 40A, Power off: 20s delay

### EMERGENCY DOOR RELEASE

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



**K3R** 86x86x50mm **K3Y** 86x86x50mm **K3G** 86x86x50mm **K3W** 86x86x50mm



**K3RR** 86x86x50mm **K3RG** 86x86x50mm **K3** 87x87x60mm **Transparent**



**K4G** LED/Buzzer Red **K4GB** LED/Buzzer Green **K4GL** Without LED 90x93x45mm **K4RG**





# 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

## OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE



### WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL,UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality produtcs with 30 R&D; engineers.

## APPLICATION

Bus, supermarket,school, government, hospital, factory



## CERTIFICATE



## PRODUCT CATEGORY

### RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.



[View More](#)

### ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control



[View More](#)

### RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,



[View More](#)

### ELECTROMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



[View More](#)

## FAQ

**Q1** How can I place an order?

**A1** Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

**Q2** What about the payment and shipment?

**A3** T/T , Paypal, Western Union etc.  
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

**Q4** How can I get a sample to check your quality?

**A4** We could provide the sample to you, pls check the sample cost and freight cost with us.

**Q5** How long can I expect to get the goods?

**A5** It depends on the quantity and shipping way. You can check with us before ordered.

**Q6** Can your products be customized?

**A6** Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.

[Contact Us](#)



[BACK TO HOMEPAGE >](#)

