

Descrizione del prodotto

RFID

USB Desktop Reader & Writer

Modello: ACM217

RFID USB Desktop Reader & Writer, supporta operazioni di lettura / scrittura di tag veloci??

1. Proprietà auto-intellettuale ;?
2. Supporto UHF EPC Gen2 (ISO18000-6C), tag del protocollo ISO18000-6B ;?



Specifiche del lettore e scrittore UHF RFID

Vantaggi del prodotto

1. Tag di sveglia: il tag che può essere attivato solo può comunicare con il lettore, impedire il disturbo da altri tag, assicurarsi le informazioni corrette tra lettore e tag di sistema.
2. Leggi i dati: può ottenere il numero ID del tag e anche i dati che nell'area specifica, multi tag

la lettura sarà disponibile.

3. Scrivi dati: può scrivere dati nell'area di memorizzazione del tag specificata.

4. Può connettersi con il dispositivo con interfaccia W26 e W34, non è necessario svilupparlo.

5. Comunicare con il controller o il PC, che può ottenere i dati; fornire kit di sviluppo SDK, l'utente può svilupparlo.

M
C
M
2
1
7
o
s
c
a
n
n
e
r
P
S
O
t
8
e
6
B
l
b
S
O
1
8
-
6
C
G
E
N
2
)
,
I
S
O
1
4
4
4
3
A

I
S
M
e
9
2
a
9
2
8
M
H
Z
r
E
Q
C
e
n
8
6
5
-
8
6
8
M
H
Z
;
?
1
3
.
5
6
M
H
Z

M
o
d
e
r
n
i
z
a
t
i
o
n
s
a
f
f
e
c
t
i
n
g
t
h
e
f
r
e
q
u
e
n
c
y
o
f
H
S
S
P
o
v
e
r
h
e
a
d
i
n
g
M
a
r
k

S
a
s
t
w
a
r
e
p
t
o
g
r
a
m
m
a
b
i
l
e
,
l
e
t
t
u
r
a
m
e
d
i
a
p
e
r
6
4
b
i
t
:
<
1
m
s

M
u
t
l
a
è
t
b
à
d
h
b
s
b
f
t
u
w
a
r
e
p
r
o
g
r
a
m
m
a
b
i
l
i
P
S
B
t
e
d
i
c
o
m
u
n
i
c
a
z
i
o
n
e

h
a
s
m
e
t
m
e
n
e
o
d
a
s
q
u
a
d
r
a
C
a
g
p
o
H
e
t
e
t
r
a
p
a
2
m

A
n
t
e
n
n
a
d
i
p
o
l
a
r
i
z
z
a
z
i
o
n
e
r
o
t
o
n
d
a
p
i
c
c
o
l
a
i
n
t
e
g
r
a
t
a

D
C

5
V
Z
a
d
a
n
s
a
m
a
t
e
d
i
a
l
i
m
e
n
t
a
z
i
o
n
e
)
D
4
m
e
h
s
i
m
e
r
i
*
1
1
m
i
l
l
i
m
e
t
r
i
*
3
m
m



Schema elettrico del lettore e scrittore UHF RFID

Raleded Long distance range RFID Reader & Tags

		
ACM-812A -8dBi 2-6 meter , 235x235x57mm	ACM-803A -9dbi 6-10 meters,260X260X45mm	ACM-811A-8dBi Multi-tag Reader, 6-9 meters, 255x255x45MM
		
ACM217-UHF UHF Reader and Writer - Provide Free program and SDK	ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm	ACM-819A-12dBi Multi-tag Reader, 10-20 meters, 460x460x55MM
		
ACM8017 UHF Handheld Reader UHF +WIFI+GRPS Quad Band+Barcode 1D/2D	ACM09G-TCP/IP Or Wiegand Active 2.4G Reader 30-70meter, Provide FREE SDK and Demo	ACM08Y RFID EM 125Khz 70cm-1meter Middle long range Reader
		
ACM-MU85M One Antenna Port Module- 30dbm adjustable 0-15m used for handheld reader. ,55.5x39.5x7.6mm	ACM-MU82M 4 Antennas Ports Module 4ports 25m speed anti-collision impinj R2000 67.5mmx51mmx7.9mm	ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm
		
UHF Anti-metal Tag, ACM-UHF-M3: 135x22x12mm ±2mm	Anti-tamper windshield sticker tag (ACM-S001)	UHF ISO PVC Card Tag , 86x54mm (ACM-UHF Card)

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufacturer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS



Our Certificate

