

## Descrizione dei prodotti

---

Descrizione dei prodotti

**UN**Pulsante di uscita della porta per il sistema di controllo dell'accesso, touch impermeabile uscita Buttto

Caratteristica:

- Nessun sensore di uscita senza touch / touch (rilevamento diffuso)
- Tecnologia ottica / infrarossa
- IP-55 Ingress Protection / SUS 304 Piastra in acciaio inossidabile
- User Friendly (sano protezione)
- Libero da malattie contagiose diffuse
- Intervallo di rilevamento: 0,1 ~ 10 cm
- Output di relè normalmente aperto/normalmente vicino/comune
- Indicatori a LED gemelli per il sensore di standby o avvicinati:  
(1) Sensore Standby: LED blu on

## Dettagli immagini

---

Dettagli immagini



Whatsapp: +86-13554918707

E-mail: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)

Website: [www.goldbridgesz.com](http://www.goldbridgesz.com)

# Waterproof Exit Button

Stainless steel panel /IP66 waterproof





**Stainless Steel**  
**Door Release Button**

**Waterproof**  
**IP67**

PH: +86-13554918707  
E: sales@goldbridgesz.com  
W: www.goldbridgesz.com



**ACM-K819-A**  
115X40mm

**ACM-K819-B**  
86X50mm

**ACM-K819-C**  
115X70mm

**ACM-K819-D**  
86X86mm

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM

Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests


Operating temp: -20°C ~ +55°C(14-131°F)  
Suitable Humidity: 0-95% (relative humidity)




**Touchless**  
**Infrared Sensor**  
**Exit Button**

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM  
Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests  
Operating temp: -20°C ~ +55°C(14-131°F)  
Suitable Humidity: 0-95% (relative humidity)

PH: +86-13554918707  
E: sales@goldbridgesz.com



**A** K841-A (115x40mm) **B** K841-B (86x50mm)  
**C** K841-C (115x70mm) **D** K841-D (86x86mm)

www.goldbridgesz.com

## Parametri del prodotto

|                           |                                                      |
|---------------------------|------------------------------------------------------|
| Numero modello            | K-E012                                               |
| Nome prodotto             | Nessun interruttore del pulsante di uscita tocco     |
| Materiale                 | Acciaio inossidabile                                 |
| Dimensione del prodotto   | 86*86mm                                              |
| Tensione di alimentazione | 12vdc                                                |
| Output di contatto        | NO/NC/COM/LED                                        |
| Corrente massima          | 3A / 125-250VAC                                      |
| Test di resistenza        | 100.000 volte                                        |
| Installazione:            | <b>Frame di porta vuota (installazione nascosta)</b> |
| Parametri di imballaggio  | 100pcs/15kg/51*43*33cm/ctn                           |

## Dettaglio dei prodotti



金属门禁开关

## 产品参数

PRODUCT PARAMETER


| 产品型号 | S840       | S850      | S870       | S886      |
|------|------------|-----------|------------|-----------|
| 面板尺寸 | 115*40(mm) | 86*50(mm) | 115*70(mm) | 86*86(mm) |

开关

|      |                |
|------|----------------|
| 接点输出 | NO/COM         |
| 面板材质 | 304不锈钢         |
| 按键类型 | 自复位金属按钮        |
| 安装方式 | 暗装（嵌入式）        |
| 面板图案 | 支持LOGO、文字、图案定制 |



|      |                |           |            |           |
|------|----------------|-----------|------------|-----------|
| 产品型号 | S840D          | S850D     | S870D      | S886D     |
| 面板尺寸 | 115*40(mm)     | 86*50(mm) | 115*70(mm) | 86*86(mm) |
| 接点输出 | NO/NC/COM      |           |            |           |
| 面板材质 | 304不锈钢         |           |            |           |
| 按键类型 | 自复位塑胶按钮        |           |            |           |
| 安装方式 | 暗装（嵌入式）        |           |            |           |
| 面板图案 | 支持LOGO、文字、图案定制 |           |            |           |



常开常闭

常开常闭

|      |                |           |            |           |
|------|----------------|-----------|------------|-----------|
| 产品型号 | S840L          | S850L     | S870L      | S886L     |
| 面板尺寸 | 115*40(mm)     | 86*50(mm) | 115*70(mm) | 86*86(mm) |
| 接点输出 | NO/NC/COM      |           |            |           |
| 面板材质 | 304不锈钢         |           |            |           |
| 按键类型 | 自复位金属带LED灯按钮   |           |            |           |
| 安装方式 | 暗装（嵌入式）        |           |            |           |
| 面板图案 | 支持LOGO、文字、图案定制 |           |            |           |




|      |                |           |            |           |
|------|----------------|-----------|------------|-----------|
| 产品型号 | S840M1G        | S850M1G   | S870M1G    | S886M1G   |
| 面板尺寸 | 115*40(mm)     | 86*50(mm) | 115*70(mm) | 86*86(mm) |
| 接点输出 | NO/NC/COM      |           |            |           |
| 面板材质 | 304不锈钢         |           |            |           |
| 按键类型 | 自复位绿色蘑菇头金属按钮   |           |            |           |
| 安装方式 | 暗装（嵌入式）        |           |            |           |
| 面板图案 | 支持LOGO、文字、图案定制 |           |            |           |




常开常闭


|      |                |           |            |           |
|------|----------------|-----------|------------|-----------|
| 产品型号 | S840M1R        | S850M1R   | S870M1R    | S886M1R   |
| 面板尺寸 | 115*40(mm)     | 86*50(mm) | 115*70(mm) | 86*86(mm) |
| 接点输出 | NO/NC/COM      |           |            |           |
| 面板材质 | 304不锈钢         |           |            |           |
| 按键类型 | 自复位红色蘑菇头金属按钮   |           |            |           |
| 安装方式 | 暗装（嵌入式）        |           |            |           |
| 面板图案 | 支持LOGO、文字、图案定制 |           |            |           |



## 产品实拍

PRODUCT PHOTO





# 适用场景

APPLICABLE SCENE



家庭



商场




办公室



# 接线说明

PRODUCT PARAMETER



## Raccomandare prodotti

- Raccomandare prodotti
- Sistema di blocco dell'armadietto
- Sistema di blocco della porta dell'hotel
- Sistema di blocco intelligente del ufficio a casa
- Sistema di controllo degli accessi
- Sistema di parcheggio

## Prodotti correlati





## EXIT BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K6A K6AL 91x28x20mm  
K6D K6DL K6DW 115x70x25mm 115x70x25mm 115x70x25mm  
K4A K4AL 86x50x33mm



K6B K6BL 86x86x38mm 86x86x38mm  
K4B K4BL 86x86x33mm 86x86x33mm



K14E K14EL 115x40mm  
K14F K14FL 115x70mm 115x70mm  
K14A K13AL 115x40mm  
K14 K14DL 115x70mm 115x70mm



K14B K14BL 86x50mm 86x50mm  
K13B K13BL 86x86mm 86x86mm  
K13BE 86x86mm



K13AB K13A 115x40mm 115x70mm  
K13D K13BD 86x50mm 86x86mm  
K14C K14CL 80x30x24mm 80x30x24mm



K15A K15AL 53x53x25mm 53x53x25mm  
K15B K15C 53x53x25mm 53x53x25mm



K7A K7B 91x28mm 115x70mm  
K8A K8BL 86x86x38mm 86x86x38mm  
K4AC K4AD 86x86x38mm 86x86x38mm



K6AM K6BM 115x40mm 115x70mm  
K6CM K6DM 86x50mm 86x86mm  
K15BG K15BR 53x53x25mm 53x53x25mm



K14BR K14BG 80x30x25mm 80x30x25mm  
M40 M70 115x40mm 115x70mm  
M50 M86 86x50mm 86x86mm

## TOUCH BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K9A K9B 86x86x20mm 86x50x20mm  
K40A K40B K40C 86x86x18mm 86x86x18mm 86x40x18mm

## NO TOUCH EXIT BUTTON



K2B K2A 86x86x35mm 115x70x25mm  
K9C K10A 86x86x11.5mm 86x86x14mm



K201G K201 92x92x33mm 113x63x20mm  
K406 K-WS 80x32x23mm 80x80x28mm



K505 K505W 86x86x14mm 86x86x14mm  
K505MH K505MHW 86x86x14mm 86x86x14mm



K841A K841C 115x40mm 115x70mm  
K841B K842A K843A 86x86mm 115x40mm 115x40mm

## PLASTIC BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K1 K1-1 K1-2 K1-3 K11A 86x86x25mm 86x86x24mm 86x86x25mm 86x86x20mm 76x23x14mm



P86 P77 86x86x35mm 77x77x45mm  
Rated Current: 40A, Power off: 20s delay

## EMERGENCY DOOR RELEASE

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K3R K3Y K3G K3W 86x86x50mm 86x86x50mm 86x86x50mm 86x86x50mm



K3RR K3RG K3 Transparent 86x86x50mm 86x86x50mm 87x87x60mm



K4G K4GB K4GL K4RG LED/Buzzer Red LED/Buzzer Green Without LED 90x93x45mm





# 20<sup>+</sup> YEARS EXPERIENCE

## OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,  
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,  
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized  
Services



Quality  
Assurance



Fast  
Delivery



Best After-  
Sales Service

## ADVANTAGE



### WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



Supplier's Company

## OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## APPLICATION

Bus, supermarket,school, government, hospital, factory



## CERTIFICATE



Access Control CE Access Control RoHS EM Lock EMC Certificate EM Lock ROHS Certificate



RFID Card Reader CE RFID Card Reader RoHS UHF Reader CE Certificate UHF Reader ROHS



## PRODUCT CATEGORY

### RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



### ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



### RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



### ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



## FAQ

#### Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

#### Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.  
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

#### Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

#### Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

#### Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

