

ANIMAL TAG READER

RESPONSIVE AND FAST RECOGNITION

EMID、FDX-B(ISO11784/85)



01

SUPPORT MULTIPLE TAGS

SUPPORT EMID、FDX-B(ISO1784/85)



MULTI-PROTOCOL SUPPORT, STRONG COMPATIBILITY



02

OLED SCREEN

High-brightness OLED screen,
can display clearly in sunlight



03

STORAGE FUNCTION

The machine has its own storage function, which can store up to 128 pieces of label information. Can be uploaded to computer via USB cable.



04

RECOGNIZE QUICKLY

Read response time <100ms, improve work efficiency, one step faster



05

CONTACTLESS CARD READER

Using advanced RFID radio frequency technology Identify the farther distance

2-12mm glass tube label $> 8\text{cm}$

30mm animal ear mark $> 20\text{cm}$
(related to label performance)



$> 8\text{CM}$



$> 20\text{CM}$



SPECIFICATION



MODEL	W90B
WORKING FREQUENCY	134.2Khz/125Khz
LABEL FORMAT	EMID、FDX-B(ISO11784/85)
READING DISTANCE	2-12mm glass tube label >8cm 30mm animal ear mark >20cm (related to label performance)
STANDARD	ISO11784/85
READ TIME	<100ms
SIGNAL INDICATION	0.91 "high brightness OLED screen, buzzer
POWERED BY	3.7V (lithium battery)
STORAGE	128 pieces of information
COMMUNICATION INTERFACE	USB2.0
LANGUAGE	English or customized
OPERATING TEMPERATURE	-10°C~50°C
STORAGE TEMPERATURE	-30°C~70°C
WEIGHT	120g




PRODUCT PHOTOS







SCENE APPLICATION



關於我們

- 我們是第一家在台灣設立研發中心，擁有超過20年經驗的台灣企業
- 我們是ACM Goldbridge的獨家代理商
- 我們是第一家在台灣設立研發中心，擁有超過20年經驗的台灣企業

我們的服務

1. 我們提供24小時全天候服務
2. 我們提供專業的技術支持
3. OEM / ODM服務
4. 我們提供專業的技術支持
5. 我們提供專業的技術支持
1. 我們提供專業的技術支持
2. 我們提供專業的技術支持
3. 我們提供專業的技術支持
6. 我們提供專業的技術支持
7. 我們提供專業的技術支持
8. 我們提供專業的技術支持

我們提供專業的技術支持

Q1: 我們提供專業的技術支持
A: 我們提供專業的技術支持

Q2: 我們提供專業的技術支持
A: 我們提供專業的技術支持

Q3: 我們提供專業的技術支持
A: 我們提供專業的技術支持

Q4: 我們提供專業的技術支持
A: 我們提供專業的技術支持

Q5: 我們提供專業的技術支持
A: 我們提供專業的技術支持

Q6: 我們提供專業的技術支持
A: 我們提供專業的技術支持