



12V 60W□□□□IP67□□LED□□□□□□

1.□□□□□□□□□□□□□□□□□□□□LED□□□□□□□□
□□□□□□

□□

2.□□□LED□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□

4.□□□□□□□□□□□□□□□□2□□□□□□.1□□□□□□□□□□□□
□□□□□□

□□□□□□LED□□□□□□□□□□□□□□

0
00
0
0
0
0
0
0
00
00
00
G
2
2
V
0
0
0
0
0
0
6
c
m
A
G
9
E
2
5
V
5
/
6
H
z






[illegible]



Dimensions (mm)



Short circuit/Over voltage/Over load
Over heat Protection


60W-12V-5A-IP67





Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)

Scope of Application



Port



School

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □

2000 RFID 1

Expectation

□Air / Sea Line□□□□□□□□□□□□□□ CO□FTA□


F F e ... ECT

[illegible]

EXW FOB FCT CIF CFR ...


□ □

□ □ □ □ □ □ □ □ □ □




ACM-WEG01

1□□□□□□□□



ACM-WEG02

2□□□□□□□□□□



ACM-WEG04

4□□□□□□□□

You May Like



ACM-K2A / B.

LED



ACM-Y280

280kg / 600



ACM-Y806-5A.

5A



ACM225

Touch Keypad RFID 12kHz



ACM-210

RFID wiegand



ACM26X

125KHz EM RFID
115mm×75.5mm×16.8mm



ACM Shenzhen Goldbridge

RFID 20 RFID Keyfob RFID



##