


 yellow  red  green  blue		 No Call Charge Remote Control Multiple applications Up to 200 Authorized Numbers GSM850/900/1800/1900MHz	
4 □□□□□□□□□□	4□□□□□ □□□□□□□□□□	□□□□□□□□□□□□□□	□□□□□□□□
 			
□□□□□	□□□□□□□□□□	□□□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□
			
□□□□□□□□	□□□□□□	□□□□□□□□□□	□□□□□□□□□□
			
□□□□□□□□	□□□□□□□□	□□□□□□□□□□	

12V 7A □□□□□□□□□□ □□□□□□□□□□

□□□□



CE



VALVE REGULATED LEAD-ACID BATTERY

6-FM-7.2

12V7.2AH/20HR(25°C)

CONSTANT VOLTAGE CHARGE

- CYCLE USE: 14.5 ~ 14.9V
- STANDBY USE: 13.5 ~ 13.8V
- INITIAL CURRENT: LESS THAN 2.16A

CAUTION

- AVOID SHORT CIRCUIT
- DO NOT CHARGE IN A SEALED CONTAINER

Protective cap for terminals



Copper silver plated terminals



Silk-print






RE:Access Control Power Supply

 NEW ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	 M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	 M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
ACM-Y803A Voltage: DC 12V /3A 	ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC 	ACM-Y806-5A Voltage: DC 12V /5A AC110V-240VDC 	ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC 	 ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer  Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	---

RE:Sensor and Siren For Access Control System

 Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC	 Item: AS31 Operating distance: 16mm ±5mm Switch output: NC	 Item: AS32 Operating distance: 18mm ±5mm Switch output: NC	 Item: AS36 Operating distance: 40mm ±10mm Switch output: NC	 Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door	 Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)	 Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)
---	--	--	---	---	---	---

RE:Remote Control For Access Control System

 Item: ACM-K19 Metal WIRELESS Remote Control	 Item: ACM-K18 WIRELESS Remote Control	 Item: ACM-K20 WIRELESS Remote Control For Automatical Door,NO/NC/COM 115*40mm	 Item: ACM-K19A Metal Access Control WIRELESS Remote Control 2 channel	 Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel
---	---	---	--	---

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

ADVANTAGE

WHY CHOOSE US?


- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.



OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

