



12V DC 180KG/350lbs 磁鐵鎖 安裝說明書 磁鐵鎖 安裝 說明
書 磁鐵鎖安裝說明書

1 磁鐵鎖鎖體 300 毫米 (180 kg) 磁鐵鎖鎖體安裝

1
7
L
x
4
W
x
2
1
:
H
(
m
m
)

1 9 L x 1 9 1 5 W 1 H (m m) 1 8 k 9 3) 1 2 / 2 4 V D C .

[illegible]

[illegible]




- OEM/ODM□□□□




このLEDは、ACM-Y180のPCBに12v24v7mmのPCB

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

包裝

服務

提供DHL、FEDEX、TNT、UPS、EMS、SEA、AIR等各種國際物流服務

詳情

包裝規格: 1 個裝 1 個裝 10 個裝

包裝尺寸: 34*25*14 包裝重量: 14 包裝數量 50 個裝



You may need



ACM-Y280N

280kg (600lb) 280kg (600lb) 280kg (600lb)
 280kg (600lb) 280kg (600lb) 280kg (600lb)

ACM-Y180

180kg (396lb) 180kg (396lb) 180kg (396lb)
 180kg (396lb) 180kg (396lb) 180kg (396lb)

ACM-Y280

280kg (600lb) 280kg (600lb) 280kg (600lb)
 280kg (600lb) 280kg (600lb) 280kg (600lb)



ACM-Y280-L

280kg/350kg 24 1000mm L 1000mm

ACM-Y180ZL

180kg/300lbs 24 1000mm ZL 1000mm

ACM-Y280-ZL

280Kg/350Kg 24 1000mm ZL 1000mm

1000mm

1. 1000mm 24 1000mm
2. 1000mm 24 1000mm

3) OEM/ODM 服務

4) 歡迎各界人士來廠參觀、指導及業務洽談

5) 服務宗旨:

1) 竭誠為廣大客戶提供優質產品及服務

2) 竭誠為廣大客戶提供優質產品及服務

3) 竭誠為廣大客戶提供優質產品及服務 2~3 天交貨

6) 服務範圍: 全國各地 1~5 天交貨 7~30 天交貨

7) 服務: 竭誠為廣大客戶提供優質產品及服務: T/T 匯票、Paypal

8) 服務: DHL、FEDEX、TNT、UPS、EMS、SEA、AIR 運輸服務

服務宗旨

Q: 1. 服務宗旨?

A: 竭誠為廣大客戶提供優質產品及服務

Q: 2. 服務範圍?

A: 竭誠為廣大客戶提供優質產品及服務: T / T、Paypal、Western Union

竭誠為廣大客戶提供優質產品及服務: DHL、FedEx、TNT、UPS

Q: 3. 服務宗旨?

A: 竭誠為廣大客戶提供優質產品及服務

Q: 4. 服務宗旨?

A: 竭誠為廣大客戶提供優質產品及服務 5000 個 3~7 天 100,000 個 7~15 天

Q: 5. 服務宗旨?

A: 竭誠為廣大客戶提供優質產品及服務 OEM 服務

Q: 6. 服務宗旨?

竭誠為廣大客戶提供優質產品及服務: RFID、NFC、RFID、RFID、RFID 服務 1 天