

[illegible]

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□+□□□□□□□3□□□□
 1000□□□□1□□□□□□□□□□□□□□□□

[illegible]

M **F** **1** **2** **V** **D** **C** **-** **1** **0** **6** **°C** **9** **0** **P** **6** **5** **1** **2** **W** **X** **7** **G** ***** **D** **n** **m**

□□□□□

IP68 rfid

1.
2. 4
3. 2

- 4.3. 1. 2. 3.
5. 0.1
6. 500
- 7.
- 8.

ACM210 RFID 1000



Product Details



Function Description



2-kinds of working state

5 ways to unlock

Normal mode

Card Operation
4 Password Operation

Security Mode

4 Password +4 Password Operation
4 Password+Card
Card+Card Operation



☐ DHL
 ☐ FEDEX
 ☐ TNT
 ☐ UPS
 ☐ EMS
 ☐ SEA
 ☐ AIR

[illegible]

The diagram illustrates the process of shipping a device. It starts with a silver electronic device, which is then placed into a cardboard box. The box is shown with a red shipping label and a 'FRAGILE' warning symbol, indicating it is being prepared for transport.

[illegible]



ACM223

RFID
125Khz EM1000 / 4000

ACM209-NW

RFID AccessControl
125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM
RFID

ACM211B

RFID
RFID

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4
- 5
- 1
- 2
- 3 2 3
- 6 1 5 7 30
- 7 T / T
- 8 DHL FEDEX TNT UPS EMS SEA AIR

RFID

Q1

A

Q2

A T / T Paypal

□□□□□□□□□□□□□□□□ DHL □ FedEx □ TNT UPS □□□□□□□□□□

Q3

[illegible]

Q4

A 5000 37 100,000 7 15

Q5

A _____ OEM _____

Q6

RFID / NFC / RFID / RFID RFID1