


	ш		
ш	ш		

_°C___°F______0°C__50°C

Whatsapp: +86-13554918707 ;E-mail: sales@goldbridgesz.com; Website: www.goldbidgesz.com Add: Block A, Zhantao Technology Building, Minzhi Avenue, Longhua District, Shenzhen, China

Intelligent photosensitive forehead thermometer, can be Nail hooked/bracket fixed, etc.



Technical Data

Method of measurement	Sensitivity sensor distance sensor	Operating mode	Surface mode /body mode / Count mode	
Temperature Unit	°C/*F	Surface temperature measurement range	1050°C	
Accuracy	±0.2 (34~45°C)	Range of Body Mode temperature	35-42°C	
Measuring distance	5 ~ 10 cm	Environment temperature	10-40°C	
Display	2.8-inch LCD screen	Counting capacity	9999 times	
Install Method	Nail hook/bracket fixing	Record temperature data	Support to review 30 sets of data	
Power supply	USB /4 AA batteries	Alarm Function	Flash+sound alarm for about 10 seconds	
Response time	0.5s	IO signal output	Support(switch signal / pulse signal)	
Working band	5um	Body storage	☐ Connect to the computer ☐	
Standby time	30s	Volume setting	✓ Voice broadcast ✓	
Product Size	170*115*140mm	Backlight switch	☑ Automatic shut-down ☑	
Net weight	303g	Upper alarm limit	☑ Whether to support charging ☑	



New upgrade Infrared Thermometer

High quality brings you real security























INSTALL METHOD

Intelligent photosensitive forehead thermometer, can be Nail hooked/bracket fixed, etc.











