



433MHzRFID30mEM125KHz

- > 433MHz
- > 125KHzEM13.56MHzMF
- > 2634
- > 30m
- >
- > IP65

|  | ACM301                 |
|--|------------------------|
|  |                        |
|  |                        |
|  |                        |
|  |                        |
|  | EM125KHz               |
|  | AAA3                   |
|  | ≤5uA                   |
|  | ≤35mA                  |
|  | ≤3cm                   |
|  | 433 MHz                |
|  | 30m                    |
|  | -20°C+ 60°C-4°F+ 140°F |
|  | 086                    |
|  | IP65                   |
|  |                        |
|  | L120 * W50 * H20mm     |
|  | 88g                    |
|  |                        |
|  |                        |
|  | 12V DC                 |
|  | ≤15mA                  |
|  | 433 MHz                |
|  | 263426                 |
|  | -20°C+ 60°C-4°F+ 140°F |
|  | 086                    |
|  | L25 * W50mm            |
|  | 10g                    |



Can work with any wiegand controller



Battery powered, no  
need wires any more!



## Fast installation within 2 minutes




### Product Size




### Gift Box Size



## Carton Inventory




Wireless Reader



Receiver



Self Tapping Screws:  
 $\Phi 4 \times 25\text{mm}$




Wall Anchors




Screw Driver




3M Sticker



### Function Indicator



### Connection (Receiver with Controller)

[illegible]



## ACM223

RFID Access Control  
125Khz EM 1000/4000

## ACM209-NW

RFID Access Control  
125Khz EM

## ACM208

RFID Access Control



## ACM210

RFID

## ACM225

RFID 125Khz EM

## ACM211B

RFID

1. 24  
2. OEM / ODM  
3. 23  
4. 15  
5. 7  
6. 30  
7. T / T, Western Union, Paypal, Ali  
8. DHL, FEDEX, TNT, UPS, EMS, SEA, AIR

### Q1

A

### Q2

A T / T, Paypal, Western Union, DHL, FedEx, TNT, UPS

### Q3

A

### Q4

A 5000, 3, 7, 100,000, 7, 15

### Q5

A OEM

### Q6

20, RFID, NFC, RFID, rfid, 1