



AC 110v 240v 12v DC 5A

5A

110V 240V 12V DC 5A

110V 240V 12V DC 5A

005MDC12V ; / 0

□□□□

Dimensions(mm)



► L85 x W65 x D27mm

Size: L88 x W71 x D29mm ◀

Weight: 0.14kg ◀



Access Control Switch Power Supply

The power supply is applied to access control devices and building intercom device and also for video access control.




Metal shell

Safety | Anti-fall | Fire prevention



Delay adjustment


Built-in time delay circuit that can set unlock time, set exit button input that can control unlock electric lock.



Smart circuit board

Using high-quality circuit boards





Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

ups

DHL
WORLDWIDE EXPRESS®


aramex
delivery unlimited

EXW


FCA FOB

CIF CFR

2000 RFID 1
 /
 COFTA Form F Form E
 EXW FOB FCT CIF CFR...
 1




1000000000



ACM-WEG02

2□□□□□□□□



ACM-WEG04

4□□□□□□□□

You May Like



ACM-K2A/B

LED□□□□□□□□□□□□□□□□



ACM-Y280

□□□□□□□□ (280kg/600□□□)



ACM-Y806-5A

□□□□□□□□ 5A



ACM225

□□□□□□□□ RFID□□□□□□ 12khz



ACM-210

RFID



ACM26X

125Khz EM RFID
115mm×75.5mm×16.8mm



ACM

RFID 1 20 RFID
RFID RFID RFID RFID RFID

