

□□□□

□□□□□□□□□□□□□□□□**RFID**□□□□□□□□□□
□□□□□□□□

□
□
□
□



□
□
□□
□
□□
□
□
□
D
□~~C~~
1
2
-
2
4
V
~~W~~
~~C~~
~~2~~
~~6~~
~~7~~
~~8~~
~~4~~
□
□□
□□
□□
□

0
8
0
0
m
m
0
7
8
.
7
m
m
*
1
8
.
6
m
m
00
0
0
00
60
/
3
4
03
00
0
0
E
M
0
D
00
0
0
0
0
00
9
0
4
0
N0
00
0
0
M0
0
0
0
0
m
h
z
00
0

P

N
+ P I N
G K C

444

1.
2. Wiegand 26
3. 3
4. 0.1

- 5. 3000
- 6.6

Wiegand 26/34

26/34 RFID

- A. 1000
- B. 1000
- C. RFID 1000
- D.
- E.
- F. IP65

RFID

	RFID
	ACM-105
	RFID / / RFID +

RFID	099
RFID	1,000
	3-15CM
	13.56MHz
	26/34
	Mf/IP65
	DC 12V
	0°C-45°C
	20-80
	117mm×78mm×22mmL * W * D
	0.5kg



欢迎使用

10:14

2018-02-28 星期三

1

2

3

4

5

6

7

8

9

*

0

#



欢迎使用
10:16
2019-01-10 星期三

1

2

3

4

5

6

7

8

9

*

0

#



欢迎使用

10:15

2018-01-10 星期三

1

2

3

4

5

6

7

8

9

*

0

#





产品特点

1. 24小时不间断服务
2. 采用进口芯片，安全可靠，防撬报警
3. OEM / ODM服务
4. 采用进口芯片，安全可靠，防撬报警
5. 采用进口芯片
1. 采用进口芯片，安全可靠，防撬报警
2. 采用进口芯片，安全可靠，防撬报警
3. 采用进口芯片，安全可靠，防撬报警
6. 采用进口芯片，安全可靠，防撬报警
7. 采用进口芯片，安全可靠，防撬报警
8. DHL, FEDEX, TNT, UPS, EMS



ACM Goldbridge

RFID 1 20 RFID RFID RFID RFID RFID RFID

