



### IP66 Bluetooth

#### ACM-218G Bluetooth

Bluetooth

>

> IP66

> 1

> 10000

> 2

> Bluetooth 4.0

> APP Android 4.3 iOS 7.0

>

Bluetooth	ACM-218G-Bluetooth
IP66	IP66
10000	10000
13.56 MHz Mifare S5-BT MF / 125 KHz EM S5-BT EM	13.56 MHz Mifare S5-BT MF / 125 KHz EM S5-BT EM
Android 4.3 iOS 7.0	Android 4.3 iOS 7.0
12V DC	12V DC
<35mA	<35mA
<90mA	<90mA
Mifare S5-BT / EM S5-BT	Mifare S5-BT / EM S5-BT
13.56 MHz / 125 KHz	13.56 MHz / 125 KHz
26cm	26cm
Bluetooth 4.0	Bluetooth 4.0
<20m	<20m
<2	<2
1 NO 1 NC	1 NO 1 NC
2	2
IP66	IP66
-20°C + 60°C	-20°C + 60°C
0 98	0 98
	L103 x W48 x H19 mm


□□□□□	0.27 kg
□□□□□□□	40□/□□□□
□□□□□□□	10.8 kg
□□□□□□□	47 * 30 * 18.2cm

**Product Picture**




**Product Dimensions**

**Product Size**



**Box Size**







**ACM210**

RFID

**ACM225**

RFID 125Khz EM

**ACM211B**

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4
- 5
- 1
- 2
- 3 2 3
- 6 1 5 7 30
- 7 T / T
- 8 DHL FEDEX TNT UPS EMS

**Q1**

A

**Q2**

A T / T Paypal  
DHL FedEx TNT UPS

**Q3**

A

**Q4**

A 5000 3 7 100,000 7 15

**Q5**

A OEM

**Q6**

RFID / NFC / RFID / RFID RFID 20 1