



RFID

- 1.
- 2.
- 3cm
- 4.

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

4 3 5 5 5 5 m m 2 7 k 9 I C 1 3 . 5 6 m h z T e m C 5 5 5 7 E M

1. 1. RFID + 125KHz MF S50 13.56MHz
3. 4. AA
5. DND
6. 14
9. RF
10. 2 maintaince
12. PMS



Specification



Model #: ACM-8011-3Y

Product Name: RFID Hotel Door Lock

Application: Hotel, Apartment, Office, Home, etc.

Applicable Door Thickness: 38~60mm

Unlock Way: RFID Card and Mechanical Key

Card Type: T5557(125 kHz) or M1 (13.56 MHz)

Reading Distance: 0-25 mm

Lock Mortise: ANSI Standard

Panel Color: Silver, Golden

Panel Material: Stainless Steel

Finish: PVD

Working Voltage: DC6V (4pcs AA batteries)

Battery Life: 7-10 months



Inductive Card to Unlock

US ATMEL Temic T5557 125 KHz RFID card
or Philips Electronics 13.56 MHz M1 RFID card.
Responding time: 0.3s. Convenient and durable.

Concealed Keyhole

Prevent damaging from external hardware.
Not only safe, but also good-looking.

ANSI Standard Mortise

Linked-five-latches structure, reliable and stable
performance. With anti-plug function.

Battery Powered

4 pcs alkaline AA batteries, last for 7-10 months

Stainless Steel Material

PVD vacuum plating process for the surface,
anti-corrosion, not easy to fade, elegant and
beautiful.

Dissociative Handle

The handle will be disconnected from the
internal part of the lock after door is locked,
which could prevent lockpicking and effectively
protecting the mechanical parts of the lock.





ANSI Standard Mortise


Linked-five-latches structure.

Reliable and stable performance.

Anti-Plug Function

Prevent people trying to open the door illegally with business cards, ID card, etc.

PVD plating surface, rust-proof, applicable to seaside hotels.







ACM-L100


□□□□□□□□□□□□□□□□

ACM-TI100

□□□□□□□□□□

ACM-M100

□□□□□□□□□□



ACM-8011-3Y

RFID□□□□□□□□

ACM-L600

□□□□□□□□

ACM-L200

□□□□RFID□□□□

1. 24 小時服務熱線
2. 提供專業、誠信、快捷、安全、保密之服務
3. 專業 OEM / ODM
4. 專業 fashion desing 及 專業製造服務
5. 專業製造服務
1. 提供專業、誠信、快捷、安全、保密之服務
2. 提供專業、誠信、快捷、安全、保密之服務
3. 提供專業、誠信、快捷、安全、保密之服務 2 - 3 小時服務熱線
6. 專業 15 分鐘服務熱線 7 30
7. 專業 T / T 服務熱線 15 分鐘服務熱線 7 30
8. 專業 DHL、FEDERAL EXPRESS、TNT、UPS、EMS 服務熱線 15 分鐘服務熱線 7 30

--	--	--	--	--	--

Q1.

A[E]

Q2. 如何選擇合適的數據類型？

A00000T / T0000000000000000
000000000000DHL Federal Express TNT UPS000000000000

Q3.

A

Q4

A 5000pcs 3-7 100,000pcs 7-15

Q5

A _____ OEM _____

Q6.

RFID / NFC / RFIDkeybod / RFIDrfid1