



SDK IP65 8
rfiduhf

-1 ISO18000-6B EPC

-2 ISO-18000B EPC

-3 6-12M

-4 SDK

ACM8A
H
A
A
A

1 S m 9 2 6 2 8 M H Z

[illegible]

EPCC Class 1 Gen 2




Standard interface



RS232.485, Wiegand26

Optional interface



Ethernet , TCP/IP




RFIDUHF□□□□□□□□□□□□□□□□



- 11

RFIDUHF□□□□□□□□□□□□□□□□

-
- The diagram illustrates the components and data flow of an access control system. It shows two entry points: 'ENTRY' and 'EXIT'. At the 'ENTRY' point, a car with an 'RFID Card' is shown passing through an 'RFID Reader' (labeled '13 Meter'). The 'EXIT' point also features a car with an 'RFID Card' passing through an 'RFID Reader' (labeled '13 Meter'). Both readers are connected to a central 'CONTROL PANEL'. The 'CONTROL PANEL' is further connected to a computer system (monitor and tower) and to the physical barriers (boom gates) at both the entry and exit points. Arrows indicate the direction of vehicle flow and the flow of data between the readers, the control panel, and the barriers.



□□□□□

□□
 UHF□□□□□□□□□□□□□□□□1□□□□□□□□□□□□10□□
 □□□□□□□□32 * 32 * 6cm□□□□□□5kg□

5

uhf ACM812A ACM802A ACM818A ACM801A
ACM801A 200





ACM812A

2-5m 26mm UHF RS232 / 485

ACM818A

10-20m 26mm UHF RS232 / 485

ACM802A

8-10m 26mm UHF RS232 / 485





Page 10 of 10

- 1 24
- 2
- 3 OEM / ODM

4. 請提供貴公司之基本資料及產品資訊
5. 請提供貴公司之財務資料
1. 請提供貴公司之基本資料及產品資訊
2. 請提供貴公司之財務資料
3. 請提供貴公司之基本資料及產品資訊
6. 請提供貴公司之基本資料及產品資訊
7. 請提供貴公司之基本資料及產品資訊

請提供貴公司之基本資料及產品資訊

Q1. 請提供貴公司之基本資料及產品資訊

A. 請提供貴公司之基本資料及產品資訊

Q2. 請提供貴公司之財務資料

A. T / T, Paypal, DHL, FedEx, TNT, UPS, 請提供貴公司之財務資料

Q3. 請提供貴公司之基本資料及產品資訊

A. 請提供貴公司之基本資料及產品資訊

Q4. 請提供貴公司之基本資料及產品資訊

A. 請提供貴公司之基本資料及產品資訊

Q5. 請提供貴公司之基本資料及產品資訊

A. 請提供貴公司之基本資料及產品資訊

Q6. 請提供貴公司之基本資料及產品資訊

請提供20個貴公司之基本資料及產品資訊