

RFID

RFID

1. RFID
2. RFID
3. RFID 26mm/10mm
4. RFID
5. RFID 2000usrs

Product Picture



Digital backlit keypad



Doorbell button



Dual color LED indication

Industrial design Fashionable and Beautiful

Industrial design, metal case, the combination
of fashion and industrial
Anti-vandal
Completely solve the metal shield of card reader



Digital Backlit Keypad

WG26 Output/Input



Anti
vandal

Specifications:

Card type: EM/MF

Working voltage: DC12V $\pm$ 10%

Reading Range:5-8cm

Humidity: 10% to 90% RH

Door Opening Time:0-99s(Adjustable)

Static electricity: $\leq$ 30mA

Ambient temperature: -45°C~60°C

Electric lock output: $\leq$ 3A

Short-circuit Protect: $\leq$ 100 μ S


Dimensions: 110*75*25mm

K5EM-W




Product feature

- ◆Metal case, anti-vandal
- ◆WG interface: WG26 Input/output Doorbell support and interface:bottom and circuit segregate,any doorbell can be connected
- ◆Multi-function standalone access controller and reader, WG26 Input / output
- ◆Capacity: 2000cards/codes
- ◆Three accesses: card, pin,card+pin



Dimensions(mm)



Package Size(cm)



Product box size



The product packing size

Packing list



E M
 0 2
 0 0
 0 9
 0 0
 3 3
 A A
 0 0
 0 0
 D C
 0 2
 V ±
 1 0
 3 3
 3 3
 m A
 3 2
 A 0
 0 0
 3 0
 0 0
 0 0
 0 0
 5 8
 0 0
 0 0
 0 0
 0 0
 4 5
 0 6 °C

[illegible][illegible]



ACM223

RFID
125Khz EM1000 / 4000

ACM209-NW

RFID AccessControl
125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM
RFID

ACM211B

RFID
RFID

- 1 24
- 2
- 3 OEM / ODM
- 4
- 5
- 1
- 2
- 3 2 3
- 6 1 5 7 30
- 7 T / T
- 8 DHL FEDEX TNT UPS EMS SEA AIR

Q1

A

Q2

A T / T Paypal
DHL FedEx TNT UPS

Q3

A

