



| | |
|--------------|--------------------|
| □□ | |
| □□□□ | DC 12V±10% |
| □□□□□□ | 2000 |
| □□□□□□□□ | 3□6cm |
| □□□□ | <60mA |
| □□□□□□ | 25±5mA |
| □□□□□□□□ | □□3A |
| □□□□□□□□ | □□20A |
| □□□□ | -45°C□60°C |
| □□□□ | 10□90□RH |
| □□□□□□□□□□ | 0□99 |
| □□□□□□□□□□ | 0□3 |
| □□□□□□□□□□□□ | □□□□□26□□ |
| □□□□ | 120 * 76 * 23mm |
| □□□□ | □□□□□□□□□□□□□□□□□□ |





Waterproof IP68

Strong Zinc Alloy Electroplated anti-vandal case

Card type: EM
User Capacity: 2000



Wiegand 26: Output & Input





Alibaba



SHENZHEN GOLDBRIDGE INDUSTRIAL CO., LTD

Address: Futian District, Shenzhen of China

Telephone: +86-755-83767678

Contact Person: Lily Jiang

WhatsApp and Mobile Phone: +86-13554918707

Skype: lily-jiang1206

E-mail: sales@goldbridgesz.com

Website: <http://www.goldbridgesz.com>