

型 号	ACM-K15A
材 质	304不锈钢
防 护	IP67
功 率	115Lx40W
厚 度	1.7mm
电 压	12VDC
电 流	3A / 125-250VAC
接 触	NO / COM / NC / COM
接 触	500000
使 用 环 境	
温 度	-20℃+ 55℃
湿 度	0~95%
LED	
电 源	S4A
重 量	0.13KG
包 装	100PCS /
包 装	13KG
包 装	50 * 45 * 28cm



产品规格

产品规格



K2B 86 * 86mm

Realese

K9A 115 * 40mm

NO /

NC K5B 86 * 86mm





1. 86 * 86mm
 2. Kirsite K14B 86 * 86mm
 3. K815B 86 * 86mm

1. 86 * 86mm

1. 86 * 86mm
2. Kirsite K14B 86 * 86mm
3. OEM / ODM
4. K815B 86 * 86mm
5. 86 * 86mm
1. 86 * 86mm
2. Kirsite K14B 86 * 86mm
3. OEM / ODM
6. 86 * 86mm
7. 86 * 86mm
8. DHL, FEDEX, TNT, UPS, EMS, SEA, AIR

1. 86 * 86mm

Q1 86 * 86mm
A 86 * 86mm

Q2

A T / T Paypal

DHL FedEx TNT UPS

Q3

A

Q4

A 5000 3 7 100,000 7 15

Q5

A OEM

Q6

RFID NFC RFID rfid 1 20