

[illegible]

1.
2. 50
3. 3
4.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □



☐ 1
☐ 2
☐ 3
☐ 4
☐ 5
☐ 6
☐ 7
☐ 8
☐ 9
☐ 10
☐ 11
☐ 12
☐ 13
☐ 14
☐ 15
☐ 16
☐ 17
☐ 18
☐ 19
☐ 20
☐ 21
☐ 22
☐ 23
☐ 24
☐ 25
☐ 26
☐ 27
☐ 28
☐ 29
☐ 30
☐ 31
☐ 32
☐ 33
☐ 34
☐ 35
☐ 36
☐ 37
☐ 38
☐ 39
☐ 40
☐ 41
☐ 42
☐ 43
☐ 44
☐ 45
☐ 46
☐ 47
☐ 48
☐ 49
☐ 50
☐ 51
☐ 52
☐ 53
☐ 54
☐ 55
☐ 56
☐ 57
☐ 58
☐ 59
☐ 60
☐ 61
☐ 62
☐ 63
☐ 64
☐ 65
☐ 66
☐ 67
☐ 68
☐ 69
☐ 70
☐ 71
☐ 72
☐ 73
☐ 74
☐ 75
☐ 76
☐ 77
☐ 78
☐ 79
☐ 80
☐ 81
☐ 82
☐ 83
☐ 84
☐ 85
☐ 86
☐ 87
☐ 88
☐ 89
☐ 90
☐ 91
☐ 92
☐ 93
☐ 94
☐ 95
☐ 96
☐ 97
☐ 98
☐ 99
☐ 100

1. 安裝說明

2. 產品規格

3. 安裝步驟

4. 注意事項

5. 產品特點

6. 產品包裝

7. 產品尺寸

1. 安裝說明










Control Center



TCP/IP Door Controller



Electric Bolt Lock



Magnetic Locks



Waterproof RFID Reader
Door Access Control



Silver Push Button Switch



Access Power Supply



□□□□□□□□
□□□□□□□□0.3 kg
□□□10□□□×10□□□×8□□□







□□□□□□□□□□□□□□
K2B□86×86mm

□□□□□□□□□□□□□□
K9A□115×40mm

□□□□□□□□□□□□□□□□□□□□NO /
NC□K5B□86×86 mm



Q6. 2010年，RFID/NFC/RFID/RFID/RFID

