



重量 180kg 全長 L

PL□□□□

1.PL

□□□□□□□□□□

2.

3.□□□□□□60U / 180U / 280U / 500U












- ```
-ACMGoldbridge2
-ACM Goldbridge
-
```

11

### Installation diagram



Two "L" short bracket spell "Z" bracket

### Installation real effect figure



1111

☐DHL☐FEDEX☐TNT☐UPS☐EMS☐SEA☐AIR

11

L\_\_\_\_\_1\_\_\_\_1\_\_\_\_\_30\_\_

□□□□□□□□ 54.5 \* 20 \* 30.5cm□□□□□15kg□





### ACM-Y180 L

L-Bracket  
 170x38mm  
 180KG Capacity

### ACM-Y180 ZL

ZL-Bracket  
 170x38mm + 130x37mm  
 180KG Capacity

### ACM-Y180 U

U-Bracket  
 130x46x28mm  
 180KG Capacity





### ACM-Y180 LC

LC  
180KG

### ACM-Y180 ZLC

ZLC  
180KG

### ACM-Y180 Z

Z  
130x37mm  
180KG

You may need

□□□□□□□□□□□□□□□□



**ACM-Y700**

□□□□□□□□□□□□□□□□

**ACM-Y600**

□□□□□□□□□□□□□□□□

**ACM-Y601**

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□



## ACM-WEG02

2-Port RS232 / RS485 / TCP / IP

## ACM-K2A

Release Exit Button K2A 115 \* 40mm; K2B 86 \* 86mm

## ACM-Y806-3A

12V / 3A



## ACM-Y280

□□□□□□□□□□280kg / 600lbs□

## ACM-26X

125Khz□□□□□□□□26/34□□□□□□□□

□□115mm×75.5mm×16.8mm

## ACM-EMI-S

125KhzEM□□□□□□

1. 24 小時服務熱線
2. 提供多種語言服務
3. OEM / ODM 服務
4. 提供多種包裝方案
5. 提供多種運輸方案
6. 提供多種倉庫方案
7. 提供多種支付方案
8. 提供多種保險方案

## 服務項目

### Q1 產品開發

A. 提供多種產品開發方案

### Q2 產品設計

A. T / T / Paypal

提供多種運輸方案 DHL / FedEx / TNT / UPS

### Q3 產品包裝

A. 提供多種包裝方案

### Q4 產品測試

A. 提供多種測試方案 5000 個 3 7 100,000 個 7 15

### Q5 產品生產

A. 提供多種生產方案 OEM 服務

### Q6 產品銷售

提供多種銷售方案 RFID / NFC / RFID / RFID / RFID 1 個