

9 L X 2 5 W X 2 H
 10 D C 1 2 V 9 m A
 11 1 2 m A
 12 8 K g

$\frac{8}{m} - \frac{1}{n} + \frac{5}{9}$



□□□□□□□□□□





ACM-Y100S

Response Speed Setting
Feedback Signal
High Quality Material
Strong Practicability

Low fuel consumption
High economic benefits
Sturdy Structure
Easy operating



产品特点

- 采用ACM Goldbridge 2.0 专利技术
- 采用ACM Goldbridge 2.0 专利技术
- 采用ACM Goldbridge 2.0 专利技术

技术参数



You may need





□□□□□□□□□□
 □□□□□100MA /□□900MAPower□2PIN□□
 □□□□□□

[illegible]

□□□□□□□□W /□□□□□□□□
□□205x30x38mm

**ACM-Y280**

280kg / 600lbs

ACM-Y131

NC / NO

ACM-Y066

130x98x41mm

詢問事項

1. 請問24小時緊急服務
2. 請問產品品質保證與售後服務
3. 請問OEM / ODM
4. 請問fashin desing與包裝設計
5. 請問產品規格
1. 請問產品包裝與運輸方式
2. 請問產品包裝與運輸方式
3. 請問產品包裝與運輸方式2 - 3天
6. 請問 T / T 15天內付款7-30天
7. 請問 T / T 15天內付款7-30天
8. 請問 DHL / FEDERAL EXPRESS / TNT / UPS / EMS 運費

詢問事項

Q1. 請問產品品質保證

A. E 產品品質保證與售後服務

Q2. 請問產品包裝與運輸方式

A. 請問 T / T 15天內付款7-30天
DHL / Federal Express / TNT / UPS 運費

Q3. 請問產品包裝與運輸方式

A. 請問產品包裝與運輸方式

Q4. 請問產品包裝與運輸方式

A. 請問產品包裝與運輸方式5000pcs 3-7天 100,000pcs 7-15天

Q5. 請問產品包裝與運輸方式

A. 請問產品包裝與運輸方式 OEM 產品

Q6. 請問產品包裝與運輸方式

20天內付款RFID / NFC / RFID / keybod / RFID rfid 1天內