




1.L

2.

3. 180L / 280L












- ```
-ACMGoldbridge2
-ACM Goldbridge
-
```

11

### Installation diagram



Two "L" short bracket spell "Z" bracket

### Installation real effect figure



1111

☐DHL☐FEDEX☐TNT☐UPS☐EMS☐SEA☐AIR

11

L\_\_\_\_\_1\_\_\_\_1\_\_\_\_\_30\_\_

54.5 \* 20 \* 30.5cm 15kg





### ACM-Y280 L

L  
250x47mm  
280KG

### ACM-Y280 ZL

ZL  
250x47mm + 180x53mm  
280KG

### ACM-Y280 U

U  
182x45x28mm  
280KG



## ACM-Y280 LC

LC  
280KG

## ACM-Y280 ZLC

ZLC  
280KG

## ACM-Y280 Z

Z  
180x53mm  
280KG

## You may need

□□□□□□□□□□□□□□□□□□



### ACM-Y700

□□□□□□□□□□□□□□□□□□

### ACM-Y600

□□□□□□□□□□□□□□□□□□

### ACM-Y601

□□□□□□□□□□□□□□□□



□□□□□2□□□□□□□□□□□□□□  
□RS232□RS485□□□TCP / IP□□□

□□□□□□□□ReleaseExitButton□K2A□115  
\* 40mm; K2B□86 \* 86mm

□□□□□□□□12V / 3A



## ACM-Y280

□□□□□□□□□□280kg / 600lbs□

## ACM-26X

125Khz□□□□□□□□26/34□□□□□□□□

□□115mm×75.5mm×16.8mm

## ACM-EMI-S

125KhzEM□□□□□□

1000000000000000000000000000

2

3. OEM / ODM 廠商

4

5□□□□□□□□

1

2□□□□□□□□□□□□□□□□□□

$3 \times 10^{18} = 2 \times 3 \times 10^{18}$

600000 0000000000001500000000007300

700000 00000000T / T00000000000Paypal0000000000

8000 DHL FEDEX TNT UPS EMS SEA AIR

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

**Q1**

A

Q2

A T / T Paypal

□□□□□□□□□□□□□□□□ DHL □ FedEx □ TNT UPS □□□□□□□□□□

**Q3**

A

**Q4**

A 5000 3 7 100,000 7 15

### Q5

A \_\_\_\_\_ OEM \_\_\_\_\_

**Q6**

RFID / NFC / RFID / RFID RFID1