





complete package include



Installation





100LBs 60kg12V

Model	Dimensions	Capacity	Weight	Size
ACM-Y60 12V	79x40x23mm	50	26.8KG	56x24x22cm
ACM-Y60 24V			26.8KG	




- ACM Goldbridge is a high precision and high accuracy scale.
- ACM Goldbridge is a high precision and high accuracy scale.
- ACM Goldbridge is a high precision and high accuracy scale.




STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

□□□□

□□□□

□□□□DHL□FEDEX□TNT□UPS□EMS□SEA□□□□□□□□□□AIR□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□1□□□□□□□□□□□□5□□

□□□□□□□□35 * 30 * 16cm□□□□□□25kg□



You may need



ACM-Y280N

280kgs / 600lbs
|

ACM-Y180

180kg / 300lbs
2

ACM-Y280

280kg / 600lbs

□□□□□□□□□□□□□□□□



ACM-Y280-L
280kg / 350kg□□□□□□L□□□□□

ACM-Y180ZL
180kg / 300lbs□□□□□□ZL□□□□□

ACM-Y280-ZL
280Kg / 350Kg□□□□□□ZL□□□□□

1. 24 小時服務熱線
2. 專業技術團隊為您提供全方位服務
3. OEM / ODM 服務
4. 專業生產各種規格產品
5. 品質保證
1. 專業技術團隊為您提供全方位服務
2. 專業生產各種規格產品
3. 2-3 天交貨
6. 價格優惠 1-5 元不等 7-30 元不等
7. 支持 T / T 或 Paypal 付款
8. DHL, FEDEX, TNT, UPS, EMS, SEA, AIR 等各種運輸方式

常見問題

Q1 關於產品

A. 我們提供各種規格、顏色、尺寸的產品，歡迎垂詢。

Q2 關於價格

A. TT / T 或 Paypal 付款，價格優惠。
DHL, FedEx, TNT, UPS 等各種運輸方式。

Q3 關於品質

A. 我們提供品質保證，歡迎垂詢。

Q4 關於數量

A. 我們提供 5000 個起 3-7 天 100,000 個起 7-15 天。

Q5 關於 OEM

A. 我們提供 OEM 服務，歡迎垂詢。

Q6 關於 RFID

RFID 標籤 / NFC 標籤 / RFID 標籤 / RFID 標籤 / RFID 標籤 / RFID 標籤 / 1 個起