


1 S m 9 2 9 2 8 M H Z

RS232C
RS485
Wiegand
Tirgger
KLM

EPCC class 1 Gen2
2
1
S
6
B



Front Side




Back Side

Standard interface



RS232.485, Wiegand26


Optional interface



Ethernet , TCP/IP



RFID UHF



□□□□□

□□
 UHF□□□□□□□□□□1unit□□□□□□□□10pcs□
 □□□□□□□□32 * 32 * 6cm□□□□□□6kg

5

uhf ACM812A ACM802A ACM818A ACM801A
ACM801A 200





ACM812A
 25m UHF
 26 RS232 / 485

ACM818A
 10-20m UHF
 26 RS232 / 485

ACM802A
 8-10m UHF
 26 RS232 / 485





ACM801A
10-15m UHF
2600RS232 / 485

ACM 8017
UHF
UHF + WIFI + GRPS

ACM 918K
UHF 4

1. 24
- 2.
3. OEM / ODM
4. & A
- 5.
- 1.
- 2.
3. 2 3
6. 1 5 7 30
7. T / T

Q&A

Q1.

A. E

Q2.

A. T / T Paypal

DHL Federal Express TNT UPS

Q3.

A.

Q4.

A. 5000pcs 3-7 100,000pcs 7-15

Q5.

A. OEM

Q6.

20 RFID / NFC / RFID keybod / RFID rfid 1