



13.56 mhz ACR122U USBnfcnfc

- 1.13.56 MHz
- 2.98 x 65 x 12.8 mm
- 3.USB

1
3
5
6
M
H
z

0
0
0
0
-
3
5
°
+
6
.
0
0
0
0
0
-
5
°
+
8
°
0
9
0
D
C
G
V
Z
m
A
h
0
0
0
9
8
×
6
5
X
0
2
. 8 m m



PRODUCT DETAILS



Size: 98.0 mm x 65.0 mm x 12.8 mm

Weight: 70.0 g

Interface: USB Full Speed

Applications: E-Government,
Banking&Payment, e-Healthcare, Access
Control, Network Security,
e-Purse&Loyalty, Transportation,ect.







□□□□□□□□□□□□□□





ACM08N RFID

125Khz / MF1 USB

ACM812A UHF RFID

25 UHF

26 RS232 / 485

ACM26C 125kHz RFID

125KHz EM 70cm-

1



ACM-EMI-S RFID

125KHz EM

86×54mm

ACM-MF1 RFID

MF1

86×54mm

ACM-ABS003

125KHz EM / 13.56mhz

- ACMGoldbridge2
- ACM Goldbridge
-

124

2

3OEM / ODM

4fashin desing&

5

1

2

32 - 3

615730

7T / TPaypal

8DHLFEDERAL EXPRESSTNTUPSSEMS

Q1.

A

Q2.

A

DHLFederal ExpressTNT UPS

Q3.

A

Q4

A5000pcs3-7100,000pcs7-15

Q5

