




□□□□□□□□/□□□□□□□□□□□□□□□□


[illegible][illegible]

A
C
2
2
V
/
1
1
V
1
1
1
□ □
5
/
6
H
Z
2
□ 0
□
□ □
□
□
□
2
m
m
□ □
□
□
□ □
□ □
□ □
□
□
□ □
□ □
□ □
□
□
1
4
X
4
2
X
3
6
m
m

111

- [illegible]








Parking solution




Tolling station solution



Transit solution



UHF Long Range Reader Automated Gate Access Vehicle area





5

uhf ACM812A ACM802A ACM818A ACM801A
ACM801A 200





ACM812A
2×5m² UHF
26 RS232 / 485

ACM818A
10-20m² UHF
26 RS232 / 485

ACM802A
8-10m² UHF
26 RS232 / 485



ACM801A
10-15m UHF
26PIN RS232 / 485

ACM 8017
UHF
UHF + WIFI + GRPS

ACM 918K
UHF 4

1. 產品規格

1. 產品規格
2. 產品規格
3. OEM / ODM
4. 產品規格 & A
5. 產品規格
1. 產品規格
2. 產品規格
3. 產品規格 2-3
6. 產品規格 1-5
7. 產品規格 T / T

2. 產品規格

Q1. 產品規格
A. E

Q2. 產品規格
A. T / T Paypal
DHL Federal Express TNT UPS

Q3. 產品規格
A. 產品規格

Q4. 產品規格
A. 5000pcs 3-7 100,000pcs 7-15

Q5. 產品規格
A. OEM

Q6. 產品規格
RFID / NFC / RFID keybod / RFID rfid 1

