


[illegible]

1. 00000000000000000000000000000000
2. 0000000000000000
- 3cm 00000000 3.Proximity 00
4. 0000000000000000



8
1
0
T
/





01

Anti-corrosion
120 Salt-spray testing

02

Key Open
USB for emergent
power supply





Low Power Battery Support





Copper



Gray



Silver

Suitable For



Wooden door




Copper Door



Security Door



Stainless Steel
Door





ACM-5X

□□□□□□□□□□

ACM-TI100

□□□□□□□□□□

ACM-M100

□□□□□□□□□□





ACM-8011-3Y

RFID

ACM-L600

ACM-L200

RFID

1 24

2

3 OEM / ODM

4 fashin desing &

5

1

2

3 2 - 3

6 1 5 7 30

7 T / T

8 DHL FEDERAL EXPRESS TNT UPS EMS



Q1. 產品規格

A E 產品規格請參閱產品說明書或產品標籤，或向經銷商索取。

Q2. 包裝規格

A 包裝規格 T / T 包裝規格請參閱產品說明書或產品標籤，或向經銷商索取。
包裝規格請參閱 DHL / Federal Express / TNT / UPS 包裝規格。

Q3. 產品規格

A 產品規格請參閱產品說明書或產品標籤，或向經銷商索取。

Q4. 產品規格

A 產品規格請參閱產品說明書或產品標籤，或向經銷商索取。
5000pcs 3-7 100,000pcs 7-15

Q5. 產品規格

A 產品規格請參閱產品說明書或產品標籤，或向經銷商索取。 OEM 產品規格請參閱

Q6. 產品規格

20 20 RFID / NFC / RFID / keybod / RFID / rfid 1