



RFID Animal Tags

- ✓ TPU material
- ✓ -30°C Not deformed
- ✓ laser printing



TPU UHF RFID

How Does Animal Microchip Work?



1. Scan the pet to verify whether he or she has a microchip that has been previously implanted.



2. Scan the microchip pack to verify that the microchip is functional, and that the ID code matches the accompanying barcode labels.



3. Implant the microchip, then rescan the pet to verify that the microchip can be localized.



4. Do not forget to record the tracking number of the microchip.

Implantation Sites for Microchips



Microchips are most often implanted in animals as outlined in the diagrams above. When scanning dogs and cats, begin in the neck area where the microchip is most likely to be located, but be sure to scan slowly and patiently. Scan repeatedly and over the entire body to ensure whether or not a microchip can be localized.


UHF RFID

UHF RFID	
RFID	Rfid
TPU	TPU
100 * 74MM * 70 * 80MM * 30 * 34mm	
.....	
ISO7815 ISO14443A ISO15693 ISO 18000-6c	
134.2KHz 13.56MHz 860 960mhz	
EM4305 H3	
15M	
10 10	
-25°C + 65°C	
DHL FedEx UPS TNT EMS	
RFID	

UHF RFID









Rfid ear tag



100pcs per bag



1000pcs per carton



Outer carton package

RFID 耳標

- 1. 耳標規格：24mm
- 2. 耳標顏色：黃色
- 3. OEM / ODM 服務
- 4. 耳標材質：ABS
- 5. 耳標重量：0.5g
- 1. 耳標規格：24mm
- 2. 耳標顏色：黃色
- 3. 耳標材質：ABS
- 6. 耳標重量：0.5g
- 7. 耳標規格：24mm
- 8. 耳標顏色：黃色

RFID 耳標

- 耳標規格：24mm
- 耳標顏色：黃色
- 耳標重量：0.5g

RFID 耳標

ACM Goldbridge 耳標

RFID 耳標規格：24mm
 RFID 耳標顏色：黃色
 RFID 耳標重量：0.5g
 RFID 耳標材質：ABS
 RFID 耳標規格：24mm
 RFID 耳標顏色：黃色
 RFID 耳標重量：0.5g
 RFID 耳標材質：ABS

E-mail: sales@goldbridge sz.com
http:// www. goldbridge
sz.com