




Dimensions	86Lx86Wx20H(mm)
Standard Structure	Fireproof Material
Current Rating	3A,36VDC Max
Output Contact	NC\COM
Mechanical Life	1000000 tested
Suitable for Door	Hollow Door
Operating temp	-10°C~55°C(14°F-131°F)
Panel Material	Fireproof Material
Weight	0.15kg
Standard Packing	200pcs

Wiring Diagram






DOOR



EXIT



服務項目

- 1 承接各類電器安裝及維修 24 小時
- 2 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修
- 3 OEM / ODM 承接
- 4 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修
- 5 承接各類電器安裝及維修
- 1 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修
- 2 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修
- 3 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修
- 6 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修 1 5 承接各類電器安裝及維修 7 30
- 7 承接各類電器安裝及維修 承接各類電器安裝及維修 承接各類電器安裝及維修 T / T 承接各類電器安裝及維修 承接各類電器安裝及維修
- 8 承接各類電器安裝及維修 DHL FEDEX TNT UPS EMS SEA 承接各類電器安裝及維修 AIR 承接各類電器安裝及維修 承接各類電器安裝及維修

RFID

RFID

- RFID ACM Goldbridge 20
- ACM Goldbridge
- RFID

RFID

ACM Goldbridge

RFID 1 20
 RFID RFID
 RFID RFID RFID UHF
 RFID



RFID

3
 RFID 20 rfid
 RFID
 RFID



**SHENZHEN GOLDBRIDGE
INDUSTRIAL CO., LTD**

地址

深圳市宝安区沙井街道沙井社区沙井大道518031

Tel + 0086-755-83767678 Fax +
0086-755-88391348

手机号码

Mob / whatsapp / wechat +
0086-13554918707

Skype lily-jiang1206

E-mail sales@goldbridge.sz.com

官方网站 [http:// www. goldbridge
sz.com](http://www.goldbridge.sz.com)