



□ □

> IP68

>

> 2000PINPIN + PINPIN

>

>

> [] [] [] [] [] [] [] [] [] [] LDR [] [] []

>

> 00000000LED00000000



2

5

H

Z

11

1

1

P

6

8

02

11

11

1

10

2

9

0

4

3

a

1

D

C

2

V

 $\pm$

1

0

$\frac{8}{9} \times \frac{3}{4}$





Waterproof IP68 (Optional)

Card type: EM
User Capacity: 2000



Wiegand 26: Output & Input



ACM223

Touch Keypad RFID
125KHz EM 1000/4000

ACM209-NW.

RFID
125kHz EM

ACM208.

RFID





ACM210

RFID

ACM225

Touch Keypad RFID 125kHz
EM Connect Wiegand Reader

ACM211B

RFID
Connect Wiegand Reader

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 Fashin Desing Reayable
- 5
- 1
- 2
- 3 2~3
- 6 1~5 7~30
- 7 T / T
- 8 DHL FedEx TNT UPS EMS EMS EMS Forwarder



Q1

A[Production ASAP]

Q2□□□□□□□□□□□□□□□□

A T / T PayPal Western Union
DHL FedEx TNT UPS

Q3

[illegible]

Q4

A 5000 pcs 100,000 7~15 3~7

Q5

A_____ OEM_____

Q 6. □□□□□□

20 RFID / NFC / RFID Keybod / RFID RFID