

SIDE MOUNTED AUTOMATIC DOOR OPERATOR

Suitable for Community Gate and Hotel Main Front Gate



Remote control



Power supply



Power box



Installation package

COMES WITH POWER BOX

110V 220V Power supply



Dimensions(mm)




INSTALLATION METHOD

Side Mounted Automatic Door Operator


Installation method and dimensions of the left door

1. When installing the door opener, please ensure that the two dimensions of 90mm and 220-280mm are correct, otherwise the door opener will not work normally;
2. The installation method and dimensions of the left door are shown in the figure below:



Installation method and dimensions of the right door

1. When installing the door opener, ensure that the two dimensions of 90mm and 220-280mm are correct, otherwise the door opener will not work correctly;
2. The installation method and dimensions of the right door are shown in the following figure:



You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**

WHY CHOOSE US?

- **Long History & High Reputation**

Founded in 1999. Great Creativity Group dedicates in R&D, producing and sale of RFID products and Plastic Card. We own 12,000 square meters factory, 3000 square meters office and 8 branches so far.

- **Advanced Equipments & Ultimate Production Ability**

2 Modern high standard production lines with monthly output 30,000,000pcs cards.
Brand-new CTP machines and Germany Heidelberg offset printing machines.
10 sets of compounding machines.

- **Self R&D Customization**

Our company offering management application project, equipment application, scheme and personalized RFID end product.

- **Strict Quality Control**

Strict QC System from raw material to finished products.
We have passed certified ISO9001, SGS, ROHS, EN-71, BV etc.
We promise all products will be examined strictly and
we ensure that the products we deliver to you with top quality.

Honers & Certificates

