



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

ACM-Y133XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXFAILXXXXXXXXXXXX

FAIL

D
C
1
2
V

☐ ☒
☒ ☐
☐ ☐

A
F
A
I
L
S
E
C
U
R
E

☒ ☒ ; F
☒ ☒ a i l S a f e


☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐ P V C




ACM-Y133 NO / NC 2

- ACM Goldbridge 2000
- ACM Goldbridge 2001
- ACM Goldbridge 2002


[illegible]




Cutting according to the size of the electric lock




Insert extension plate




Fix extension plate




After installed, power on and test it



Fix strike lock



Finish



Metal door frame

Wooden door frame



□□□□

☐ DHL ☐ TNT ☐ UPS ☐ EMS ☐ EMS-Forwarder ☐

□ □

11

□□□□□□□□□□□□□□1□□□1□□□□□□□□□□□□□□60□□□□



20mm x 10mm x 1.5mm (W x H x T)
 20mm x 10mm x 1.5mm (W x H x T)
 20mm x 10mm x 1.5mm (W x H x T)



ACM-Y130

PVC / NC / NO



□□□□□□□□PVC□□□□□□□□□□□□□□□□
□NC / NO□



280kg 600

You may need

2011年12月20日



ACM-Y280

□□□□□□□□□□280kg / 600□□□□



ACM-Y100S

□□□□□□□□□□

□□□□□□NO / NCPOWEROCK□□□□□□□□□□



ACM-Y066

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□130x98x41mmworking

[□□□□□□□□□□□□□□□□□□□□□□□□](#)



ACM-WEG02

2-Port RS232 / RS485 / TCP / IP



ACM-K2A.

No Touch Door Release Exit Button K2A
115 * 40mm; K2B 86 * 86mm



ACM-Y806-3A.

12V / 3A



ACM-Y280

□□□□□□□□□□280kg / 600□□□□



ACM-26X

125kHz Wiegand 26/34□□□□□□□□

□□115mm×75.5mm×16.8mm



ACM-EMI-S

125kHz em□□□□□□